



2006
HEALTH STATUS AND HEALTH RISK BEHAVIORS
OF ARIZONANS



June 2007

TABLE OF CONTENTS

EXECUTIVE SUMMARY.....	2
METHODS	3
RISK FACTORS/CHRONIC DISEASE TERM GLOSSARY.....	5
SELF-REPORTED HEALTH STATUS AND LIFE SATISFACTION	7
SELF-REPORTED HEALTH STATUS.....	8
LIFE SATISFACTION	12
HEALTH CONDITIONS AND LIMITATIONS.....	15
ACTIVITIES LIMITED	16
SPECIAL EQUIPMENT REQUIRED	18
COPD (EMPHYSEMA).....	20
COPD (CHRONIC BRONCHITIS)	22
ASTHMA.....	24
CARDIOVASCULAR DISEASE	26
DIABETES.....	30
OBESITY (BMI)	32
HEALTH RISKS, BEHAVIORS AND AWARENESS	34
SEAT BELT USE	35
ALCOHOL ABUSE - BINGE DRINKING	37
ALCOHOL ABUSE - HEAVY DRINKING	39
CIGARETTE SMOKING	41
FRUIT AND VEGETABLE CONSUMPTION	43
FOLIC ACID AWARENESS	45
NO INFLUENZA VACCINATION	47
PHYSICAL ACTIVITY - CATEGORIES.....	49
GENERAL PREPAREDNESS.....	51
INADEQUATE INFORMATION REGARDING EMERGENCY SITUATIONS.....	53
SCREENINGS.....	55
COLORECTAL CANCER SCREENING (SIGMOIDOSCOPY & COLONOSCOPY).....	56
COLORECTAL CANCER SCREENING (FECAL OCCULT BLOOD TEST).....	58
ROUTINE MAMMOGRAPHY	60
ROUTINE PAP SMEAR.....	62
PROSTATE CANCER SCREENING.....	64
HEALTH CARE COVERAGE AND HEALTH CARE UTILIZATION.....	66
HEALTH CARE COVERAGE	67
USUAL SOURCE OF HEALTH CARE	69
TIME SINCE LAST ROUTINE CHECKUP	71
COULD NOT AFFORD NEEDED HEALTH CARE	73
APPENDICES	75
2006 ARIZONA RESPONDENT PROFILE.....	76
2002 – 2006 ARIZONA RESPONDENT PROFILE BY YEAR*	77
2006 RESPONDENT PROFILE BY REGION	78
2006 ADDITIONAL SELECTED INDICATORS	79
2006 ARIZONA BRFSS QUESTIONS LISTING	172
2006 ARIZONA QUESTIONNAIRE	173
2006 BRFSS WEIGHTING FORMULA	186

EXECUTIVE SUMMARY

This report is an annual information update about the prevalence of selected risk behaviors, health conditions and chronic diseases in adults in the State of Arizona in 2006. The document also provides data on self-reported health status and life satisfaction of Arizonans, health screenings and health care coverage. Core questions provide information on high-risk behaviors and chronic diseases that are surveyed each year. The optional modules provide information on high-risk behaviors and chronic diseases that may or may not be surveyed each year. State-added questions supply information on high-risk behaviors added by request. The Behavioral Risk Factor Surveillance System (BRFSS) program is a rich source of state-level public health data; these data have become integral to health promotion, disease prevention, and intervention planning throughout Arizona.

- The prevalence of diabetes has increased for the 3rd straight year, from 6.3 percent in 2003 to 8.5 percent in 2006.
- The proportion of Arizonans consuming five or more servings of fruits and vegetable has increased from 22.7 percent in 2002 to 26.0 percent in 2006.
- The percentage of Arizonans who have not had a sigmoidoscopy or colonoscopy has decreased from 51.8 percent in 2002 to 43.4 percent in 2006.
- The proportion of Arizonans who do not have health insurance has increased from 16.1 percent in 2002 to 19.6 percent in 2006.
- The percentage of Arizonans without usual source of health care increased from 22.3 percent in 2002 to 28.3 percent in 2006.

Risk Indicator Trends for Arizona 2002-2006 (Percent)					
Risk Factors	2002	2003	2004	2005	2006
Self-Reported Health Status (Fair Or Poor)	15.1	15.6	14.9	15.5	16.3
Life Satisfaction (Dissatisfied or Very Dissatisfied)	N/A	N/A	N/A	5.3	4.2
Activities Limited	N/A	19.6	17.1	19.4	19.6
Special Equipment Required	4.8	6.0	5.3	6.2	5.7
Asthma	13.9	12.5	12.4	12.2	14.7
Cardiovascular Disease (Heart Attack)	N/A	N/A	N/A	4.6	4.7
Cardiovascular Disease (Angina)	N/A	N/A	N/A	5.0	4.7
Cardiovascular Disease (Stroke)	N/A	N/A	N/A	2.1	2.9
Diabetes	6.4	6.3	6.6	7.5	8.5
Obesity (BMI)	19.6	20.1	21.2	21.1	22.9
Seat Belt Use	11.2	N/A	N/A	N/A	18.1
Alcohol Abuse - Binge Drinking	16.9	16.6	15.5	14.5	15.2
Alcohol Abuse - Heavy Drinking	8.7	5.4	4.8	6.3	5.5
Cigarette Smoking	23.4	20.8	18.5	20.2	18.2
Fruit And Vegetable Consumption (<5 per day)	77.3	76.9	77.9	76.3	74.0
Folic Acid Awareness	N/A	43.8	37.2	36.7	45.6
No Influenza Vaccination	30.3	31.1	33.9	37.5	34.6
Physical Activity - Categories	N/A	50.1	51.8	47.0	48.1
Colorectal Cancer Screening (Sigmoidoscopy & Colonoscopy)	51.8	N/A	47.9	44.0	43.4
Routine Mammography	9.8	N/A	9.8	N/A	9.5
Prostate Cancer Screening	36.7	N/A	34.5	N/A	36.7
Health Care Coverage	16.1	16.7	17.9	20.9	19.6
Usual Source Of Health Care	22.3	26.4	25.7	28.0	28.3
Could Not Afford Needed Health Care	N/A	11.8	12.7	15.4	13.0

METHODS

A. BACKGROUND

The Arizona Department of Health Services (ADHS) participated in the Behavioral Risk Factor Surveillance System (BRFSS) since 1982, through a cooperative agreement with the Centers for Disease Control and Prevention (CDC). The BRFSS is an on-going data collection system for gathering information on adult health-related behaviors of non-institutionalized residents 18 years of age and older. The purpose of the BRFSS is to provide data that can be used to plan, implement, and monitor health promotion and disease prevention efforts in Arizona.

B. SAMPLING DESIGN

The Arizona BRFSS is a random sample telephone survey, using disproportionate stratified sampling, random digit dialing, and a Computer Assisted Telephone Interviewing (CATI) system. The survey has the potential to represent 96.3 percent of all households in Arizona (i.e., those who have telephones according to Arizona Department of Economic Security data for the year 2000, the latest year available). A sample size of 4,700 interviews over a 12-month period was selected to achieve an acceptable 95 percent confidence interval of ± 3 percent on risk factor prevalence estimates of the adult population. This means that the estimated prevalence of a given risk factor can be reliably projected across the total population of Arizona residents. Prevalence estimates of individual demographic variables, especially those that yield smaller sample sizes, do not achieve the same level of accuracy as the total sample.

A demographic profile of the Arizona population is reported in Appendix I: 2006 Arizona Respondent Profile.

C. QUESTIONNAIRE

The questionnaire, designed through cooperative agreements with the CDC, was divided into three sections, Core, Optional Modules, and State Added questions. The Core section contained questions on health risk behaviors and demographic information; the next section contained optional modules: Childhood Asthma, Visual Impairment and Access to Eye Care, Family Planning, Secondhand Smoke Policy, and Indoor Air Quality. The last section contained State-added questions consisting of: Oral Health, Epilepsy, Fruits & Vegetables, Physical Activity, Folic Acid, COPD, General Preparedness and Emergency Preparedness.

D. BRFSS PROTOCOL

The ADHS has contracted with a private survey research firm since August 2000 to contact randomly selected Arizona residences from 9 A.M. until 9 P.M. weekdays, from 11 A.M. until 7 P.M. Saturdays, and from 11 A.M. until 7 P.M. Sundays. All telephone numbers released in each month's sample received at least 15 attempts over a minimum 14 day period, including at least three attempts during weekends, three attempts during weekday evenings; and three attempts during the daytime weekday. Furthermore, selected respondents who were not able to complete the interview at the time of selection received a minimum of 10 callbacks during the interviewing period.

METHODS (Cont)

After a residence had been contacted, one adult (18 years of age or older) was randomly selected from all adults residing in the household to be interviewed.

E. DATA ANALYSIS

The collected data were compiled and weighted by the CDC. Weighted counts were based on the Arizona population to accurately reflect the population demographics. The weighting factor considered the number of adults and telephone lines in the household, cluster size, stratum size, and age/race/sex distribution of the general population. The weighting formula is described in the 2006 BRFSS Weighting Formula.

All analyses presented are based on cell size counts of at least eight cases. The demographic information that was collected and presented in these results includes sex, age, education, household income, race, and ethnicity. Comparisons between responses within demographic categories were analyzed for statistical significance at the $\alpha = .05$ level. Throughout the report, statistical difference is noted when analysis provides 95 percent confidence that the categories described are different.

RISK FACTORS/CHRONIC DISEASE TERM GLOSSARY

Asthma	Respondents who reported a doctor told them they had asthma.
Binge Drinking	Respondents who reported having five or more drinks on an occasion, one or more times in the past month.
Cardiovascular Disease	Respondents who reported a doctor told them they had a heart attack, angina, or stroke.
COPD	Respondents who reported a doctor told them they had emphysema or chronic bronchitis.
Current Smoking	Respondents who reported smoking 100 cigarettes during their lifetime and who smoke now (regularly or irregularly).
Dental Visit	Respondents who reported they had not had a dental visit in the past year.
Diabetes	Respondents who reported a doctor told them they had diabetes.
Influenza Vaccination	Respondents who reported not receiving a flu shot in the past 12 months.
Folic Acid Awareness	Respondents 18-44 years of age who reported a reason other than preventing birth defects as the reason experts recommend that women take folic acid.
Fruits/Vegetables	Respondents who reported that they consumed fewer than five servings of fruits and vegetables daily.
Health Care Coverage	Respondents who reported that they did not have health care coverage.
Heavy Drinking	Adult men having more than two drinks per day and adult women having more than one drink per day.
HIV/AIDS Testing	Respondents 18-64 years of age who reported that they have not been tested for HIV.
Limited Activities	Respondents who reported they were limited in any activities due to any impairment or health problems.
Mammography	Female respondents 40 years of age and older who reported that they had never had a mammogram.

RISK FACTORS/CHRONIC DISEASE TERM GLOSSARY (CONT)

No Leisure-Time Activity	Respondents who reported that they did not participate in physical activity in the past month outside of normal work-related activities.
Obese	Respondents with a Body Mass Index (BMI) of 30.0 to 99.8. BMI is weight in kilograms divided by height in meters squared (W/H^2).
Overweight	Respondents with a Body Mass Index (BMI) of 25.0 to 29.9.
Pap Smear	Female respondents who reported that they never had a Pap smear test.
Pneumonia Vaccination	Respondents who reported never receiving a pneumonia vaccination.
PSA Blood Test	Male respondents aged 50 years and older who reported that they had not had a Prostate Specific Antigen (PSA) blood test.
Respondent	Arizona residents 18 years of age or older. In some cases various subset(s) of this group may be used.
Seatbelt Use	Respondents who reported that they "sometimes", "seldom", or "never" wear seat belts when driving or riding in a car.

SELF-REPORTED HEALTH STATUS AND LIFE SATISFACTION

SELF-REPORTED HEALTH STATUS

Health-related quality of life (HRQOL) related questions about perceived physical and mental health and function have developed into an important part of health surveillance and are generally considered valid indicators of service needs and intervention outcomes. Self-assessed health status has proved a more dominant predictor of mortality and morbidity than many objective measures of health.¹ HRQOL measures make it feasible to scientifically demonstrate the effect quality of life has on health, going well beyond the old paradigm that was restricted to what can be viewed under a microscope.²

Survey Question:
Would you say that in general your health is:




Figure 1a. 2006 Arizona and national BRFSS respondents' self-reported physical health status.




Figure 1b. 2006 Arizona BRFSS respondents' self-reported physical health status by gender.




Figure 1c. 2000-2006 Arizona and national BRFSS respondents' self-reported physical health status.

- In each year from 2000 to 2006, the proportion of respondents who reported their health status as excellent was higher in Arizona compared to the nation;
- In 2006, the proportion of respondents who assessed their health status as poor was lower in Arizona compared to the nation;
- The proportion of Arizonans who assessed their health status as poor declined from 4.9 percent in 2000 to 3.3 percentage in 2006.

According to the 2006 BRFSS, 16.3 percent of respondents reported their health was fair or poor. The following respondent groups were most likely to report their health as fair or poor:

Gender: Females, 17.3 percent.

Age: 65+ years old, 24.7 percent.

Marital Status: Widowed, 28.0 percent.

Education: Less than high school, 35.9 percent.

Employment Status: Unable to work, 72.1 percent.

Income: <\$25,000, 31.7 percent.

Race/Ethnicity: Black, Non-Hispanic, 24.7 percent.

Veteran Status: Veterans, 17.0 percent.

2006 Arizona BRFSS: Self-Reported Fair Or Poor General Physical Health Status						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	16.3	910		EMPLOYMENT		
SEX				Employed for wages	10.0	188
Male	15.2	338		Self-employed	8.0	37
Female	17.3	572		Out of work	27.3	52
AGE				Homemaker	18.4	96
18-24	12.6	20		Student	10.8	15
25-34	9.9	49		Retired	22.4	349
35-44	12.7	94		Unable to work	72.1	168
45-54	17.4	136		INCOME		
55-64	21.8	244		<\$25,000	31.7	1,370
65+	24.7	367		\$25,000-\$34,999	19.4	567
MARITAL STATUS				\$35,000-\$49,999	11.7	660
Married	14.7	461		\$50,000-\$74,999	15.2	661
Divorced	23.2	157		\$75,000 or more	4.1	836
Widowed	28.0	172		RACE/ ETHNICITY		
Separated	19.0	26		White, Non-Hispanic	12.9	3,287
Never married	12.1	66		Black, Non-Hispanic	24.7	77
Unmarried couple	22.2	27		Other race, Non-Hispanic	21.2	274
EDUCATION				Hispanic	24.8	1,093
Less than High School	35.9	224		VETERAN STATUS		
High School Graduate/GED	17.5	276		Yes	17.0	809
Some College/Tech School	16.7	244		No	16.1	3,936
College Grad	8.0	158				

Table 1a. BRFSS results: Respondents self-reported fair or poor physical health status. *N is unweighted.

According to the 2006 BRFSS, 52.6 percent of respondents reported their health was excellent or very good. The following respondent groups were most likely to report that their health was excellent or very good:

Gender: Males, 53.5 percent.

Age: 25 - 34 years old, 59.3 percent.

Marital Status: Married, 54.8 percent.

Education: College, 69.8 percent.

Employment Status: Student, 66.7 percent.

Income: \$75,000 or more, 76.7 percent.

Race/Ethnicity: White, Non-Hispanic, 58.7 percent.

Veteran Status: Non-veterans, 52.5 percent.

2006 Arizona BRFSS: Self-Reported Excellent Or Very Good General Physical Health Status					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	52.6	2,372	EMPLOYMENT		
SEX			Employed for wages	57.9	1,075
Male	53.5	882	Self-employed	64.5	292
Female	51.7	1,490	Out of work	36.9	73
AGE			Homemaker	43.4	220
18-24	50.1	72	Student	66.7	38
25-34	59.3	167	Retired	45.4	634
35-44	56.8	226	Unable to work	16.1	28
45-54	52.2	303	INCOME		
55-64	49.8	279	<\$25,000	32.1	435
65+	44.3	459	\$25,000-\$34,999	41.6	249
MARITAL STATUS			\$35,000-\$49,999	47.7	358
Married	54.8	859	\$50,000-\$74,999	59.6	422
Divorced	47.0	212	\$75,000 or more	76.7	597
Widowed	40.0	187	RACE/ ETHNICITY		
Separated	28.0	39	White, Non-Hispanic	58.7	1,811
Never married	54.1	165	Black, Non-Hispanic	45.8	39
Unmarried couple	51.9	40	Other race, Non-Hispanic	44.2	113
EDUCATION			Hispanic	36.2	381
Less than High School	26.2	141	VETERAN STATUS		
High School Graduate/GED	43.8	543	Yes	52.4	391
Some College/Tech School	51.2	746	No	52.5	1,965
College Grad	69.8	931			

Table 1b. BRFSS results: Respondents self-reported excellent or very good physical health status. *N is unweighted.

References

1. Idler EL, Benyamini Y. Self-rated health and mortality: A review of twenty-seven community studies. J Health Soc Behav 1997; 38:21-37.
2. Centers for Disease Control and Prevention. Measuring Healthy Days. Atlanta, Georgia: CDC, November 2000.

LIFE SATISFACTION

“Extensive research has been conducted in psychology and the social sciences to understand the factors influencing well-being. Nevertheless, it is only relatively recently that subjective measures of well-being have begun to be taken seriously outside academia. People with positive self-perceptions also tend to live longer than those who regard themselves more negatively. As well as being valid, self-reports of life satisfaction seem to be reliable. In other words, people tend to give the same patterns of response over time, and when slightly different question wordings are used. Whilst on the individual level, day-to-day changes in happiness are of interest, at a policy level it is overall satisfaction that gives the best indication of how groups of people are faring.”¹

Survey Question:

In general, how satisfied are you with your life?




Figure 2. 2005-2006 Arizona BRFSS respondents' self-reported life satisfaction.

According to the 2006 BRFSS, 95.8 percent of respondents reported they were satisfied or very satisfied with their life. The following respondent groups were most likely to report that they were satisfied or very satisfied with their life (Table 2a):

- Gender:** Males, 96.0 percent.
- Age:** 35 - 44 years old, 97.5 percent.
- Marital Status:** Unmarried couple, 98.9 percent.
- Education:** College graduate, 97.8 percent.
- Employment Status:** Homemaker, 97.9 percent.
- Income:** \$50,000 - \$74,999, 99.4 percent.
- Race/Ethnicity:** Hispanic, 97.1 percent.
- Veteran Status:** Veterans, 96.7 percent.

2006 Arizona BRFSS: Life Satisfaction (Satisfied And Very Satisfied)						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	95.8	4,374		EMPLOYMENT		
SEX				Employed for wages	97.4	1,715
Male	96.0	1,638		Self-employed	97.2	427
Female	95.7	2,736		Out of work	83.1	160
AGE				Homemaker	97.9	477
18-24	95.7	191		Student	91.7	69
25-34	95.4	483		Retired	97.3	1,333
35-44	97.5	676		Unable to work	77.3	177
45-54	94.2	818		INCOME		
55-64	95.9	874		<\$25,000	90.7	1,175
65+	96.2	1,332		\$25,000-\$34,999	94.4	521
MARITAL STATUS				\$35,000-\$49,999	95.2	623
Married	97.9	2,572		\$50,000-\$74,999	99.4	644
Divorced	89.9	589		\$75,000 or more	98.0	800
Widowed	95.9	553		RACE/ ETHNICITY		
Separated	88.2	86		White, Non-Hispanic	96.7	3,032
Never married	91.1	431		Black, Non-Hispanic	87.4	67
Unmarried couple	98.9	132		Other race, Non-Hispanic	81.5	239
EDUCATION				Hispanic	97.1	992
Less than High School	95.2	511		VETERAN STATUS		
High School Graduate/GED	94.7	1,166		Yes	96.7	747
Some College/Tech School	94.7	1,310		No	95.7	3,623
College Grad	97.8	1,360				

Table 2a. BRFSS results: Respondents' life satisfaction. *N is unweighted.

According to the 2006 BRFSS, 4.2 percent of respondents reported they were dissatisfied or very dissatisfied with their life. The following respondent groups were most likely to report that they were dissatisfied or very dissatisfied with their life (Table 2b):

Gender: Females, 4.3 percent.

Age: 45 - 54 years old, 5.8 percent.

Marital Status: Separated, 11.8 percent.

Education: High school graduates and some college/technical school (tied), 5.3 percent.

Employment Status: Unable to work, 22.7 percent.

Income: <\$25,000, 9.3 percent.

Race/Ethnicity: Other, Non-Hispanic, 18.5 percent.

Veteran Status: Non-veterans, 4.3 percent.

2006 Arizona BRFSS: Life Satisfaction (Dissatisfied And Very Dissatisfied)						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	4.2	195		EMPLOYMENT		
SEX				Employed for wages	2.6	53
Male	4.0	77		Self-employed	2.8	10
Female	4.3	118		Out of work	16.9	21
AGE				Homemaker	2.1	10
18-24	4.3	8		Student	8.3	7
25-34	4.6	23		Retired	2.7	40
35-44	2.5	29		Unable to work	22.7	54
45-54	5.8	49		INCOME		
55-64	4.1	43		<\$25,000	9.3	105
65+	3.8	43		\$25,000-\$34,999	5.6	23
MARITAL STATUS				\$35,000-\$49,999	4.8	23
Married	2.1	59		\$50,000-\$74,999	0.6	3
Divorced	10.1	52		\$75,000 or more	2.0	12
Widowed	4.1	22		RACE/ ETHNICITY		
Separated	11.8	12		White, Non-Hispanic	3.3	137
Never married	8.9	44		Black, Non-Hispanic	12.6	6
Unmarried couple	1.1	5		Other race, Non-Hispanic	18.5	21
EDUCATION				Hispanic	2.9	28
Less than High School	4.8	23		VETERAN STATUS		
High School Graduate/GED	5.3	54		Yes	3.3	27
Some College/Tech School	5.3	75		No	4.3	166
College Grad	2.2	42				

Table 2b. BRFSS results: Respondents' life satisfaction. *N is unweighted.

References

1. Life Satisfaction. Retrieved from the Internet June 7, 2007. <http://www.happyplanetindex.org/life-satisfaction.htm>.

HEALTH CONDITIONS AND LIMITATIONS

ACTIVITIES LIMITED

Survey Question:

Are you limited in any way in any activities because of physical, mental, or emotional problems?




Figure 3. 2006 Arizona BRFSS respondents who reported their activities are limited by gender.

According to the 2006 BRFSS, 18.6 percent* of respondents reported their activities were limited. The following respondent groups were most likely to have their activities limited:

- Gender:** Females, 19.5 percent.
- Age:** 65+ years old, 29.7 percent.
- Marital Status:** Divorced, 32.7 percent.
- Education:** Some College/Tech School, 22.6 percent.
- Employment Status:** Unable to work, 69.1 percent.
- Income:** <\$25,000, 26.6 percent.
- Race/Ethnicity:** Black, Non-Hispanic, 23.2 percent.
- Veteran Status:** Veterans, 27.6 percent.

* 95% Confidence Interval: 16.8%-20.4%.

2006 Arizona BRFSS: Limited Activities						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	18.6	1,136		EMPLOYMENT		
SEX				Employed for wages	10.2	244
Male	17.6	454		Self-employed	13.3	75
Female	19.5	682		Out of work	32.7	58
AGE				Homemaker	14.9	89
18-24	7.7	16		Student	17.2	12
25-34	7.8	53		Retired	31.9	459
35-44	14.7	109		Unable to work	69.1	195
45-54	23.6	204		INCOME		
55-64	29.4	300		<\$25,000	26.6	420
65+	29.7	454		\$25,000-\$34,999	21.6	146
MARITAL STATUS				\$35,000-\$49,999	15.5	143
Married	17.4	583		\$50,000-\$74,999	20.6	140
Divorced	32.7	232		\$75,000 or more	11.0	129
Widowed	32.3	198		RACE/ ETHNICITY		
Separated	23.8	18		White, Non-Hispanic	21.1	907
Never married	12.6	82		Black, Non-Hispanic	23.2	14
Unmarried couple	9.4	21		Other race, Non-Hispanic	22.9	73
EDUCATION				Hispanic	10.0	130
Less than High School	13.1	118		VETERAN STATUS		
High School Graduate/GED	16.5	293		Yes	27.6	262
Some College/Tech School	22.6	374		No	17.1	864
College Grad	18.7	346				

Table 3. BRFSS results: Respondents who reported their activities were limited. *N is unweighted.

SPECIAL EQUIPMENT REQUIRED

Survey Question:

Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?




Figure 4. 2001-2006 Arizona BRFSS respondents who require the use of special equipment.

According to the 2006 BRFSS, 5.7 percent* of respondents reported they require the use of special equipment. The following respondent groups were most likely to require the use of special equipment:

Gender: Females, 6.5 percent.

Age: 65+ years old, 13.8 percent.

Marital Status: Widowed, 18.5 percent.

Education: Some College/Tech School and College (Tie), 5.9 percent.

Employment Status: Unable to work, 29.4 percent.

Income: <\$25,000, 10.2 percent.

Race/Ethnicity: White, Non-Hispanic, 6.3 percent. The cell size for Black was too small to be reliable.

Veteran Status: Veterans, 11.1 percent.

* 95% Confidence Interval: 4.7%-6.7%.

2006 Arizona BRFSS: Special Equipment						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	5.7	422		EMPLOYMENT		
SEX				Employed for wages	1.8	53
Male	4.9	153		Self-employed	2.6	15
Female	6.5	269		Out of work	6.4	15
AGE				Homemaker	6.8	33
18-24	1.7	2		Student	.0	0
25-34	1.3	6		Retired	13.0	209
35-44	3.4	26		Unable to work	29.4	95
45-54	5.3	59		INCOME		
55-64	9.2	113		<\$25,000	10.2	179
65+	13.8	216		\$25,000-\$34,999	4.6	52
MARITAL STATUS				\$35,000-\$49,999	6.0	38
Married	4.9	180		\$50,000-\$74,999	6.0	43
Divorced	9.7	83		\$75,000 or more	2.1	32
Widowed	18.5	112		RACE/ ETHNICITY		
Separated	2.3	6		White, Non-Hispanic	6.3	320
Never married	3.5	32		Black, Non-Hispanic	7.9	7
Unmarried couple	2.3	7		Other race, Non-Hispanic	6.0	34
EDUCATION				Hispanic	3.9	55
Less than High School	4.7	57		VETERAN STATUS		
High School Graduate/GED	5.7	109		Yes	11.1	104
Some College/Tech School	5.9	133		No	4.8	314
College Grad	5.9	120				

Table 4. BRFSS results: Respondents who require special equipment. *N is unweighted.

COPD (EMPHYSEMA)

In 2006, 2,771 Arizonans died of chronic obstructive pulmonary diseases (COPD) including 349 who died from emphysema. COPD was the 4th leading cause of death among Arizona residents.¹

Survey Question:

Have you EVER been told by a doctor or other health professional that you had emphysema?




Figure 5. Arizona BRFSS respondents who were told they have emphysema by gender.

According to the 2006 BRFSS, 1.6 percent of respondents reported they were told they have emphysema. The following respondent groups were most likely to be told they have emphysema:

Gender: Males, 1.9 percent.

Age: 65+ years old, 4.7 percent.

Marital Status: Widowed, 4.8 percent.

Education: Some College/Tech School, 1.9 percent.

Employment Status: Unable to work, 5.6 percent.

Income: <\$25,000, 2.4 percent.

Race/Ethnicity: White, Non-Hispanic, 2.0 percent. The cell size for Black was too small to be reliable.

Veteran Status: Veterans, 2.9 percent.

2006 Arizona BRFSS: Respondents Who Were Told They Have Emphysema						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	1.6	119		EMPLOYMENT		
SEX				Employed for wages	0.6	12
Male	1.9	60		Self-employed	1.4	8
Female	1.2	59		Out of work	1.9	4
AGE				Homemaker	0.9	7
18-24	0.2	1		Student	0.0	0
25-34	0.0	0		Retired	4.1	71
35-44	1.2	6		Unable to work	5.6	17
45-54	0.8	10		INCOME		
55-64	2.8	24		<\$25,000	2.4	51
65+	4.7	78		\$25,000-\$34,999	1.7	17
MARITAL STATUS				\$35,000-\$49,999	1.4	12
Married	1.6	54		\$50,000-\$74,999	1.3	12
Divorced	2.4	26		\$75,000 or more	0.8	5
Widowed	4.8	30		RACE/ ETHNICITY		
Separated	3.0	4		White, Non-Hispanic	2.0	105
Never married	0.1	3		Black, Non-Hispanic	3.2	3
Unmarried couple	0.7	2		Other race, Non-Hispanic	1.2	4
EDUCATION				Hispanic	0.3	7
Less than High School	1.7	18		VETERAN STATUS		
High School Graduate/GED	1.6	27		Yes	2.9	42
Some College/Tech School	1.9	48		No	1.4	77
College Grad	1.3	25				

Table 5. BRFSS results: Respondents who were told they have emphysema. *N is unweighted.

References

1. Mrela, CK, ARIZONA HEALTH STATUS AND VITAL STATISTICS, 2006. Bureau of Public Health Statistics, Arizona Department of Health Services.

COPD (CHRONIC BRONCHITIS)

Survey Question:

Have you EVER been told by a doctor or other health professional that you had chronic bronchitis?




Figure 6. Arizona BRFSS respondents who were told they have chronic bronchitis by gender.

According to the 2006 BRFSS, 7.8 percent of respondents were told they have chronic bronchitis. The following respondent groups were most likely to be told they have chronic bronchitis:

Gender: Females, 10.1 percent.

Age: 65+ years old, 10.0 percent.

Marital Status: Divorced, 13.0 percent.

Education: Less than high school and high school graduate (tie), 9.4 percent.

Employment Status: Out of work, 20.4 percent.

Income: <\$25,000, 11.1 percent.

Race/Ethnicity: Other, Non-Hispanic, 13.5 percent.

Veteran Status: Non-veterans, 8.2 percent.

2006 Arizona BRFSS: Respondents Who Were Told They Have Chronic Bronchitis						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	7.8	365		EMPLOYMENT		
SEX				Employed for wages	7.0	113
Male	5.5	97		Self-employed	5.0	30
Female	10.1	268		Out of work	20.4	22
AGE				Homemaker	5.1	34
18-24	6.9	13		Student	5.8	1
25-34	3.8	20		Retired	9.2	124
35-44	8.1	46		Unable to work	14.7	40
45-54	9.6	64		INCOME		
55-64	9.2	88		<\$25,000	11.1	133
65+	10.0	134		\$25,000-\$34,999	9.0	53
MARITAL STATUS				\$35,000-\$49,999	5.2	38
Married	7.3	175		\$50,000-\$74,999	6.5	40
Divorced	13.0	70		\$75,000 or more	6.7	46
Widowed	10.4	67		RACE/ ETHNICITY		
Separated	3.2	3		White, Non-Hispanic	8.4	289
Never married	7.1	37		Black, Non-Hispanic	6.6	5
Unmarried couple	4.7	12		Other race, Non-Hispanic	13.5	22
EDUCATION				Hispanic	4.8	44
Less than High School	9.4	49		VETERAN STATUS		
High School Graduate/GED	9.4	109		Yes	5.7	54
Some College/Tech School	8.4	124		No	8.2	310
College Grad	5.7	81				

Table 6. BRFSS results: Respondents who were told they have chronic bronchitis. *N is unweighted.

ASTHMA

Asthma is a chronic disease of the airways that causes persistent and distressing episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing. Asthma can be difficult to diagnose and to distinguish from other respiratory illnesses.¹

Asthma is a serious and growing health problem. According to estimates, 14.9 million persons in the United States have asthma. Asthma is responsible for around 500,000 hospitalizations, 5,000 deaths, and 134 million restricted activity days annually. Yet, people with asthma can avoid most of the problems caused by asthma if they and their health care providers managed the disease according to accepted guidelines.² The number of asthma-related inpatient hospitalizations in Arizona almost doubled from 21,300 in 2000 to 39,500 in 2005. During 2005, there were 76,300 emergency room visits related to asthma. In addition, 73 Arizonans died from the disease.

Asthma is a complicated disease that requires a long-term and multifaceted answer. This includes educating, treating, and providing continuing medical care and monitoring for people with asthma, changing behaviors that lead to asthma or exacerbates it, and eliminating or avoiding triggers.¹

Survey Question:

Have you EVER been told by a doctor, nurse, or other health professional that you had asthma?




Figure 7. Percentage of Arizona BRFSS respondents who were told that they had asthma in 2002-2006.

According to the 2006 BRFSS, 14.7 percent* of respondents who were told that they had asthma. The following respondent groups were most likely to have been told they have asthma:

Gender: Females, 16.1 percent.

Age: 18-24 years old, 17.9 percent.

Marital Status: Divorced, 20.1 percent.

Education: College, 15.7 percent.

Employment Status: Unable to work, 22.0 percent.

* 95% Confidence Interval: 12.7%-16.7%.

Income: \$35,000 to \$49,999, 16.0 percent.

Race/Ethnicity: Black, Non-Hispanic, 25.6 percent.

Veteran Status: Non-veterans, 15.5 percent.

2006 Arizona BRFSS: Respondents Who Were Told They Have Asthma						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	14.7	674		EMPLOYMENT		
SEX				Employed for wages	16.3	283
Male	13.2	207		Self-employed	11.3	51
Female	16.1	467		Out of work	19.8	31
AGE				Homemaker	9.8	49
18-24	17.9	36		Student	11.8	9
25-34	10.7	76		Retired	12.5	195
35-44	15.9	102		Unable to work	22.0	53
45-54	16.9	129		INCOME		
55-64	16.3	155		<\$25,000	15.6	195
65+	12.2	176		\$25,000-\$34,999	14.7	80
MARITAL STATUS				\$35,000-\$49,999	16.0	82
Married	13.9	357		\$50,000-\$74,999	14.2	106
Divorced	20.1	122		\$75,000 or more	15.6	119
Widowed	13.6	86		RACE/ ETHNICITY		
Separated	3.8	7		White, Non-Hispanic	16.7	511
Never married	18.8	88		Black, Non-Hispanic	25.6	23
Unmarried couple	7.4	13		Other race, Non-Hispanic	14.8	40
EDUCATION				Hispanic	8.3	97
Less than High School	14.7	73		VETERAN STATUS		
High School Graduate/GED	14.0	154		Yes	10.0	91
Some College/Tech School	14.2	224		No	15.5	577
College Grad	15.7	221				

Table 7. BRFSS results: Respondents who were told they had asthma. *N is unweighted.

References

1. Asthma: Asthma Speaker's Kit for Health Care Professionals. Retrieved from the Internet May 20, 2004. <http://www.cdc.gov/asthma/speakit/intro.ht>
2. U.S. Department of Health and Human Services. Healthy People 2010: Understanding and Improving Health. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.

CARDIOVASCULAR DISEASE

“Heart disease is the nation’s leading cause of death. Much of the burden of heart disease could be eliminated by reducing the prevalence rates of its major risk factors: high blood pressure, high blood cholesterol, tobacco use, diabetes, physical inactivity, and poor nutrition. Modest reductions in the rates of one or more of these risk factors can have a large public health impact. Heart disease can also be prevented or controlled through governmental policies (such as restricting access to tobacco) and through environmental changes (such as providing better access to healthy foods and opportunities for physical activity).”¹

Survey Questions:

Ever told you had a heart attack, also called a myocardial infarction?

Ever told you had angina or coronary heart disease?

Ever told you had a stroke?




Figure 8. Percentage of Arizona BRFSS respondents who were told that they had a heart attack, angina or stroke.

According to the 2006 BRFSS, 4.7 percent* of all respondents who were told that they had a heart attack or myocardial infarction. The following respondent groups were most like to have been told they have had a heart attack (Table 8a):

Gender: Males, 5.3 percent.

Age: 65+ years old, 15.6 percent.

Marital Status: Widowed, 13.9 percent.

Education: Less than high school, 6.2 percent.

Employment Status: Unable to work, 14.1 percent.

Income: <\$25,000, 7.4 percent.

Race/Ethnicity: White Non-Hispanic (Black Non-Hispanic – cell size too small), 5.7 percent.

Veteran Status: Veterans, 13.5 percent.

2006 Arizona BRFSS: Respondents Who Were Told They Have Had A Heart Attack						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	4.7	330		EMPLOYMENT		
SEX				Employed for wages	2.0	46
Male	5.3	185		Self-employed	3.0	17
Female	4.2	145		Out of work	8.0	14
AGE				Homemaker	2.7	19
18-24	0.0	0		Student	0.0	0
25-34	0.8	4		Retired	12.6	190
35-44	1.8	14		Unable to work	14.1	42
45-54	3.6	27		INCOME		
55-64	6.6	76		<\$25,000	7.4	130
65+	15.6	209		\$25,000-\$34,999	5.6	39
MARITAL STATUS				\$35,000-\$49,999	3.5	33
Married	5.2	187		\$50,000-\$74,999	4.5	35
Divorced	4.2	39		\$75,000 or more	2.0	33
Widowed	13.9	84		RACE/ ETHNICITY		
Separated	10.1	5		White, Non-Hispanic	5.7	260
Never married	0.6	13		Black, Non-Hispanic	5.7	5
Unmarried couple	1.0	2		Other race, Non-Hispanic	2.7	14
EDUCATION				Hispanic	2.3	47
Less than High School	6.2	47		VETERAN STATUS		
High School Graduate/GED	5.3	100		Yes	13.5	130
Some College/Tech School	4.4	101		No	3.2	195
College Grad	4.2	82				

Table 8b. BRFSS results: Respondents who were told they have had a heart attack. *N is unweighted.

* 95% Confidence Interval: 3.9%-5.5%.

According to the 2006 BRFSS, 4.7 percent[†] of all respondents who were told that they had angina or coronary heart disease. The following respondent groups were most likely to be told they had angina (Table 8b):

Gender: Males, 6.1 percent.

Age: 65+ years old, 13.5 percent.

Marital Status: Widowed, 10.6 percent.

Education: Less than high school, 6.1 percent.

Employment Status: Unable to work, 15.7 percent.

Income: <\$25,000, 8.1 percent.

Race/Ethnicity: White, Non-Hispanic (Black Non-Hispanic – cell size too small), 5.2 percent.

Veteran Status: Veterans, 11.7 percent.

2006 Arizona BRFSS: Respondents Who Were Told They Have Had Angina Or Coronary Heart Disease						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	4.7	311		EMPLOYMENT		
SEX				Employed for wages	2.9	54
Male	6.1	163		Self-employed	2.0	15
Female	3.3	148		Out of work	5.3	13
AGE				Homemaker	1.1	18
18-24	0.1	1		Student	0.0	0
25-34	1.8	2		Retired	11.7	168
35-44	1.9	14		Unable to work	15.7	43
45-54	3.3	31		INCOME		
55-64	8.0	75		<\$25,000	8.1	119
65+	13.5	188		\$25,000-\$34,999	6.0	48
MARITAL STATUS				\$35,000-\$49,999	3.4	30
Married	5.6	187		\$50,000-\$74,999	4.3	32
Divorced	4.5	36		\$75,000 or more	2.3	36
Widowed	10.6	65		RACE/ ETHNICITY		
Separated	1.9	5		White, Non-Hispanic	5.2	249
Never married	0.9	13		Black, Non-Hispanic	5.9	4
Unmarried couple	1.0	5		Other race, Non-Hispanic	3.6	21
EDUCATION				Hispanic	3.6	35
Less than High School	6.1	37		VETERAN STATUS		
High School Graduate/GED	5.9	89		Yes	11.7	105
Some College/Tech School	4.2	108		No	3.4	200
College Grad	4.0	77				

Table 8c. BRFSS results: Respondents who were told they have had angina or coronary heart disease. *N is unweighted.

[†] 95% Confidence Interval: 3.5%-5.9%

According to the 2006 BRFSS, 2.9 percent[‡] of all respondents who were told that they had a stroke. The following respondent groups were most likely to have been told they have had a stroke (Table 8c):

Gender: Males, 3.0 percent.

Age: 65+ years old, 11.5 percent.

Marital Status: Widowed, 9.7 percent.

Education: Less than high school, 3.6 percent.

Employment Status: Unable to work, 11.2 percent.

Income: <\$25,000, 4.6 percent.

Race/Ethnicity: White, Non-Hispanic (Black Non-Hispanic – cell size too small), 3.6 percent.

Veteran Status: Veterans, 8.1 percent.

2006 Arizona BRFSS: Respondents Who Were Told They Have Had A Stroke						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	2.9	204		EMPLOYMENT		
SEX				Employed for wages	0.4	14
Male	3.0	84		Self-employed	1.5	12
Female	2.8	120		Out of work	3.5	8
AGE				Homemaker	2.4	14
18-24	0.0	0		Student	0.5	2
25-34	0.0	1		Retired	8.9	120
35-44	0.8	9		Unable to work	11.2	33
45-54	1.5	19		INCOME		
55-64	3.2	33		<\$25,000	4.6	82
65+	11.5	142		\$25,000-\$34,999	3.2	26
MARITAL STATUS				\$35,000-\$49,999	1.8	19
Married	2.9	107		\$50,000-\$74,999	3.3	16
Divorced	4.6	37		\$75,000 or more	1.0	18
Widowed	9.7	49		RACE/ ETHNICITY		
Separated	1.3	3		White, Non-Hispanic	3.6	172
Never married	0.1	6		Black, Non-Hispanic	3.6	5
Unmarried couple	0.4	2		Other race, Non-Hispanic	1.1	8
EDUCATION				Hispanic	1.2	19
Less than High School	3.6	27		VETERAN STATUS		
High School Graduate/GED	3.5	67		Yes	8.1	62
Some College/Tech School	2.6	64		No	2.0	141
College Grad	2.4	45				

Table 8c. BRFSS results: Respondents who were told they have had a stroke. *N is unweighted.

References

1. U.S. Department of Health and Human Services. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives, February 2004.

[‡] 95% Confidence Interval: 2.3%-3.5%

DIABETES

Currently, 17 million Americans have diabetes, and over 200,000 people die each year of related complications. Diabetes can cause heart disease, stroke, blindness, kidney failure, leg and foot amputations, pregnancy complications, and deaths related to flu and pneumonia. Particularly at risk are the 5.9 million Americans who are unaware that they have the disease.¹

“Early detection, improved delivery of care, and better self-management are key strategies for preventing much of the burden of diabetes. Type 2 diabetes, formerly considered “adult onset” diabetes, is now being diagnosed more frequently among children and adolescents. This type of diabetes is linked to two modifiable risk factors: obesity and physical inactivity.”²

Survey Question:

Have you EVER been told by a doctor that you have diabetes?




Figure 9. Percentage of Arizona and National BRFSS respondents who reported that they were told they had diabetes in 2002-2006. *Healthy People 2010 Objective is 4.0 percent.*

According to the 2006 BRFSS, 8.5 percent* of all respondents were told by a doctor they had diabetes. Figure 9 shows a constant rate increase since 2003. The figure continues to exceed the *Healthy People 2010 Objective No. 5.3* for diabetes incidence of 4 percent.³ The following respondent groups were most likely to have been told they have diabetes:

Gender: Males, 9.4 percent.

Age: 55 – 64 years old, 16.0 percent.

Marital Status: Separated, 16.7 percent.

Education: Less than a high school, 11.8 percent.

Employment Status: Unable to work, 20.3 percent.

Income: \$25,000 to \$34,999, 12.4 percent.

Race/Ethnicity: Black, Non-Hispanic, 26.2 percent.

Veteran Status: Veterans, 16.9 percent.

* 95% Confidence Interval: 7.1%-9.9%.

2006 Arizona BRFSS: Respondents Who Were Told They Have Diabetes					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	8.5	491	EMPLOYMENT		
SEX			Employed for wages	6.4	116
Male	9.4	220	Self-employed	5.2	28
Female	7.6	271	Out of work	9.4	22
AGE			Homemaker	6.6	39
18-24	0.4	2	Student	2.0	6
25-34	3.3	13	Retired	15.3	223
35-44	3.8	33	Unable to work	20.3	55
45-54	12.9	78	INCOME		
55-64	16.0	139	<\$25,000	11.5	179
65+	15.3	226	\$25,000-\$34,999	12.4	69
MARITAL STATUS			\$35,000-\$49,999	8.0	60
Married	9.2	269	\$50,000-\$74,999	10.2	53
Divorced	11.7	79	\$75,000 or more	4.4	49
Widowed	12.0	85	RACE/ ETHNICITY		
Separated	16.7	14	White, Non-Hispanic	7.7	320
Never married	3.8	35	Black, Non-Hispanic	26.2	13
Unmarried couple	3.1	8	Other race, Non-Hispanic	6.9	35
EDUCATION			Hispanic	9.2	118
Less than High School	11.2	85	VETERAN STATUS		
High School Graduate/GED	9.5	133	Yes	16.9	134
Some College/Tech School	8.8	149	No	7.1	353
College Grad	6.2	123			

Table 9. BRFSS results: Respondents who were told they had diabetes. *N is unweighted.

References

1. Centers for Disease Control and Prevention. Diabetes: Disabling, Deadly, and on the Rise. 2002
2. U.S. Department of Health and Human Services. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives, February 2002.
3. U.S. Department of Health and Human Services. Healthy People 2010: Understanding and Improving Health. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.

OBESITY (BMI)

Obesity has attained epidemic magnitude in the United States, where it has more than doubled in the past two decades. People who are overweight or obese are at greater risk for heart disease, high blood pressure, diabetes, arthritis-related disabilities, and some cancers.¹

According to the most recent weight guidance, more than 57 percent of adults in America were overweight by self-reported height and weight in 2000.¹ The body mass index (BMI) is a relationship between weight and height and is used to determine obesity and assess health risk. BMI is calculated using the following formula: $(\text{pounds} * 0.454) \div (\text{inches} * 0.0254)^2$ or (Kg/M^2) .

In 2005, there were 1,760 inpatients in Arizona hospitals with morbid obesity as the first listed diagnosis, almost all of these were admitted for bariatric surgery. There were 11,267 patients in 2005 who had morbid obesity listed as one of the diagnoses, this is a 154 percent increase from the year 2000.²

Survey Questions:

About how much do you weigh without shoes?

About how tall are you without shoes?




Figure 10. Arizona BRFSS respondents who reported weights exceeding BMI limits of obesity. *Healthy People 2010 Objective 19.2 is less than 15.0 percent.*

According to the 2006 Arizona BRFSS, 22.9 percent* of respondents met or exceeded the BMI standard for obesity, defined as a BMI ≥ 30.0 (Figure L-1). *Healthy People 2010 Objective 19.2* set a goal of reducing obesity to a prevalence of <15 percent among adults 20 years of age or older.³

* 95% Confidence Interval: 20.4%-25.4%.

The following respondent groups were most likely to be obese:

- Gender:** Males, 23.8 percent.
- Age:** 55 – 64 years old, 33.1 percent.
- Marital Status:** Separated, 35.5 percent.
- Education:** Less than a high school, 30.0 percent.
- Employment Status:** Out of work, 39.3 percent.
- Income:** <\$25,000, 29.5 percent.
- Race/Ethnicity:** Black, Non-Hispanic, 37.0 percent.
- Veteran Status:** Non-veterans, 23.1 percent.

2006 Arizona BRFSS: Respondents Classified As Obese					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	22.9	1,079	EMPLOYMENT		
SEX			Employed for wages	21.2	451
Male	23.8	420	Self-employed	23.1	88
Female	22.0	659	Out of work	39.3	51
AGE			Homemaker	29.5	123
18-24	16.0	32	Student	10.8	8
25-34	18.8	109	Retired	19.2	267
35-44	27.8	188	Unable to work	36.6	85
45-54	27.5	240	INCOME		
55-64	33.1	269	<\$25,000	29.5	354
65+	15.1	241	\$25,000-\$34,999	21.3	133
MARITAL STATUS			\$35,000-\$49,999	21.5	159
Married	24.4	635	\$50,000-\$74,999	21.1	135
Divorced	24.3	142	\$75,000 or more	22.8	169
Widowed	16.3	115	RACE/ ETHNICITY		
Separated	35.5	26	White, Non-Hispanic	20.9	682
Never married	18.8	126	Black, Non-Hispanic	37.0	23
Unmarried couple	19.5	32	Other race, Non-Hispanic	29.4	89
EDUCATION			Hispanic	26.6	280
Less than High School	30.0	163	VETERAN STATUS		
High School Graduate/GED	23.4	299	Yes	22.3	174
Some College/Tech School	23.2	344	No	23.1	899
College Grad	20.1	268			

Table 10. BRFSS results: Respondents classified as obese, defined as BMI ≥ 30.0. *N is unweighted.

References

1. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives. CDC. 2004.
2. Mrela, CK, Bender, B OBESITY IN ARIZONA: PREVALENCE, HOSPITAL CARE UTILIZATION, MORTALITY, 2006. Bureau of Public Health Statistics, Arizona Department of Health Services.
3. U.S. Department of Health and Human Services. *Healthy People 2010: Understanding and Improving Health*. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.

HEALTH RISKS, BEHAVIORS AND AWARENESS

SEAT BELT USE

“Safety belt non-use represents an enormous lost opportunity for injury prevention. In the year 2000 alone, over 9,200 persons were killed and 143,000 were injured unnecessarily because they failed to wear their safety belts, costing society \$26 billion.”¹ “Safety belts, when worn correctly, are the most effective way for occupants to reduce the risk of death and serious injury in a motor vehicle crash on public roads (including those on Indian Reservations).”²

Survey Questions:

How often do you use seat belts when you drive or ride in a car?




Figure 11. Arizona BRFSS respondents reporting seat belt use for 2006. *Healthy People 2010 Objective 15.19 is 92.0%.*

Healthy People 2010 has set a target of 92% of the population to use safety belts.² According to the 2006 Arizona BRFSS, 18.1% of respondents do not always use seat belts. *Healthy Arizona 2010* has identified in Strategy 1.1 to increase the proper use of occupant restraints. The following respondent groups were least likely to always wear seat belts:

Gender: Males, 23.7 percent.

Age: 18 – 24 years old, 29.6 percent.

Marital Status: Separated, 29.5 percent.

Education: Less than a high school, 30.9 percent.

Employment Status: Self-employed, 30.7 percent.

Income: \$25,000 - \$34,999, 30.9 percent.

Race/Ethnicity: Hispanic, 22.0 percent.

Veteran Status: Non-veterans, 18.6 percent.

2006 Arizona BRFSS: Respondents Who Do Not Always Wear Seat Belts						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	18.1	807		EMPLOYMENT		
SEX				Employed for wages	18.1	333
Male	23.7	383		Self-employed	30.7	114
Female	12.6	424		Out of work	21.1	45
AGE				Homemaker	10.4	55
18-24	29.6	63		Student	18.4	14
25-34	23.2	114		Retired	13.6	191
35-44	17.3	130		Unable to work	22.5	48
45-54	14.4	156		INCOME		
55-64	13.1	151		<\$25,000	19.9	253
65+	12.0	193		\$25,000-\$34,999	30.9	114
MARITAL STATUS				\$35,000-\$49,999	12.7	117
Married	16.2	415		\$50,000-\$74,999	15.8	112
Divorced	19.4	132		\$75,000 or more	16.0	119
Widowed	13.1	77		RACE/ ETHNICITY		
Separated	29.5	23		White, Non-Hispanic	17.4	3,234
Never married	23.0	122		Black, Non-Hispanic	6.4	76
Unmarried couple	21.5	34		Other race, Non-Hispanic	12.8	266
EDUCATION				Hispanic	22.0	1,056
Less than High School	30.9	114		VETERAN STATUS		
High School Graduate/GED	20.1	250		Yes	15.6	799
Some College/Tech School	14.4	249		No	18.6	3,879
College Grad	15.2	188				

Table 11. 2006 BRFSS results: Respondents who do not always wear seat belts.

References

1. The Economic Impact of Motor Vehicle Crashes, 2000. U.S. Department of Transportation, National Highway Traffic Safety Administration. Washington D.C., May 2002.
2. U.S. Department of Health and Human Services. *Healthy People 2010: Understanding and Improving Health*. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.

ALCOHOL ABUSE - BINGE DRINKING

Each year, about 100,000 deaths in the United States are related to alcohol consumption.¹ Long-term heavy drinking increases risk for high blood pressure, heart rhythm irregularities (arrhythmias), heart muscle disorders (cardiomyopathy), and stroke. Long-term heavy drinking also increases the risk of developing certain forms of cancer, especially of the esophagus, mouth, throat, and larynx.² Alcohol use has been linked with a substantial proportion of injuries and deaths from motor vehicle crashes, falls, fires, and drownings.³ Clearly, alcohol consumption is an important public health issue.

Survey Question:

Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion?




Figure 12a. 2002-2006 Arizona BRFSS respondents who reported engaging in binge drinking. *Healthy People 2010 Objective 26.11c is 6.0 percent.*

The related *Healthy People 2010* objective is to reduce the percentage of the population engaging in binge drinking of alcoholic beverages to no more than 6 percent for persons 18 years of age or older.⁴ According to the 2006 Arizona BRFSS, 15.2 percent* of respondents reported having five or more drinks on an occasion, one or more times in the past month. The following respondent groups were most likely to have reported they engaged in binge drinking in the past month:

- Gender:** Males, 20.4 percent.
- Age:** 18 – 24 years old, 30.4 percent.
- Marital Status:** Separated, 26.8 percent.
- Education:** Less than a high school, 19.2 percent.
- Employment Status:** Employed for wages, 20.0 percent.
- Income:** \$25,000 - \$34,999, 22.2 percent.
- Race/Ethnicity:** White Non-Hispanic, 15.8 percent.
- Veteran Status:** Non-veterans, 15.5 percent.

* 95% Confidence Interval: 12.8%-17.6%.

2006 Arizona BRFSS: Respondents Who Reported Engaging In Binge Drinking						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	15.2	526		EMPLOYMENT		
SEX				Employed for wages	20.0	292
Male	20.4	281		Self-employed	19.2	54
Female	10.2	245		Out of work	16.2	26
AGE				Homemaker	3.5	27
18-24	30.4	52		Student	15.9	12
25-34	16.9	89		Retired	7.2	92
35-44	20.0	121		Unable to work	12.1	21
45-54	13.4	110		INCOME		
55-64	8.6	83		<\$25,000	9.0	126
65+	4.0	71		\$25,000-\$34,999	22.2	68
MARITAL STATUS				\$35,000-\$49,999	17.2	82
Married	12.7	265		\$50,000-\$74,999	15.6	90
Divorced	13.8	91		\$75,000 or more	20.6	118
Widowed	7.5	33		RACE/ ETHNICITY		
Separated	26.8	18		White, Non-Hispanic	15.8	356
Never married	25.4	88		Black, Non-Hispanic	15.3	8
Unmarried couple	22.1	31		Other race, Non-Hispanic	14.4	25
EDUCATION				Hispanic	14.2	134
Less than High School	19.2	56		VETERAN STATUS		
High School Graduate/GED	14.6	145		Yes	13.3	100
Some College/Tech School	14.2	161		No	15.5	424
College Grad	15.2	162				

Table 12a. BRFSS results: Respondents who reported engaging in binge drinking. *N is unweighted.

References

1. McGinnis, J.M., and Foege, W.H. Actual causes of death in the United States. *Journal of the American Medical Association* 270:2207-2212, 1993.
2. NIAAA. Alcohol and cancer. Alcohol Alert. No. 21. Rockville, MD: NIH, 1993.
3. NIAAA. Ninth Special Report to the U.S. Congress on Alcohol and Health From the Secretary of Health and Human Services. NIH Pub. No. 97-4017. Rockville, MD: NIH, 1997.
4. Public Health Service. Healthy People 2010: National Health Promotion and Disease Prevention Objectives--full report with commentary. Washington, DC: U.S. Department of Health and Human Services, 2000.

ALCOHOL ABUSE - HEAVY DRINKING

In Arizona during 2005, alcohol abuse resulted in 27,503 emergency room visits and 23,408 inpatient discharges. As a first-listed diagnosis, alcohol abuse resulted in 12,782 emergency room visits and 4,402 inpatient discharges. The average length of stay for those inpatient discharges was about 4.4 days, which amounted to 19,555 patient days.¹

Heavy drinking is defined as: “Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day).”




Figure 12b. 2002-2006 Arizona BRFSS respondents who reported engaging in heavy drinking. Healthy People 2010 Objective 26.11c is 6.0 percent.

According to the 2006 Arizona BRFSS, 5.5 percent of respondents reported having two or more drinks on an occasion, one or more times in the past month. The following respondent groups were most likely to have reported they engaged in heavy drinking in the past month:

Gender: Males, 5.9 percent.

Age: 18 – 24 years old, 11.1 percent.

Marital Status: Unmarried couple, 12.1 percent.

Education: Some college/technical school, 5.9 percent.

Employment Status: Self-employed, 12.0 percent.

Income: \$75,000 or more, 8.9 percent.

Race/Ethnicity: Other Non-Hispanic, 8.4 percent.

Veteran Status: Non-veterans, 5.7 percent.

2006 Arizona BRFSS: Respondents Reported Engaging In Heavy Drinking					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	5.5	234	EMPLOYMENT		
SEX			Employed for wages	4.7	94
Male	5.9	94	Self-employed	12.0	27
Female	5.2	140	Out of work	10.6	13
AGE			Homemaker	2.9	16
18-24	11.1	10	Student	2.6	3
25-34	3.8	23	Retired	6.5	73
35-44	5.3	42	Unable to work	1.6	8
45-54	5.6	47	INCOME		
55-64	4.7	55	<\$25,000	4.0	63
65+	4.6	57	\$25,000-\$34,999	5.5	20
MARITAL STATUS			\$35,000-\$49,999	4.9	42
Married	3.7	118	\$50,000-\$74,999	4.6	39
Divorced	5.3	46	\$75,000 or more	8.9	48
Widowed	7.7	23	RACE/ ETHNICITY		
Separated	3.5	7	White, Non-Hispanic	6.5	185
Never married	9.7	27	Black, Non-Hispanic	7.9	5
Unmarried couple	12.1	13	Other race, Non-Hispanic	8.4	14
EDUCATION			Hispanic	2.1	29
Less than High School	5.0	20	VETERAN STATUS		
High School Graduate/GED	5.2	60	Yes	4.7	51
Some College/Tech School	5.9	88	No	5.7	182
College Grad	5.7	66			

Table 12b. BRFSS results: Respondents reported engaging in heavy drinking. *N is unweighted.

References

1. Mrela, CK, Arizona Health Status And Vital Statistics, 2006. Bureau of Public Health Statistics, Arizona Department of Health Services.

CIGARETTE SMOKING

“Tobacco use is the single most preventable cause of death and disease in the United States. Tobacco use increases the risk for lung and other cancers and for cardiovascular and respiratory diseases. The American Cancer Society estimates that cigarette smoking is responsible for one of every five deaths in the United States, or more than 440,000 deaths each year. If current smoking patterns continue, an estimated 25 million people alive today will die of smoking-related illnesses.”¹

“Direct medical expenditures attributed to smoking total more than \$75 billion per year. In addition, smoking costs an estimated \$80 billion per year in lost productivity.”²

Healthy Arizona 2010 has identified tobacco use as one of its 12 focus areas, and has set a target of reducing adult smokers to 14 percent of the state population.³ Continued efforts to prevent initial smoking behavior in adolescents, as well as efforts to promote smoking cessation in current smokers using techniques that have documented effectiveness, may decrease the rate of Arizona smokers to meet the *Healthy People 2010* target.

Survey Questions:

Have you smoked at least 100 cigarettes in your entire life?

Do you now smoke cigarettes every day, some days, or not at all?




Figure 13. Percentage of Arizona BRFSS respondents who reported that they were current smokers in 2002-2006. *Healthy Arizona 2010 Objective 3* is 14.0 percent.

According to the 2006 Arizona BRFSS, 18.2 percent* of respondents identified themselves as current smokers. The following respondent groups are current smokers:

Gender: Males, 21.7 percent.

Age: 45 – 54 years old, 25.1 percent.

* 95% Confidence Interval: 15.8%-20.6%.

Marital Status: Separated, 32.6 percent.
Education: Less than high school, 23.5 percent.
Employment Status: Out of work, 33.2 percent.
Income: \$25,000 - \$34,999, 25.4 percent.
Race/Ethnicity: Black Non-Hispanic, 22.9 percent.
Veteran Status: Non-veterans, 18.3 percent.

2006 Arizona BRFSS: Respondents Who Are Current Smokers					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	18.2	808	EMPLOYMENT		
SEX			Employed for wages	21.1	348
Male	21.7	355	Self-employed	19.3	88
Female	14.7	453	Out of work	33.2	51
AGE			Homemaker	11.5	68
18-24	21.9	38	Student	10.7	15
25-34	17.5	101	Retired	11.2	168
35-44	19.5	140	Unable to work	22.1	66
45-54	25.1	196	INCOME		
55-64	15.0	169	<\$25,000	20.6	273
65+	10.6	164	\$25,000-\$34,999	25.4	110
MARITAL STATUS			\$35,000-\$49,999	20.9	118
Married	13.6	375	\$50,000-\$74,999	17.4	115
Divorced	27.1	174	\$75,000 or more	14.2	100
Widowed	15.9	90	RACE/ ETHNICITY		
Separated	32.6	23	White, Non-Hispanic	18.6	581
Never married	28.4	116	Black, Non-Hispanic	22.9	12
Unmarried couple	23.8	29	Other race, Non-Hispanic	22.1	41
EDUCATION			Hispanic	16.1	164
Less than High School	23.5	112	VETERAN STATUS		
High School Graduate/GED	22.5	261	Yes	17.5	148
Some College/Tech School	17.9	273	No	18.3	653
College Grad	13.2	158			

Table 13. BRFSS results: Respondents who reported that they are current smokers and have smoked at least 100 cigarettes in their life. *N is unweighted.

References

1. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives. CDC. 2004.
2. Centers for Disease Control and Prevention. The Power of Prevention: Reducing The Health And Economic Burden Of Chronic Disease. 2003.
3. Arizona Department of Health Services. *Healthy Arizona 2010: Collaborating for a Healthier Future*. Phoenix, AZ 2001.

FRUIT AND VEGETABLE CONSUMPTION

Good nutrition, including a diet low in saturated fats and at least five servings of fruits and vegetables each day, plays a key role in maintaining good health. Improving the American diet could extend the productive life span of Americans and reduce the occurrence of chronic diseases, including heart disease, stroke, some types of cancers, diabetes, and osteoporosis.¹

It has been known for many years that diet plays a large role in the quality of long-term health. Among adults who do not drink excessively or smoke, diet is the most significant controllable risk factor that determines their health status. It is widely accepted that a significant percentage of all cancer deaths can be attributed to poor dietary habits.

Survey Questions:

How often do you drink fruit juices such as orange, grapefruit, or tomato?

How often do you eat (fruit, green salad, potatoes, carrots)?

Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat?




Figure 14. Percentage of Arizona BRFSS respondents who reported consuming less than five servings of fruits and vegetables per day in 2002-2006.

One of the most important dietary habits is the consumption of at least five servings of fruits and vegetables per day. Analysis of the 2006 Arizona BRFSS showed that 74.0 percent of respondents reported that they consume less than five servings of fruits and vegetables per day (Figure 16). This falls short of *Healthy Arizona 2010* Objective 2.1, which sets a target of increasing the proportion of Arizonans aged two years and older who consume at least two daily servings of fruit and at least three daily servings of vegetables (with at least one-third being dark green or deep yellow vegetables) to at least 50 percent.² The following respondent groups most like to consume less than five servings of fruits and vegetables:

Gender: Males, 78.4 percent.
Age: 18 – 24 years old, 78.4 percent.
Marital Status: Unmarried couple, 84.4 percent.
Education: Less than high school, 81.2 percent.
Employment Status: Student, 78.4 percent.
Income: \$25,000 - \$34,999, 81.2 percent.
Race/Ethnicity: Hispanic, 76.9 percent.
Veteran Status: Veterans, 76.2 percent.

2006 Arizona BRFSS: Consuming Less Than Five Servings Of Fruits And Vegetables Per Day					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	74.0	3,179	EMPLOYMENT		
SEX			Employed for wages	76.0	1,248
Male	78.4	1,269	Self-employed	65.8	272
Female	69.6	1,910	Out of work	77.7	131
AGE			Homemaker	71.3	336
18-24	79.5	142	Student	78.4	55
25-34	75.8	359	Retired	71.9	956
35-44	74.7	488	Unable to work	78.2	168
45-54	69.7	594	INCOME		
55-64	75.6	659	<\$25,000	73.9	905
65+	70.3	937	\$25,000-\$34,999	81.2	396
MARITAL STATUS			\$35,000-\$49,999	70.2	460
Married	73.1	1,816	\$50,000-\$74,999	76.0	457
Divorced	75.5	463	\$75,000 or more	71.5	541
Widowed	72.0	410	RACE/ ETHNICITY		
Separated	74.6	59	White, Non-Hispanic	73.6	2,223
Never married	74.1	323	Black, Non-Hispanic	75.1	48
Unmarried couple	84.4	100	Other race, Non-Hispanic	65.7	160
EDUCATION			Hispanic	76.9	714
Less than High School	81.2	376	VETERAN STATUS		
High School Graduate/GED	75.1	889	Yes	76.2	566
Some College/Tech School	74.1	973	No	73.7	2,608
College Grad	70.7	922			

Table 14. BRFSS survey results: Respondents who reported consuming less than five servings of fruits and vegetables per day. *N is unweighted.

References

1. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives. CDC. 2004.
2. Department of Health Services. Arizona 2010: Collaborating for a Healthier Future. 2001.

FOLIC ACID AWARENESS

Each year in the United States, approximately 3,000 pregnancies are affected by neural tube defects (NTDs). Studies have shown that up to 70 percent of neural tube defects (NTDs) such as spina bifida and anencephaly may be preventable through adequate intake of folic acid.¹ Folic acid is a B vitamin that helps form red blood cells and has been found to reduce the risks of certain types of birth defects, cancer, and cardiovascular disease. While folic acid is important for everyone's health, it is especially vital for women of childbearing age. The United States Public Health Service recommends that all women of childbearing age in the United States who are capable of becoming pregnant should consume 400 micrograms (mcg) of folic acid per day for the purpose of reducing their risk of having a pregnancy affected with a neural tube defect.²

Survey Question:

Some health experts recommend that women take 400 micrograms of the B-vitamin folic acid every day. They recommend this for which one of the following reasons?

Healthy Arizona 2010 has set an objective of increasing to 80 percent the proportion of pregnancies begun with an optimum folic acid intake (400 mcg).




Figure 15. Percentage of BRFs female respondents (18-44 years old) who did not report that folic acid prevents birth defects in 2003-2006.

Results from the 2006 BRFs showed that 45.6 percent of women aged 18 - 44 did not answer that folic acid might prevent birth defects (Figure 17). The following respondent groups gave a response other than folic acid prevents birth defects:

Age: 18 - 24 years old, 64.8 percent.

Marital Status: Never married, 66.1 percent. The cell size for Widowed respondents was too small to be reliable.

Education: High school, 72.9 percent.

Employment Status: Student, 76.8 percent.

Income: <\$25,000, 57.2 percent.

Race/Ethnicity: Other, 75.3 percent. The cell size for Black respondents was too small to be reliable.

Veteran Status: Non-Veterans, 45.9 percent.

2006 Arizona BRFSS: Prevalence Of Women (18-44) Who Responded Other Than Folic Acid Prevented Birth Defects						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	45.6	336		EMPLOYMENT		
SEX				Employed for wages	36.9	190
Male	N/A	N/A		Self-employed	32.8	25
Female	45.6	336		Out of work	49.9	19
AGE				Homemaker	48.9	82
18-24	64.8	34		Student	76.8	14
25-34	39.8	136		Retired	N/A	N/A
35-44	36.9	166		Unable to work	48.3	6
45-54	N/A	N/A		INCOME		
55-64	N/A	N/A		<\$25,000	57.2	69
65+	N/A	N/A		\$25,000-\$34,999	48.9	40
MARITAL STATUS				\$35,000-\$49,999	37.8	57
Married	34.7	223		\$50,000-\$74,999	29.0	56
Divorced	45.3	41		\$75,000 or more	37.7	87
Widowed	94.8	1		RACE/ ETHNICITY		
Separated	73.0	11		White, Non-Hispanic	33.6	211
Never married	66.1	43		Black, Non-Hispanic	93.5	5
Unmarried couple	53.0	17		Other race, Non-Hispanic	75.3	19
EDUCATION				Hispanic	60.6	98
Less than High School	54.0	27		VETERAN STATUS		
High School Graduate/GED	72.9	60		Yes	20.4	13
Some College/Tech School	48.4	101		No	45.9	323
College Grad	20.0	148				

Table 15. BRFSS survey results: Prevalence of women (18-44) who responded other than folic acid prevented birth defects. N/A =Not applicable. *N is unweighted.

References

1. Retrieved from the Internet June 12, 2007. http://www.marchofdimes.com/pnhec/173_769.asp.
2. Centers for Disease Control and Prevention. CDC Surveillance Summaries, April 30, 1999. MMWR 1999; 48 (No. 16).

NO INFLUENZA VACCINATION

Influenza is a significant cause of morbidity. Elderly persons with chronic diseases are at high risk for influenza morbidity and mortality.¹ There are 3 types of influenza viruses; A, B and C. Type A viruses are responsible for most influenza epidemics. Since treatment of influenza can only minimize its symptoms, epidemics are most preventable through vaccination against current strains of disease.

Objective 14.29a in *Healthy People 2010* targets influenza vaccinations at a minimum of 90 percent in persons 65 years of age or older. Since new strains of influenza periodically emerge, annual vaccinations are necessary to provide constant protection against infection. Vaccination against influenza is recommended as a part of routine health care for persons age 65 and older, and younger persons at risk of medical complications if they should contact influenza. Health care professionals should continue to inform their high risk populations, toward the end of each year, to be vaccinated against current influenza strains.

Survey Question:

A flu shot is an influenza vaccine injected into your arm. During the past 12 months, have you had a flu shot?




Figure 16. Percentage of BRFs respondents 65+ years old reporting they did not have an influenza vaccination in the last 12 months in 2002-2006.

According to the 2006 BRFs, 34.6 percent of Arizonans 65+ years of age reported not receiving an influenza vaccine during the past 12 months. The following respondent groups have not had an influenza vaccination in the past 12 months:

Gender: Females, 36.5 percent.

Marital Status: Divorced and widowed (tie), 41.0 percent. The cell sizes for Separated and Unmarried couple were too small to be reliable.

Education: Less than high school, 47.0 percent.

Employment Status: Homemaker, 54.8 percent.

Income: <\$25,000, 47.4 percent.

Race/Ethnicity: Hispanic, 44.2 percent. The cell size for Black, Non-Hispanic was too small to be reliable.

Veteran Status: Non-veterans, 36.5 percent.

2006 Arizona BRFSS: Characteristics Of Persons 65+Not Receiving An Influenza Vaccination						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	34.6	512		EMPLOYMENT		
SEX				Employed for wages	34.7	45
Male	32.2	204		Self-employed	44.7	31
Female	36.5	308		Out of work	47.3	10
AGE				Homemaker	54.8	41
18-24	N/A	N/A		Student	.0	0
25-34	N/A	N/A		Retired	31.3	364
35-44	N/A	N/A		Unable to work	53.3	21
45-54	N/A	N/A		INCOME		
55-64	N/A	N/A		<\$25,000	47.4	196
65+	34.6	512		\$25,000-\$34,999	32.2	68
MARITAL STATUS				\$35,000-\$49,999	29.7	66
Married	29.9	230		\$50,000-\$74,999	29.5	41
Divorced	41.0	72		\$75,000 or more	36.3	37
Widowed	41.0	181		RACE/ ETHNICITY		
Separated	81.8	8		White, Non-Hispanic	33.4	400
Never married	38.7	15		Black, Non-Hispanic	63.1	6
Unmarried couple	73.6	5		Other race, Non-Hispanic	29.6	15
EDUCATION				Hispanic	44.2	82
Less than High School	47.0	75		VETERAN STATUS		
High School Graduate/GED	36.5	157		Yes	30.6	142
Some College/Tech School	37.6	148		No	36.5	370
College Grad	27.3	127				

Table 16. BRFSS survey results: Characteristics of persons 65+ reporting that they received no influenza vaccination in the past 12 months. N/A =Not applicable. *N is unweighted.

References

1. Reece SM. Preventing Influenza and its Complications: a Public Health Initiative for the Year 2000. Nurse Pract, 1995; 20(9): 32-36, 44.
2. Benenson AS (ed). Control of Communicable Diseases in Man. American Public Health Association. Washington D.C., 1990.

PHYSICAL ACTIVITY - CATEGORIES

Physical inactivity and its related health problems have significant economic consequences for the U.S. health care system. In the long term, physical inactivity threatens to reverse the decades-long progress that has been made in reducing the morbidity and mortality related with many chronic conditions, e.g., cardiovascular disease. A physically inactive population is at medical and financial risk for many chronic diseases and conditions including heart disease, stroke, colon cancer, diabetes, obesity, and osteoporosis.¹

Regular physical activity decreases the risk for heart attack, colon cancer, diabetes, and high blood pressure, and may decrease their risk for stroke. It also helps with weight control; contributes to healthy bones, muscles, and joints; reduces falls among the elderly; helps to relieve the pain of arthritis; decreases symptoms of anxiety and depression; and can decrease the need for hospitalizations, physician visits, and medications. Moreover, physical activity does not need to be strenuous to be beneficial.² Regular exercise also can contribute to the functional independence of the elderly and improves the quality of life for people of all ages.³

Survey Questions:

Now, thinking about the moderate activities you do in a usual week, do you do moderate activities for at least 10 minutes at a time, such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate?

Now, thinking about the vigorous activities you do in a usual week, do you do vigorous activities for at least 10 minutes at a time, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate?

How many days per week do you do these (moderate/vigorous) activities for at least 10 minutes at a time?

On days when you do (moderate/vigorous) activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?




Figure 17. 2006 Arizona BRFSS respondents' physical activity levels.

People are considered at risk if they either reported insufficient or no physical activity. Analysis of the 2006 Arizona BRFSS data indicated that 48.1 percent of all respondents reported insufficient activity for both moderate and vigorous physical activity or no physical activity. The following respondent groups reported insufficient or no physical activity:

Gender: Females, 48.6 percent.
Age: 55 - 64 years old, 55.1 percent.
Marital Status: Widowed, 59.8 percent.
Education: Less than high school, 57.9 percent.
Employment Status: Unable to work, 65.5 percent.
Income: \$35,000 - \$49,999, 53.8 percent.
Race/Ethnicity: Hispanic, 50.5 percent.
Veteran Status: Veterans, 51.7 percent.

2006 Arizona BRFSS: Arizona Respondents Who Are At Risk Because Of Insufficient Or No Physical Activity					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	48.0	2,008	EMPLOYMENT		
SEX			Employed for wages	48.7	756
Male	47.4	705	Self-employed	46.6	162
Female	48.6	1,303	Out of work	44.2	81
AGE			Homemaker	41.0	212
18-24	48.6	81	Student	44.8	28
25-34	41.7	188	Retired	48.8	620
35-44	46.6	293	Unable to work	65.5	144
45-54	46.6	361	INCOME		
55-64	55.1	428	<\$25,000	49.1	620
65+	52.7	657	\$25,000-\$34,999	51.8	247
MARITAL STATUS			\$35,000-\$49,999	53.8	293
Married	47.4	1,121	\$50,000-\$74,999	47.6	255
Divorced	49.8	286	\$75,000 or more	41.1	300
Widowed	59.8	298	RACE/ ETHNICITY		
Separated	46.6	39	White, Non-Hispanic	47.8	1,389
Never married	47.9	209	Black, Non-Hispanic	45.4	31
Unmarried couple	41.1	50	Other race, Non-Hispanic	41.2	109
EDUCATION			Hispanic	50.5	458
Less than High School	57.9	268	VETERAN STATUS		
High School Graduate/GED	52.7	568	Yes	51.7	347
Some College/Tech School	47.9	594	No	47.4	1,658
College Grad	42.1	563			

Table 17. BRFSS results: Arizona respondents who are at risk because of insufficient or no physical activity. *N is unweighted.

References

1. U.S. Department of Health and Human Services. Physical Activity Fundamental To Preventing Disease, June 2002.
2. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives. CDC. 2004.
3. Katz S, Branch LG, Branson MH, et al., Active Life Expectancy. N Engl J Med, 1983; 309: 1218-1224.

GENERAL PREPAREDNESS

Survey Question:

How well prepared do you feel your household is to safely ride out or withstand a large-scale disaster or emergency?




Figure 18. 2006 Arizona BRFSS respondents' preparedness levels.

Analysis of the 2006 Arizona BRFSS data indicated that 28.2 percent of all respondents reported they were not prepared. The following respondent groups reported they were not prepared:

Gender: Females, 32.4 percent.

Age: 25 - 34 years old, 40.7 percent.

Marital Status: Unmarried couple, 46.2 percent.

Education: Less than high school, 53.7 percent.

Employment Status: Homemaker, 39.0 percent.

Income: \$25,000 - \$34,999, 36.8 percent.

Race/Ethnicity: Hispanic, 45.9 percent.

Veteran Status: Non-veterans, 29.8 percent.

2006 Arizona BRFSS: Arizona Respondents Not Prepared At All					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	28.2	786	EMPLOYMENT		
SEX			Employed for wages	30.6	327
Male	23.8	223	Self-employed	19.6	70
Female	32.4	563	Out of work	33.7	47
AGE			Homemaker	39.0	115
18-24	30.8	38	Student	8.2	12
25-34	40.7	124	Retired	18.6	156
35-44	34.0	175	Unable to work	38.4	54
45-54	20.3	143	INCOME		
55-64	23.7	150	<\$25,000	31.8	295
65+	15.2	156	\$25,000-\$34,999	36.8	97
MARITAL STATUS			\$35,000-\$49,999	35.4	110
Married	26.5	405	\$50,000-\$74,999	23.4	84
Divorced	32.3	133	\$75,000 or more	22.9	99
Widowed	16.1	73	RACE/ ETHNICITY		
Separated	38.4	24	White, Non-Hispanic	23.1	429
Never married	29.5	109	Black, Non-Hispanic	29.5	11
Unmarried couple	46.2	39	Other race, Non-Hispanic	30.2	59
EDUCATION			Hispanic	45.9	283
Less than High School	53.7	153	VETERAN STATUS		
High School Graduate/GED	26.9	221	Yes	18.3	85
Some College/Tech School	24.8	213	No	29.8	699
College Grad	23.9	195			

Table 18. BRFSS results: Arizona respondents reporting they are not prepared. *N is unweighted.

INADEQUATE INFORMATION REGARDING EMERGENCY SITUATIONS

Survey Question:

How strongly do you agree with the following statement: "I feel the state of Arizona has provided appropriate information to me and my family so that we can identify emergency situations, and we know what we need to do in the event they occur. Would you say you..."




Figure 19. 2006 Arizona BRFSS respondents on how well the state of Arizona provides appropriate information regarding emergency situations.

Analysis of the 2006 Arizona BRFSS data indicated that 33.8 percent of all respondents reported they disagreed or strongly disagreed that the State of Arizona provides adequate information regarding emergency situations. The following respondent groups disagreed or strongly disagreed that the State provides adequate information regarding emergency situations:

- Gender:** Males, 34.6 percent.
- Age:** 45 - 54 years old, 42.4 percent.
- Marital Status:** Married, 35.6 percent.
- Education:** College, 38.8 percent.
- Employment Status:** Self-employed, 39.8 percent.
- Income:** \$75,000 or more, 41.3 percent.
- Race/Ethnicity:** White Non-Hispanic, 37.0 percent.
- Veteran Status:** Veterans, 37.0 percent.

2006 Arizona BRFSS: Arizona Respondents Who Disagreed or Strongly Disagreed That The State Of Arizona Keeps Them Adequately Informed Regarding Emergency Situations						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	33.8	954		EMPLOYMENT		
SEX				Employed for wages	35.6	392
Male	34.6	351		Self-employed	39.8	105
Female	33.1	603		Out of work	28.4	36
AGE				Homemaker	23.4	86
18-24	33.2	35		Student	38.6	16
25-34	34.0	96		Retired	32.4	255
35-44	27.6	139		Unable to work	28.1	58
45-54	42.4	218		INCOME		
55-64	37.1	238		<\$25,000	27.3	224
65+	29.6	228		\$25,000-\$34,999	34.2	105
MARITAL STATUS				\$35,000-\$49,999	35.3	138
Married	35.6	574		\$50,000-\$74,999	31.6	144
Divorced	32.4	140		\$75,000 or more	41.3	221
Widowed	27.7	95		RACE/ ETHNICITY		
Separated	15.4	19		White, Non-Hispanic	37.0	715
Never married	33.5	93		Black, Non-Hispanic	33.5	16
Unmarried couple	28.1	28		Other race, Non-Hispanic	25.4	59
EDUCATION				Hispanic	22.8	152
Less than High School	26.9	62		VETERAN STATUS		
High School Graduate/GED	28.3	221		Yes	37.0	165
Some College/Tech School	35.1	319		No	33.0	785
College Grad	38.8	349				

Table 19. BRFSS results: Arizona respondents who disagreed or strongly disagreed that that the state of Arizona keeps them informed. *N is unweighted.

SCREENINGS

COLORECTAL CANCER SCREENING (SIGMOIDOSCOPY & COLONOSCOPY)

Colorectal cancer is the second leading cause of cancer-related deaths in the United States, accounting for 10 percent of all cancer deaths. According to estimates from the American Cancer Society 56,700 Americans will die of colorectal cancer in 2005.¹

With age comes an increasing risk of developing colorectal cancer. People at least 50 years old, those who suffer from inflammatory bowel disease, are overweight or physically inactive, and those who have a personal or family history of colorectal polyps or colorectal cancer have a higher risk. Additionally, low fruit and vegetable consumption, a diet low in fiber, alcohol consumption, and tobacco use may contribute to the risk for colorectal cancer.¹

Survey Question:

Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you EVER had either of these exams?




Figure 20. Percentage of Arizona BRFSS respondents 50 years of age or older who reported they never had a sigmoidoscopy or colonoscopy

Respondents who were at least 50 years of age were surveyed on whether they had ever had a sigmoidoscopy and colonoscopy. About forty-three percent* responded that they have not had a sigmoidoscopy or colonoscopy. The following respondent groups have not had a sigmoidoscopy or colonoscopy:

* 95% Confidence Interval: 40.1%-46.7%.

Gender: Males, 44.8 percent.
Age: 45 - 54 years old (partial age group), 55.1 percent.
Marital Status: Never married, 68.9 percent.
Education: Less than high school, 57.1 percent.
Employment Status: Unable to work, 60.1 percent.
Income: <\$25,000, 53.4 percent.
Race/Ethnicity: Other and Hispanic (tied), 52.3 percent.
Veteran Status: Non-veterans, 46.6 percent.

2006 Arizona BRFSS: Arizona Respondents Who Have Not Had A Sigmoidoscopy Or Colonoscopy						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	43.4	1,191		EMPLOYMENT		
SEX				Employed for wages	51.6	355
Male	44.8	462		Self-employed	57.0	133
Female	42.2	729		Out of work	45.5	47
AGE				Homemaker	53.3	108
18-24	N/A	N/A		Student	77.8	5
25-34	N/A	N/A		Retired	31.3	453
35-44	N/A	N/A		Unable to work	60.1	85
45-54*	60.3	289		INCOME		
55-64	47.1	432		<\$25,000	53.4	406
65+	32.3	470		\$25,000-\$34,999	39.3	144
MARITAL STATUS				\$35,000-\$49,999	40.0	154
Married	41.3	647		\$50,000-\$74,999	46.2	155
Divorced	47.2	207		\$75,000 or more	38.0	150
Widowed	44.9	224		RACE/ ETHNICITY		
Separated	38.7	21		White, Non-Hispanic	41.8	2,152
Never married	68.9	74		Black, Non-Hispanic	51.4	35
Unmarried couple	28.7	13		Other race, Non-Hispanic	52.3	115
EDUCATION				Hispanic	52.3	396
Less than High School	57.1	178		VETERAN STATUS		
High School Graduate/GED	43.5	341		Yes	33.9	627
Some College/Tech School	48.2	372		No	46.6	2,102
College Grad	35.7	292				

Table 20. BRFSS survey results: Respondents over age 50 who have not had a sigmoidoscopy or colonoscopy. N/A=Not applicable. *=part of age group not included. *N is unweighted.

References

1. The Burden of Chronic Diseases and Their Risk Factors: National and State Perspectives. CDC. 2004.

COLORECTAL CANCER SCREENING (FECAL OCCULT BLOOD TEST)

Fecal occult blood test, flexible sigmoidoscopy and colonoscopy are utilized regularly to detect colorectal cancer in its earliest stages, when treatment is most likely to be effective. Regular colorectal cancer screening, as recommended by the U.S. Preventive Services Task Force, can reduce the number of deaths from this disease by at least 30 percent.

Survey Question:

A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?




Figure 21. Percentage of Arizona BRFSS respondents 50 years of age or older who reported they never had a blood stool test

Respondents who were at least 50 years of age were surveyed on whether they had ever had a blood stool test. About fifty-four percent* responded that they have not had a blood stool test. The following respondent groups have not had a blood stool test:

Gender: Males, 55.3 percent.

Age: 45 - 54 years old (partial age group), 76.2 percent.

Marital Status: Separated, 71.8 percent.

Education: Less than high school, 74.3 percent.

Employment Status: Out of work, 75.8 percent.

Income: <\$25,000, 60.6 percent.

Race/Ethnicity: Other, 78.4 percent.

Veteran Status: Non-veterans, 56.5 percent.

* 95% Confidence Interval: 51.3%-57.5%.

2006 Arizona BRFSS: Arizona Respondents Who Have Not Had A Fecal Occult Blood Test						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	54.4	1,505		EMPLOYMENT		
SEX				Employed for wages	62.8	436
Male	55.3	600		Self-employed	57.4	148
Female	53.7	905		Out of work	75.8	54
AGE				Homemaker	67.8	131
18-24	N/A	N/A		Student	38.1	8
25-34	N/A	N/A		Retired	42.8	613
35-44	N/A	N/A		Unable to work	65.4	108
45-54*	76.2	333		INCOME		
55-64	53.5	519		<\$25,000	60.6	498
65+	44.2	653		\$25,000-\$34,999	52.7	163
MARITAL STATUS				\$35,000-\$49,999	56.2	201
Married	53.1	815		\$50,000-\$74,999	52.1	188
Divorced	61.3	263		\$75,000 or more	50.7	201
Widowed	49.7	284		RACE/ ETHNICITY		
Separated	71.8	31		White, Non-Hispanic	50.6	1,073
Never married	65.4	89		Black, Non-Hispanic	67.4	22
Unmarried couple	46.0	16		Other race, Non-Hispanic	78.4	81
EDUCATION				Hispanic	72.7	312
Less than High School	74.3	236		VETERAN STATUS		
High School Graduate/GED	55.0	418		Yes	47.6	304
Some College/Tech School	53.2	429		No	56.5	1,199
College Grad	49.6	411				

Table 21. BRFSS survey results: Respondents over age 50 who have not had a fecal occult blood test. N/A=Not applicable. *= Cell size too small. *=part of age group not included. *N is unweighted.

ROUTINE MAMMOGRAPHY

Mammography is the best method available to detect breast cancer in its earliest, most treatable stage. Women 40 years of age and over should routinely have mammograms every 1 to 2 years. Timely mammography screening among women aged 40 or older could prevent 15 – 30 percent of all deaths from breast cancer.¹ The key to reduction in breast cancer mortality is dependent upon successful treatments and early detection. Routine mammography is a critical tool for breast cancer detection. Currently, the American Cancer Society recommends mammography for women 40-49 years of age, while the National Cancer Institute recommends that women discuss mammography with their physician. The benefit of obtaining routine mammograms is the ability of this test to detect tumors smaller than would be detectable using a breast self-exam. Small tumors are more likely to be associated with an early stage of breast cancer and therefore respond better to treatment.

Survey Question:

A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?




Figure 22. Percentage of Arizona BRFSS female respondents 40 years of age or older who reported they never had a mammogram. Healthy People 2010 Objective 3.14 is 70.0% of women \geq 40 years of age having a mammogram.

This question was not used in 2003 and 2005, therefore no data is available. Analysis of the 2006 Arizona BRFSS showed that 9.5% of females 40 years of age or older responded that they never had a mammogram. This figure is basically unchanged from the previous two years this question was used (2002 and 2004). The following respondent groups have never had a mammogram:

Age: 35 - 44 years old (partial age group), 25.1 percent.

Marital Status: Never married, 18.0 percent.

Education: Less than high school, 24.3 percent.

Employment Status: Homemaker, 17.4 percent.

Income: <\$25,000, 15.3 percent.

Race/Ethnicity: Black, Non-Hispanic, 22.7 percent.

Veteran Status: Veterans, 22.7 percent.

2006 Arizona BRFSS: Arizona Female Respondents Age 40+ Who Have Never Had A Mammogram						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	9.5	202		EMPLOYMENT		
SEX				Employed for wages	10.7	707
Male	N/A	N/A		Self-employed	11.7	180
Female	9.5	202		Out of work	7.1	76
AGE				Homemaker	17.4	284
18-24	N/A	N/A		Student	1.6	9
25-34	N/A	N/A		Retired	4.2	791
35-44	25.1	68		Unable to work	9.9	136
45-54	8.4	50		INCOME		
55-64	4.2	36		<\$25,000	15.3	662
65+	7.2	48		\$25,000-\$34,999	5.6	251
MARITAL STATUS				\$35,000-\$49,999	4.9	298
Married	8.0	94		\$50,000-\$74,999	9.8	274
Divorced	8.7	36		\$75,000 or more	6.3	321
Widowed	12.7	37		RACE/ ETHNICITY		
Separated	8.0	8		White, Non-Hispanic	8.4	1,619
Never married	18.0	21		Black, Non-Hispanic	22.7	35
Unmarried couple	13.3	5		Other race, Non-Hispanic	9.8	102
EDUCATION				Hispanic	12.5	408
Less than High School	24.3	262		VETERAN STATUS		
High School Graduate/GED	9.9	630		Yes	22.7	54
Some College/Tech School	8.6	690		No	9.3	2,134
College Grad	5.8	598				

Table 22. 2006 BRFSS results: Female respondents 40+ years of age, who reported that they never had a mammogram. N/A=Not applicable. *=part of age group not included.

Reference

1. Fact Sheet - The National Breast and Cervical Cancer Early Detection Program. Centers for Disease Control and Prevention, 2002.
2. Facione NC, Dodd MJ, Holzemer W, Meleis AI. Helpseeking for Self-Discovered Breast Symptoms. Implications for Early Detection. Cancer Pract., 1997; 5(4): 220-227.

ROUTINE PAP SMEAR

Cervical cancer screening using the Pap test detects not only cancer but precancerous lesions. Women should begin getting a Pap test no later than 18 years of age.¹ The most effective method of diagnosing pre-cancerous conditions (cervical dysplasia) and localized early stage cervical cancer is effective routine screening of all women using Pap smear testing. Routine screening programs using Pap smear testing can reduce incidence and, thus, mortality, of cervical cancer by 93%.²

The Human Papilloma Virus (HPV), a sexually transmitted disease associated with cervical cancer, can also be detected with a Pap smear test.³ Increased awareness of the importance of receiving annual Pap smear tests is essential for all women, but especially for women who might be at increased risk for HPV.

Survey Question:

Have you ever had a Pap test?




Figure 23: Percentage of Arizona women age 18 and older who reported never having a Pap smear test in 2002 - 2006.

This question was not used in 2003 and 2005 and therefore data is not available. The 2006 Arizona BRFSS results showed that 8.2%* of women have never had a Pap smear test. This result fell short of the *Healthy People 2010* Objective 3-11a of 3.0%. The following respondent groups have never had a Pap test:

Age: 18 - 24 years old, 23.3 percent.

Marital Status: Never married, 21.5 percent.

Education: High school graduate, 17.6 percent.

Employment Status: Student, 36.2 percent.

Income: <\$25,000, 12.8 percent.

Race/Ethnicity: Other, Non-Hispanic, 20.3 percent.

Veteran Status: Non-veterans, 8.2 percent. The cell size for Veterans was too small to be reliable.

* 95% Confidence Interval: 5.7%-10.7%.

2006 Arizona BRFSS: Arizona Female Respondents Who Never Had A Pap Smear Test						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	8.2	178		EMPLOYMENT		
SEX				Employed for wages	4.6	45
Male	N/A	N/A		Self-employed	5.1	9
Female	8.2	178		Out of work	5.3	10
AGE				Homemaker	11.0	19
18-24	23.3	29		Student	36.2	15
25-34	9.5	19		Retired	8.6	65
35-44	3.0	17		Unable to work	4.7	13
45-54	3.2	16		INCOME		
55-64	3.0	22		<\$25,000	12.8	83
65+	10.8	75		\$25,000-\$34,999	3.1	20
MARITAL STATUS				\$35,000-\$49,999	9.0	16
Married	5.9	64		\$50,000-\$74,999	.7	7
Divorced	2.0	19		\$75,000 or more	3.8	8
Widowed	15.5	45		RACE/ ETHNICITY		
Separated	9.1	4		White, Non-Hispanic	4.8	83
Never married	21.5	43		Black, Non-Hispanic	4.8	6
Unmarried couple	1.9	3		Other race, Non-Hispanic	20.3	18
EDUCATION				Hispanic	14.9	67
Less than High School	9.1	43		VETERAN STATUS		
High School Graduate/GED	17.6	63		Yes	11.5	7
Some College/Tech School	5.3	45		No	8.2	171
College Grad	2.5	26				

Table 23. 2006 BRFSS results: Female respondents who reported that they never had a Pap smear. N/A=Not applicable.

References

1. Fact Sheet - The National Breast and Cervical Cancer Early Detection Program. Centers for Disease Control and Prevention, 2002.
2. Eddy DM. Screening for Cervical Cancer. Annals Internal Medicine 1990, vol.113, pgs. 214-226.
3. Cervical Cancer Resource Center, American Cancer Society, Atlanta, GA, 2000.

PROSTATE CANCER SCREENING

The two most common tests used by doctors are the digital rectal exam and the prostate specific antigen test. The Digital Rectal Exam (DRE) has been recommended for years as a screening test for prostate cancer, yet it is limited in its ability to detect prostate cancer, or distinguish a cancer from something else. The Prostate-Specific Antigen (PSA) is a blood test that measures the PSA enzyme. The PSA test is limited in its ability to distinguish between a benign and cancerous tumor and other conditions, e.g., prostatitis (inflammation of the prostate).¹

Survey Question:

Have you ever had a PSA test?




Figure 24. Responses of males ages 40+ to the 2006 Arizona BRFSS question: Have you ever had a PSA blood test?

Male respondents who were at least 40 years of age were surveyed on whether they had a Prostate Specific Antigen (PSA) blood test. Almost thirty-seven percent* responded that they have not had a PSA blood test. The following respondent groups have never had a PSA test:

Age: 35 - 44 years old (partial age group), 68.3 percent.

Marital Status: Divorced, 38.6 percent.

Education: Less than high school, 59.0 percent.

Employment Status: Unable to work, 55.3 percent.

Income: <\$25,000, 51.0 percent.

* 95% Confidence Interval: 31.8%-41.6%.

Race/Ethnicity: Other, Non-Hispanic, 61.9 percent.

Veteran Status: Non-veterans, 50.0 percent.

2006 Arizona BRFSS: Arizona Male Respondents Who Have Not Had A PSA Test					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	36.7	400	EMPLOYMENT		
SEX			Employed for wages	45.0	176
Male	36.7	400	Self-employed	49.5	75
Female	N/A	N/A	Out of work	52.5	19
AGE			Homemaker	48.6	1
18-24	N/A	N/A	Student	26.0	3
25-34	N/A	N/A	Retired	14.2	96
35-44*	68.3	87	Unable to work	55.3	28
45-54	52.7	155	INCOME		
55-64	21.4	72	<\$25,000	51.0	134
65+	12.1	86	\$25,000-\$34,999	45.2	45
MARITAL STATUS			\$35,000-\$49,999	36.2	51
Married	37.6	251	\$50,000-\$74,999	37.1	64
Divorced	38.6	70	\$75,000 or more	34.3	79
Widowed	21.0	30	RACE/ ETHNICITY		
Separated	32.3	4	White, Non-Hispanic	33.3	257
Never married	38.2	38	Black, Non-Hispanic	16.1	6
Unmarried couple	26.1	6	Other race, Non-Hispanic	61.9	26
EDUCATION			Hispanic	53.6	103
Less than High School	59.0	60	VETERAN STATUS		
High School Graduate/GED	38.4	99	Yes	19.2	120
Some College/Tech School	39.0	114	No	50.0	279
College Grad	31.1	120			

Table 24. 2006 BRFSS survey results: Male respondents over age 40 who have not had a PSA blood test. N/A=Not applicable. *=part of age group not included.

References

1. Prostate Cancer: The Public Health Perspective, Centers for Disease Control and Prevention, 2002.

HEALTH CARE COVERAGE AND HEALTH CARE UTILIZATION

HEALTH CARE COVERAGE

Health insurance coverage is an important determinant of access to health care. Uninsured children and adults under 65 years of age are substantially less likely to have a usual source of health care or a recent health care visit than their insured counterparts. Uninsured people are more likely to forego needed health care due to cost concerns.¹

Survey Question:

Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?




Figure 25. Percentage of Arizona BRFSS respondents who reported they did not have health coverage in 2002-2006.

In 2006, 19.6 percent* of Arizonans reported they did not have health care coverage. Improving access to health care is a *Healthy People 2010* objective, an initiative which sets a goal of reducing the proportion of adults with health insurance to zero percent.² There is also a *Healthy Arizona 2010* objective, with a goal of decreasing the percentage of persons with health care coverage to 10 percent.³ The following respondent groups were least likely to have health insurance:

Gender: Males, 20.2 percent.

Age: 18 - 24 years old, 37.1 percent.

Marital Status: Unmarried couple, 47.4 percent.

Education: Less than high school, 43.2 percent.

Employment Status: Out of work, 41.7 percent.

Income: <\$25,000, 32.9 percent.

Race/Ethnicity: Hispanic, 43.3 percent.

Veteran Status: Non-veterans, 21.3 percent.

* 95% Confidence Interval: 17.1%-22.1%.

2006 Arizona BRFSS: Arizona Respondents Without Health Care Coverage					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	19.6	774	EMPLOYMENT		
SEX			Employed for wages	15.9	296
Male	20.2	288	Self-employed	32.2	117
Female	19.0	486	Out of work	41.7	82
AGE			Homemaker	39.4	148
18-24	37.1	74	Student	26.9	26
25-34	29.5	143	Retired	5.3	66
35-44	20.9	194	Unable to work	21.3	31
45-54	12.3	156	INCOME		
55-64	17.4	165	<\$25,000	32.9	360
65+	3.4	42	\$25,000-\$34,999	24.9	111
MARITAL STATUS			\$35,000-\$49,999	15.1	89
Married	16.2	433	\$50,000-\$74,999	12.6	64
Divorced	17.5	105	\$75,000 or more	6.3	42
Widowed	8.2	41	RACE/ ETHNICITY		
Separated	35.0	31	White, Non-Hispanic	11.5	312
Never married	27.8	120	Black, Non-Hispanic	8.7	9
Unmarried couple	47.4	41	Other race, Non-Hispanic	21.8	56
EDUCATION			Hispanic	43.3	388
Less than High School	43.2	200	VETERAN STATUS		
High School Graduate/GED	28.3	273	Yes	8.8	70
Some College/Tech School	15.9	188	No	21.3	689
College Grad	8.0	106			

Table 25. BRFSS results: Arizona respondents with no health care coverage. *N is unweighted.

References

1. National Center for Health Statistics. *Health, United States, 2006. With Chartbook on Trends in the Health of Americans*. Hyattsville, MD: 2006.
2. U.S. Department of Health and Human Services. *Healthy People 2010: Understanding and Improving Health*. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.
3. Arizona Department of Health Services. *Healthy Arizona 2010: Collaborating For A Healthier Future*, March 2001.

USUAL SOURCE OF HEALTH CARE

More than 40 million Americans do not have a specific doctor's office, clinic, health center, or other location where they regularly go for health care or health-related advice. Even among privately insured persons, a substantial number lacked a usual source of care or reported difficulty in accessing needed care due to financial constraints or insurance problems.¹

Strong predictors of access to quality health care include having health insurance, a higher income level, and a regular primary care provider or other source of ongoing health care. Use of clinical preventive services, such as early prenatal care, can serve as indicators of access to quality health care services.¹

Survey Question:

Do you have one person you think of as your personal doctor or health care provider?




Figure 26. Percentage of Arizona BRFSS respondents reporting on whether they had a usual source of health care in 2006.

According to the 2006 BRFSS, 28.3 percent* of all respondents reported not having a usual source of health care. The following respondent groups did not have a usual source of health care:

Gender: Males, 33.4 percent.

Age: 18 - 24 years old, 57.3 percent.

Marital Status: Separated, 47.5 percent.

Education: Less than high school, 52.0 percent.

Employment Status: Out of work, 42.7 percent.

Income: <\$25,000, 42.0 percent.

Race/Ethnicity: Hispanic, 52.3 percent.

Veteran Status: Non-veterans, 29.9 percent.

* 95% Confidence Interval: 25.4%-31.2%.

2006 Arizona BRFSS: Arizona Respondents Without Usual Source of Health Care					
GROUPS	WEIGHTED PERCENT	N*	GROUPS	WEIGHTED PERCENT	N*
TOTAL	28.3	1,077	EMPLOYMENT		
SEX			Employed for wages	30.5	466
Male	33.4	443	Self-employed	37.6	132
Female	23.3	634	Out of work	42.7	81
AGE			Homemaker	36.7	172
18-24	57.3	103	Student	36.2	35
25-34	42.3	220	Retired	8.7	142
35-44	32.0	243	Unable to work	22.5	39
45-54	19.1	211	INCOME		
55-64	15.4	163	<\$25,000	42.0	426
65+	6.9	137	\$25,000-\$34,999	33.4	127
MARITAL STATUS			\$35,000-\$49,999	23.9	128
Married	23.8	572	\$50,000-\$74,999	20.2	123
Divorced	24.8	151	\$75,000 or more	14.5	106
Widowed	10.6	73	RACE/ ETHNICITY		
Separated	47.5	45	White, Non-Hispanic	20.1	532
Never married	46.6	182	Black, Non-Hispanic	16.4	10
Unmarried couple	46.3	51	Other race, Non-Hispanic	33.2	88
EDUCATION			Hispanic	52.3	430
Less than High School	52.0	223	VETERAN STATUS		
High School Graduate/GED	36.8	348	Yes	19.1	137
Some College/Tech School	22.2	276	No	29.9	929
College Grad	19.0	221			

Table 26. BRFSS results: Respondents without usual source of health care. **N is unweighted.

References

1. U.S. Department of Health and Human Services. Healthy People 2010: Understanding and Improving Health. 2nd ed. Washington, DC: U.S. Government Printing Office, November 2000.

TIME SINCE LAST ROUTINE CHECKUP

Survey Question:

About how long has it been since you last visited a doctor for a routine checkup?




Figure 27. Percentage of Arizona BRFSS respondents who reported how long since their last routine checkup in 2006.

In 2006, an estimated 34.5 percent of Arizona adults did not have a routine checkup in the past year. The following respondent groups were the least likely to have had a routine checkup in the last 12 months:

Gender: Males, 38.3 percent.

Age: 25 - 34 years old, 46.3 percent.

Marital Status: Never married, 44.9 percent.

Education: Less than high school, 38.1 percent.

Employment Status: Out of work, 50.5 percent.

Income: \$35,000 - \$49,999, 36.9 percent.

Race/Ethnicity: Other Non-Hispanic, 42.9 percent.

Veteran Status: Non-veterans, 37.1 percent.

2006 Arizona BRFSS: Arizona Respondents Who Did Not Have A Routine Checkup In The Past Year						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	34.5	1,381		EMPLOYMENT		
SEX				Employed for wages	36.9	601
Male	38.3	574		Self-employed	48.7	196
Female	30.8	807		Out of work	50.5	74
AGE				Homemaker	36.7	161
18-24	39.1	77		Student	39.2	31
25-34	46.3	213		Retired	16.7	257
35-44	42.6	275		Unable to work	26.5	52
45-54	34.8	305		INCOME		
55-64	26.3	261		<\$25,000	36.2	416
65+	15.1	250		\$25,000-\$34,999	36.7	182
MARITAL STATUS				\$35,000-\$49,999	36.9	187
Married	33.3	783		\$50,000-\$74,999	34.4	189
Divorced	30.8	193		\$75,000 or more	35.3	235
Widowed	18.0	124		RACE/ ETHNICITY		
Separated	27.2	36		White, Non-Hispanic	32.9	906
Never married	44.9	187		Black, Non-Hispanic	14.8	14
Unmarried couple	42.7	51		Other race, Non-Hispanic	42.9	83
EDUCATION				Hispanic	40.0	357
Less than High School	38.1	196		VETERAN STATUS		
High School Graduate/GED	34.2	369		Yes	20.0	179
Some College/Tech School	33.9	423		No	37.1	1,192
College Grad	34.2	382				

Table 27. BRFSS results: Respondents who did not have a routine checkup in the past year. **N is unweighted.

COULD NOT AFFORD NEEDED HEALTH CARE

Either lack of a health care insurance or inadequate coverage prevents many from getting required care because they are unable to pay for services without the help of insurance. People with health insurance are normally more likely to have a primary care provider and to receive necessary preventive care, such as immunizations, health screening tests, or prenatal care, immunizations.

Survey Question:

Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?




Figure 28. Percentage of Arizona BRFSS respondents who could not afford needed health care in 2006.

According to the 2006 BRFSS, 13.0 percent* of all respondents reported they could not afford needed health care. The following respondent groups could not afford needed health care:

Gender: Females, 15.0 percent.

Age: 18 - 24 years old, 20.8 percent.

Marital Status: Unmarried couple, 21.6 percent.

Education: Less than high school, 26.4 percent.

Employment Status: Out of work, 32.0 percent.

Income: <\$25,000, 24.9 percent.

Race/Ethnicity: Hispanic, 24.4 percent.

* 95% Confidence Interval: 11.0%-15.0%.

Veteran Status: Non-veterans, 14.3 percent.

2006 Arizona BRFSS: Arizona Respondents Who Could Not Afford Needed Health Care						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL	13.0	576		EMPLOYMENT		
SEX				Employed for wages	12.7	220
Male	10.8	170		Self-employed	13.2	64
Female	15.0	406		Out of work	32.0	58
AGE				Homemaker	16.4	84
18-24	20.8	40		Student	20.1	16
25-34	16.4	100		Retired	4.2	73
35-44	14.2	117		Unable to work	22.7	58
45-54	11.3	115		INCOME		
55-64	12.3	129		<\$25,000	24.9	289
65+	4.2	75		\$25,000-\$34,999	20.0	83
MARITAL STATUS				\$35,000-\$49,999	10.0	66
Married	10.8	306		\$50,000-\$74,999	6.2	41
Divorced	18.9	99		\$75,000 or more	4.1	29
Widowed	7.1	55		RACE/ ETHNICITY		
Separated	18.8	19		White, Non-Hispanic	9.4	285
Never married	16.7	67		Black, Non-Hispanic	15.3	11
Unmarried couple	21.6	29		Other race, Non-Hispanic	8.0	36
EDUCATION				Hispanic	24.4	237
Less than High School	26.4	138		VETERAN STATUS		
High School Graduate/GED	14.6	164		Yes	4.6	44
Some College/Tech School	14.2	178		No	14.3	523
College Grad	6.2	92				

Table 28. BRFSS results: Respondents who could not afford needed health care. **N is unweighted.

APPENDICES

ARIZONA RESPONDENT PROFILE - 2006

ARIZONA RESPONDENT PROFILE BY YEAR, 2001-2006

RESPONDENT PROFILE BY REGION IN 2006

2006 ADDITIONAL SELECTED INDICATORS - 2006

2006 ARIZONA BRFSS QUESTIONS LISTING

2006 ARIZONA QUESTIONNAIRE

2006 BRFSS WEIGHTING FORMULA

2006 ARIZONA RESPONDENT PROFILE

2006 ARIZONA RESPONDENT PROFILE						
GROUPS	WEIGHTED PERCENT	N*		GROUPS	WEIGHTED PERCENT	N*
TOTAL		4,814		EMPLOYMENT		
SEX				Employed for wages	49.5	1,848
Male	49.5	1,810		Self-employed	9.4	456
Female	50.5	3,004		Out of work	4.0	200
AGE				Homemaker	10.2	509
18-24	12.4	205		Student	3.7	77
25-34	20.4	524		Retired	18.2	1,454
35-44	18.8	738		Unable to work	4.3	246
45-54	17.3	914		INCOME		
55-64	13.4	974		<\$25,000	21.5	1,374
65+	17.7	1,459		\$25,000-\$34,999	10.5	569
MARITAL STATUS				\$35,000-\$49,999	12.6	664
Married	61.3	2,768		\$50,000-\$74,999	15.4	666
Divorced	9.1	676		\$75,000 or more	25.4	838
Widowed	6.2	611		RACE/ ETHNICITY		
Separated	1.7	106		White, Non-Hispanic	68.4	3,305
Never married	16.1	497		Black, Non-Hispanic	2.2	77
Unmarried couple	5.2	140		Other race, Non-Hispanic	4.8	277
EDUCATION				Hispanic	23.3	1,097
Less than High School	11.8	585		VETERAN STATUS		
High School Graduate/GED	24.7	1,302		Yes	14.7	814
Some College/Tech School	28.9	1,450		No	85.2	3,956
College Grad	33.9	1,446				

Source: 2006 Arizona BRFSS Sample. Weighted percent is percent of total sample.

2002 – 2006 ARIZONA RESPONDENT PROFILE BY YEAR*

GROUPS	2002	2003	2004	2005	2006
<u>Sex</u>					
Male	49.3	49.4	49.5	49.5	49.5
Female	50.7	50.6	50.5	50.5	50.5
<u>Age</u>					
18-24	13.8	12.7	13.6	13.5	12.4
25-34	19.1	19.2	19.1	19.4	20.4
35-44	19.7	19.6	19.3	19.1	18.8
45-54	17.2	16.5	17.4	17.3	17.3
55-64	12.5	12.7	12.8	13.1	13.4
65+	17.6	18.4	17.7	17.7	17.7
<u>Education</u>					
Less than High School	8.2	9.9	14.0	12.4	11.8
High School Graduate or GED	28.4	27.1	26.7	26.5	24.7
Some College or Tech School	32.4	31.7	27.6	30.2	28.9
College Grad	30.9	31.0	21.6	30.8	33.9
<u>Income</u>					
< \$15,000	7.3	9.3	7.8	8.8	8.3
\$15,000-\$24,999	15.6	16.0	17.2	15.6	13.2
\$25,000-\$34,999	13.0	11.3	12.0	10.9	10.5
\$35,000-\$49,999	15.5	16.8	16.0	15.2	12.6
≥\$50,000	34.8	35.3	32.5	35.1	40.8
Unknown/Refused	7.8	11.2	14.5	14.3	14.6
<u>Race</u>					
White	75.3	70.6	69.5	68.9	68.4
Non-White	23.8	28.4	29.9	31.1	30.3
<u>Ethnicity</u>					
Hispanic	14.3	20.7	22.3	23.7	23.3
Non-Hispanic	85.3	78.8	77.5	76.3	76.5
Total	3,227	3,235	4,719	4,710	4,814

* Weighted percentages

2006 RESPONDENT PROFILE BY REGION (UNWEIGHTED N)

GROUPS	1	2	3	4	5	6	7	8
<u>Sex</u>								
Male	328	246	244	234	220	167	173	198
Female	515	508	349	320	336	327	325	324
<u>Age</u>								
18-24	40	25	27	20	25	22	24	22
25-34	106	70	73	44	74	45	55	57
35-44	142	105	97	56	68	72	97	101
45-54	166	129	150	103	86	100	100	80
55-64	161	148	117	132	109	107	107	93
65+	228	277	129	199	194	148	115	169
<u>Education</u>								
Less than High School	76	55	47	58	75	55	118	101
High School Graduate or GED	179	151	160	184	163	146	141	178
Some College or Tech School	239	249	180	185	183	151	109	154
College Grad	341	296	201	126	133	138	127	84
<u>Income</u>								
< \$15,000	77	77	67	58	54	61	75	65
\$15,000-\$24,999	85	117	93	125	104	78	120	118
\$25,000-\$34,999	82	83	64	72	67	63	63	75
\$35,000-\$49,999	100	114	95	72	72	66	69	76
≥\$50,000	359	262	213	148	172	150	94	106
Unknown/Refused	140	101	61	79	87	76	77	82
<u>Race</u>								
White	664	566	423	464	404	351	136	297
Non-White	169	176	162	80	145	141	357	221
<u>Ethnicity</u>								
Hispanic	122	124	47	53	97	103	350	201
Non-Hispanic	720	625	544	498	457	389	145	320
<u>Total</u>								

Regions 1: Maricopa; 2: Pima; 3: Apache, Coconino, and Navajo; 4: Gila, La Paz, Mohave, and Yavapai; 5: Graham, Greenlee, and Pinal; 6: Cochise; 7: Santa Cruz; and 8: Yuma.

2006 ADDITIONAL SELECTED INDICATORS

	<u>Page #</u>
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER?	82
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP?	83
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE?	84
HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON?	85
HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?	86
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST?	87
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL?	88
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT?	89
DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR?	90
DURING THE PAST 30 DAYS, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE?	91
IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN?	92
HOW MANY OF THESE FALLS CAUSED AN INJURY?	93
HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR?	94
DURING THE PAST MONTH, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK?	95
HAVE YOU EVER HAD A CLINICAL BREAST EXAM?	96
HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM?	97
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST?	98
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST?	99
HAVE YOU EVER HAD A DIGITAL RECTAL EXAM?	100
HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM?	101
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER?	102
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT?	103
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY?	104
HAVE YOU EVER BEEN TESTED FOR HIV?	105
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST?	106
WHERE DID YOU HAVE YOUR LAST HIV TEST?	107
HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED?	108
IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE?	109
DOES THE CHILD STILL HAVE ASTHMA?	110
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES?	111
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR?	112
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS?	113

ADDITIONAL SELECTED INDICATORS - 2006 (CONT)

	<u>Page #</u>
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES?	114
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"?	115
OUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS?	116
WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED?	117
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY?	118
HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE IN RECOGNIZING A FRIEND ACROSS THE STREET?	119
HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE READING PRINT IN NEWSPAPER, MAGAZINE, RECIPE, MENU, OR NUMBERS?	120
WHEN WAS THE LAST TIME YOU HAD YOUR EYES EXAMINED BY ANY DOCTOR OR EYE CARE PROVIDER?	121
WHAT IS THE MAIN REASON YOU HAVE NOT VISITED AN EYE CARE PROFESSIONAL IN THE PAST 12 MONTHS?	122
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED?	123
DO YOU HAVE ANY KIND OF HEALTH INSURANCE COVERAGE FOR EYE CARE?	124
HAVE YOU BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU NOW HAVE CATARACTS?	125
HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD GLAUCOMA?	126
HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD MACULAR DEGENERATION?	127
HAVE YOU EVER HAD AN EYE INJURY THAT OCCURRED AT YOUR WORKPLACE WHILE YOU WERE DOING YOUR WORK?	128
ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT?	129
WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT?	130
WHAT IS THE MAIN REASON FOR NOT DOING ANYTHING TO KEEP [IF FEMALE, INSERT YOU, IF MALE, INSERT YOUR WIFE/PARTNER] FROM GETTING PREGNANT?	131
HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE?	132
WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME?	133
WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME?	134
WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS?	135
WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS?	136
IS YOUR HOME HEATED WITH A FURNACE OR BOILER THAT BURNS OIL, GAS, COAL, OR OTHER FUEL?	138
DOES YOUR HOME HAVE ANY OF THE FOLLOWING APPLIANCES POWERED BY NATURAL GAS: A STOVE, AN OVEN, A WATER HEATER, OR A CLOTHES DRYER?	139
DURING THE PAST 12 MONTHS, ON HOW MANY DAYS HAVE YOU USED A WOOD OR COAL STOVE, FIREPLACE, OR KEROSENE HEATER INSIDE YOUR HOME?	140
A CARBON MONOXIDE OR CO DETECTOR CHECKS THE LEVEL OF CARBON MONOXIDE IN YOUR HOME. IT IS NOT A SMOKE DETECTOR. DO YOU HAVE A CO DETECTOR IN YOUR HOME?	141

ADDITIONAL SELECTED INDICATORS - 2006 (CONT)

	<u>Page #</u>
DO YOU CURRENTLY HAVE MOLD IN YOUR HOME ON AN AREA GREATER THAN THE SIZE OF A DOLLAR BILL?	142
CALCULATED VARIABLE FOR HEALTH STATUS	143
ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB	144
RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED	145
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED	146
ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR	147
COMPUTED ASTHMA STATUS	148
FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER	149
THREE-LEVEL BODY MASS INDEX CATEGORY	150
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY)	151
ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION	152
ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE	153
WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS	154
ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV	155
Az1_1. WHICH OF THE FOLLOWING BEST DESCRIBES THE WATER THAT YOU DRINK AT HOME MOST OFTEN?	156
Az2_1. HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE A SEIZURE DISORDER OR EPILEPSY?	157
Az2_2. ARE YOU CURRENTLY TAKING ANY MEDICINE TO CONTROL YOUR SEIZURE DISORDER OR EPILEPSY?	158
Az2_3. HOW MANY SEIZURES OF ANY TYPE HAVE YOU HAD IN THE LAST THREE MONTHS?	159
Az2_4. IN THE PAST YEAR, HAVE YOU SEEN A NEUROLOGIST OR EPILEPSY SPECIALIST FOR YOUR EPILEPSY OR SEIZURE DISORDER?	160
Az2_5. DURING THE PAST MONTH, TO WHAT EXTENT HAS EPILEPSY OR ITS TREATMENT INTERFERED WITH YOUR NORMAL ACTIVITIES LIKE WORKING, SCHOOL, OR SOCIALIZING WITH FAMILY OR FRIENDS?	161
SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE	162
CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY	163
3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY	164
3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY	165
5 LEVEL PHYSICAL ACTIVITY CATEGORY	166
ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS	167
Az5_1. DO YOU CURRENTLY TAKE ANY MULTIVITAMINS OR SUPPLEMENTS THAT CONTAIN FOLIC ACID?	168
Az5_1. Az5_3. SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B-VITAMIN FOLIC ACID EVERY DAY. THEY RECOMMEND THIS FOR WHICH ONE OF THE FOLLOWING REASONS?	169
Az6_1. HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD EMPHYSEMA?	170
Az6_2. HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD CHRONIC BRONCHITIS?	171

DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4794	4,347,804	3247	63.2	60.3-66.1	470	8.5	07.1-09.9	1077	28.3	25.4-31.2
Male	1804	2,150,680	1205	60.2	55.5-64.9	156	6.4	04.8-08.0	443	33.4	28.7-38.1
Female	2990	2,197,124	2042	66.0	62.5-69.5	314	10.7	08.3-13.1	634	23.3	20.2-26.4
White/Non-Hisp	3292	2,981,016	2413	71.2	68.1-74.3	347	8.7	07.1-10.3	532	20.1	17.2-23.0
Black or Afr. Am./Non-Hisp	77	94,386				7	5.4	00.0-10.9			
Oth. Race/Non-Hisp.	232	185,465				31	11.8	03.8-19.8			
Hispanic	1093	1,006,794	592	40.1	33.6-46.6	71	7.6	03.7-11.5	430	52.3	45.2-59.4
18-24	202	528,500				10	6.2	01.3-11.1			
25-34	521	890,239	260	50.9	43.5-58.3	41	6.8	02.5-11.1	220	42.3	34.9-49.7
35-44	737	820,834	437	61.3	54.8-67.8	57	6.7	04.0-09.4	243	32.0	25.7-38.3
45-54	873	721,188	585	72.4	67.3-77.5	83	8.7	05.8-11.6	205	18.9	14.4-23.4
55-64	947	572,631	684	74.1	69.2-79.0	101	10.2	06.9-13.5	162	15.7	11.6-19.8
65+	1452	769,011	1145	80.4	77.1-83.7	170	12.7	09.8-15.6	137	6.9	04.9-08.9
Less Than H.S.	579	513,617	304	40.9	32.3-49.5	52	7.1	03.6-10.6	223	52.0	43.0-61.0
H.S. or G.E.D.	1296	1,075,335	830	54.7	48.6-60.8	118	8.5	04.8-12.2	348	36.8	30.7-42.9
Some Post-H.S.	1446	1,250,675	1025	68.4	63.1-73.7	145	9.4	06.9-11.9	276	22.2	16.9-27.5
College Graduate	1442	1,479,200	1066	72.5	68.0-77.0	155	8.5	06.1-10.9	221	19.0	14.7-23.3
Less than \$15,000	529	358,538	323	48.6	39.6-57.6	38	8.1	03.8-12.4	168	43.3	33.7-52.9
\$15,000- 24,999	838	577,846	502	50.3	42.7-57.9	78	8.5	05.2-11.8	258	41.2	33.0-49.4
\$25,000- 34,999	567	459,614	386	60.9	51.7-70.1	54	5.7	03.3-08.1	127	33.4	24.0-42.8
\$35,000- 49,999	660	537,109	465	67.4	59.6-75.2	67	8.7	04.0-13.4	128	23.9	16.5-31.3
\$50,000- 74,999	666	673,431	469	72.0	65.9-78.1	74	7.7	04.8-10.6	123	20.2	14.3-26.1
\$75,000+	836	1,105,936	647	76.4	70.9-81.9	83	9.1	06.4-11.8	106	14.5	09.4-19.6

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4757	4,320,220	3376	65.5	62.8-68.2	619	16.9	14.5-19.3	349	8.5	06.9-10.1	348	8.0	06.4-09.6	65	1.1	00.5-01.7
Male	1795	2,144,102	1221	61.7	57.2-66.2	248	18.5	14.8-22.2	137	9.5	07.0-12.0	164	9.3	06.8-11.8	25	1.0	00.2-01.8
Female	2962	2,176,118	2155	69.2	65.9-72.5	371	15.4	12.7-18.1	212	7.5	05.7-09.3	184	6.6	04.8-08.4	40	1.3	00.5-02.1
White/Non-Hisp	3261	2,955,649	2355	67.1	64.0-70.2	401	16.3	13.6-19.0	236	8.5	06.7-10.3	243	7.2	05.6-08.8	26	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	77	94,386				8	9.0	00.0-18.4	3	5.2	00.0-14.6	2	0.4	00.0-01.0	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	234	186,353							24	10.9	04.6-17.2	14	8.8	00.8-16.8	7	2.2	00.0-05.1
Hispanic	1087	1,007,447	730	60.0	53.1-66.9	168	19.0	13.5-24.5	80	8.7	05.2-12.2	80	10.5	06.4-14.6	29	1.8	00.6-03.0
18-24	199	530,323				31	18.5	09.5-27.5	24	9.7	04.0-15.4	16	7.7	02.2-13.2	6	3.1	00.0-06.4
25-34	518	888,208	305	53.7	46.3-61.1	97	23.7	17.0-30.4	51	11.0	06.3-15.7	54	10.2	06.3-14.1	11	1.4	00.2-02.6
35-44	731	811,261	456	57.4	50.9-63.9	116	21.7	15.8-27.6	82	10.0	06.7-13.3	64	10.1	05.8-14.4	13	0.7	00.1-01.3
45-54	871	719,363	572	64.5	58.6-70.4	148	17.4	12.5-22.3	73	9.5	06.0-13.0	69	7.9	04.6-11.2	9	0.7	00.1-01.3
55-64	945	568,306	688	73.5	68.4-78.6	107	10.9	07.6-14.2	56	6.4	03.3-09.5	80	8.2	04.9-11.5	14	0.9	00.0-01.9
65+	1433	760,475	1183	84.9	81.8-88.0	115	7.4	05.0-09.8	62	4.1	02.3-05.9	63	3.2	02.0-04.4	10	0.4	00.2-00.6
Less Than H.S.	578	514,921	382	61.9	53.1-70.7	85	13.4	07.9-18.9	46	11.9	05.4-18.4	51	9.6	04.1-15.1	14	3.1	00.0-06.2
H.S. or G.E.D.	1277	1,057,079	908	65.8	60.1-71.5	149	14.4	09.5-19.3	91	8.3	05.4-11.2	106	10.4	06.9-13.9	23	1.2	00.4-02.0
Some Post-H.S.	1437	1,251,734	1014	66.1	61.2-71.0	187	16.6	12.7-20.5	117	8.9	06.4-11.4	107	7.9	05.2-10.6	12	0.6	00.2-01.0
College Graduate	1437	1,470,416	1055	65.8	61.1-70.5	193	20.3	16.0-24.6	92	7.2	04.7-09.7	83	5.9	03.7-08.1	14	0.9	00.1-01.7
Less than \$15,000	528	359,489	362	64.4	55.4-73.4	65	15.8	07.6-24.0	48	10.0	04.9-15.1	44	8.0	03.3-12.7	9	1.8	00.0-03.6
\$15,000- 24,999	827	569,658	577	63.4	56.3-70.5	102	15.5	10.4-20.6	54	7.9	04.0-11.8	78	11.6	06.9-16.3	16	1.6	00.0-03.2
\$25,000- 34,999	564	457,572	382	63.3	54.5-72.1	67	8.7	03.8-13.6	59	14.0	07.7-20.3	51	13.5	06.4-20.6	5	0.5	00.0-01.1
\$35,000- 49,999	659	540,817	472	63.1	55.1-71.1	89	21.3	13.1-29.5	45	5.7	03.0-08.4	44	8.2	04.3-12.1	9	1.7	00.0-03.5
\$50,000- 74,999	660	665,688	471	65.6	58.9-72.3	90	17.8	12.1-23.5	53	11.5	06.8-16.2	38	4.4	02.0-06.8	8	0.6	00.0-01.2
\$75,000+	834	1,102,745	599	64.7	58.8-70.6	128	22.3	17.0-27.6	51	6.3	03.6-09.0	54	6.6	03.9-09.3	2	0.2	00.0-00.4

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4806	4,357,886	3582	77.7	75.3-80.1	1224	22.3	19.9-24.7
Male	1805	2,156,027	1424	81.7	78.4-85.0	381	18.3	15.0-21.6
Female	3001	2,201,859	2158	73.8	70.9-76.7	843	26.2	23.3-29.1
White/Non-Hisp	3300	2,979,805	2571	81.4	79.2-83.6	729	18.6	16.4-20.8
Hispanic	1095	1,017,173	727	69.2	62.7-75.7	368	30.8	24.3-37.3
18-24	205	541,074	163	83.5	75.3-91.7	42	16.5	08.3-24.7
25-34	523	892,080	412	80.0	73.7-86.3	111	20.0	13.7-26.3
35-44	736	820,162	557	80.0	74.9-85.1	179	20.0	14.9-25.1
45-54	874	721,498	692	78.9	74.2-83.6	182	21.1	16.4-25.8
55-64	951	572,043	712	75.1	70.4-79.8	239	24.9	20.2-29.6
65+	1456	768,253	994	68.5	64.6-72.4	462	31.5	27.6-35.4
Less Than H.S.	585	517,492	312	61.5	53.1-69.9	273	38.5	30.1-46.9
H.S. or G.E.D.	1298	1,075,341	901	72.1	67.0-77.2	397	27.9	22.8-33.0
Some Post-H.S.	1448	1,259,924	1119	78.1	73.8-82.4	329	21.9	17.6-26.2
College Graduate	1445	1,478,777	1233	87.7	85.0-90.4	212	12.3	09.6-15.0
Less than \$15,000	532	359,666	292	60.7	51.9-69.5	240	39.3	30.5-48.1
\$15,000- 24,999	839	576,717	552	65.1	58.2-72.0	287	34.9	28.0-41.8
\$25,000- 34,999	569	459,913	420	78.0	71.5-84.5	149	22.0	15.5-28.5
\$35,000- 49,999	662	547,332	514	73.5	66.4-80.6	148	26.5	19.4-33.6
\$50,000- 74,999	666	673,431	560	84.4	79.7-89.1	106	15.6	10.9-20.3
\$75,000+	838	1,107,868	753	92.7	90.2-95.2	85	7.3	04.8-09.8

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4766	4,304,094	3131	66.6	63.9-69.3	557	12.7	10.5-14.9	462	9.2	07.6-10.8	564	9.7	08.1-11.3	52	1.7	00.9-02.5
Male	1793	2,123,791	1157	65.7	61.4-70.0	218	14.4	10.7-18.1	166	8.0	06.0-10.0	229	9.8	07.4-12.2	23	2.1	00.7-03.5
Female	2973	2,180,304	1974	67.5	64.2-70.8	339	11.1	08.7-13.5	296	10.4	08.0-12.8	335	9.6	07.6-11.6	29	1.4	00.4-02.4
White/Non-Hisp	3277	2,964,051	2247	71.3	68.6-74.0	351	10.8	08.8-12.8	296	8.2	06.6-09.8	367	9.0	07.2-10.8	16	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	77	94,386				12	13.7	03.7-23.7							1	4.0	00.0-11.6
Oth. Race/Non-Hisp.	233	185,351							21	7.6	03.1-12.1	19	11.2	02.4-20.0	2	1.0	00.0-02.6
Hispanic	1080	980,454	611	54.6	47.3-61.9	157	17.3	10.6-24.0	127	11.9	07.8-16.0	152	11.1	07.2-15.0	33	5.0	01.7-08.3
18-24	201	529,213							23	8.2	02.9-13.5	25	9.4	03.3-15.5	5	4.4	00.0-08.9
25-34	519	879,025	316	59.8	52.4-67.2	70	14.6	08.7-20.5	66	12.4	07.9-16.9	57	10.1	06.0-14.2	10	3.1	00.2-06.0
35-44	732	805,313	483	70.2	64.5-75.9	86	10.4	06.5-14.3	70	8.7	05.2-12.2	81	9.6	06.1-13.1	12	1.0	00.0-02.2
45-54	867	713,955	596	69.4	63.7-75.1	103	11.4	07.3-15.5	94	10.6	06.9-14.3	71	8.5	05.0-12.0	3	0.2	00.0-00.4
55-64	948	571,100	627	70.3	65.2-75.4	125	12.8	09.1-16.5	91	8.2	05.5-10.9	101	8.4	05.3-11.5	4	0.4	00.0-01.0
65+	1439	762,919	940	68.8	64.9-72.7	140	11.0	08.3-13.7	114	6.3	04.5-08.1	227	12.3	09.8-14.8	18	1.7	00.3-03.1
Less Than H.S.	575	501,082	252	41.1	32.5-49.7	84	17.7	09.3-26.1	83	14.1	08.4-19.8	130	18.2	11.9-24.5	26	8.8	02.5-15.1
H.S. or G.E.D.	1283	1,059,483	751	57.1	51.4-62.8	163	13.7	09.8-17.6	152	12.9	09.2-16.6	206	15.2	11.3-19.1	11	1.0	00.0-02.0
Some Post-H.S.	1437	1,239,682	981	70.8	65.7-75.9	160	12.4	07.7-17.1	136	9.4	06.7-12.1	152	6.8	04.8-08.8	8	0.5	00.1-00.9
College Graduate	1442	1,478,150	1127	78.7	75.0-82.4	149	10.8	07.9-13.7	88	4.7	02.9-06.5	73	5.4	03.4-07.4	5	0.3	00.0-00.7
Less than \$15,000	522	354,265	231	45.3	36.1-54.5	72	17.5	08.5-26.5	82	13.5	09.0-18.0	130	23.2	15.8-30.6	7	0.5	00.0-01.1
\$15,000- 24,999	834	573,643	449	53.0	45.2-60.8	111	17.0	08.4-25.6	104	8.3	05.8-10.8	157	18.5	13.2-23.8	13	3.2	00.3-06.1
\$25,000- 34,999	559	444,626	335	51.7	42.9-60.5	76	14.3	07.4-21.2	58	13.1	06.8-19.4	81	16.4	09.3-23.5	9	4.5	00.0-09.2
\$35,000- 49,999	660	545,648	451	65.7	58.3-73.1	87	15.9	09.8-22.0	64	11.1	06.2-16.0	52	6.6	03.7-09.5	6	0.7	00.1-01.3
\$50,000- 74,999	662	660,214	500	70.6	64.3-76.9	74	13.2	08.7-17.7	36	7.0	03.3-10.7	49	8.9	04.8-13.0	3	0.3	00.0-00.7
\$75,000+	837	1,102,618	698	83.8	79.7-87.9	65	7.8	04.5-11.1	53	5.9	03.5-08.3	21	2.5	00.7-04.3			

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST DUE TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4722	4,315,781	1502	26.9	24.5-29.3	667	9.7	08.5-10.9	353	4.3	03.5-05.1	2200	59.1	56.4-61.8
Male	1776	2,135,933	576	28.2	24.3-32.1	276	8.7	06.9-10.5	124	3.3	02.3-04.3	800	59.8	55.5-64.1
Female	2946	2,179,848	926	25.6	22.7-28.5	391	10.6	08.8-12.4	229	5.3	04.1-06.5	1400	58.5	55.2-61.8
White/Non-Hisp	3244	2,951,085	948	25.3	22.8-27.8	491	10.6	09.0-12.2	279	5.0	04.0-06.0	1526	59.1	56.2-62.0
Black or Afr. Am./Non-Hisp	77	94,386							3	3.2	00.0-06.9			
Oth. Race/Non-Hisp.	228	184,868				21	4.7	01.6-07.8	8	2.4	00.0-05.3			
Hispanic	1079	1,012,417	412	30.6	24.3-36.9	124	6.2	04.0-08.4	53	2.7	01.1-04.3	490	60.5	53.8-67.2
18-24	204	540,078	20	10.3	04.0-16.6	1	0.3	00.0-00.9	2	0.9	00.0-02.5	181	88.5	82.0-95.0
25-34	522	885,777	125	19.4	13.5-25.3	11	1.4	00.2-02.6	1	0.1	00.0-00.3	385	79.0	73.1-84.9
35-44	736	820,984	247	31.4	25.1-37.7	43	4.2	02.2-06.2	13	1.3	00.3-02.3	433	63.1	56.8-69.4
45-54	867	718,569	299	29.4	23.9-34.9	98	12.2	08.3-16.1	23	2.3	00.9-03.7	447	56.0	50.1-61.9
55-64	938	567,147	356	41.2	35.7-46.7	154	15.0	11.1-18.9	76	8.1	05.0-11.2	352	35.7	30.6-40.8
65+	1400	746,164	441	29.7	25.8-33.6	353	25.3	21.6-29.0	235	14.3	11.6-17.0	371	30.7	26.6-34.8
Less Than H.S.	566	507,606	209	37.1	28.1-46.1	113	12.7	08.4-17.0	66	6.1	03.6-08.6	178	44.2	35.0-53.4
H.S. or G.E.D.	1276	1,061,319	432	26.2	21.7-30.7	221	12.6	09.9-15.3	130	6.4	04.4-08.4	493	54.9	49.4-60.4
Some Post-H.S.	1427	1,256,454	456	28.5	24.2-32.8	192	9.9	07.4-12.4	100	3.8	02.6-05.0	679	57.8	52.9-62.7
College Graduate	1425	1,465,283	392	22.3	18.6-26.0	134	6.1	04.5-07.7	54	2.6	01.4-03.8	845	69.0	64.9-73.1
Less than \$15,000	521	347,861	184	36.8	27.4-46.2	115	16.5	10.8-22.2	72	8.7	05.2-12.2	150	38.0	28.8-47.2
\$15,000- 24,999	821	570,368	288	31.6	25.1-38.1	161	16.0	11.5-20.5	77	5.8	03.4-08.2	295	46.6	38.8-54.4
\$25,000- 34,999	562	458,479	189	31.8	23.0-40.6	84	9.3	06.4-12.2	55	7.1	03.8-10.4	234	51.7	42.9-60.5
\$35,000- 49,999	655	546,910	227	31.1	24.0-38.2	87	11.4	07.7-15.1	48	4.9	02.7-07.1	293	52.5	44.9-60.1
\$50,000- 74,999	659	669,997	192	22.9	17.6-28.2	74	9.1	06.0-12.2	23	2.9	00.9-04.9	370	65.1	59.0-71.2
\$75,000+	833	1,101,776	210	20.2	16.1-24.3	43	3.5	01.7-05.3	13	0.6	00.0-01.2	567	75.7	71.2-80.2

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic
Denominator excludes: Respondents that have had all of their permanent teeth extracted
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4348	4,056,632	2857	65.7	62.8-68.6	526	13.1	10.9-15.3	404	9.3	07.3-11.3	490	10.1	08.3-11.9	71	1.7	00.9-02.5
Male	1639	2,033,250	1065	64.1	59.6-68.6	202	14.6	11.3-17.9	154	10.4	07.1-13.7	193	9.0	06.6-11.4	25	1.9	00.5-03.3
Female	2709	2,023,382	1792	67.4	63.9-70.9	324	11.7	09.2-14.2	250	8.2	06.2-10.2	297	11.1	08.7-13.5	46	1.6	00.6-02.6
White/Non-Hisp	2980	2,800,084	2039	70.5	67.6-73.4	347	12.7	10.5-14.9	263	7.7	05.9-09.5	298	8.5	06.7-10.3	33	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	72	87,007				11	10.3	01.7-18.9							2	7.8	00.0-18.8
Oth. Race/Non-Hisp.	220	179,373							18	6.5	02.2-10.8	17	9.7	01.3-18.1	3	3.1	00.0-07.8
Hispanic	987	913,731	564	52.5	44.9-60.1	136	14.5	09.0-20.0	106	14.1	07.6-20.6	151	14.8	10.1-19.5	30	4.2	00.9-07.5
18-24	193	508,732				28	12.1	05.4-18.8				25	9.7	03.8-15.6	2	1.3	00.0-03.5
25-34	504	842,612	300	57.0	49.4-64.6	73	19.2	12.5-25.9	53	9.6	05.7-13.5	71	13.5	08.8-18.2	7	0.7	00.1-01.3
35-44	704	793,609	450	67.5	61.2-73.8	84	9.2	05.5-12.9	70	9.6	05.9-13.3	89	10.7	07.0-14.4	11	3.1	00.0-06.4
45-54	837	700,157	555	67.4	61.7-73.1	99	12.0	08.1-15.9	84	8.0	05.1-10.9	86	11.0	06.9-15.1	13	1.7	00.0-03.7
55-64	866	525,342	574	68.4	62.9-73.9	109	13.4	09.5-17.3	82	8.2	05.3-11.1	88	8.0	04.5-11.5	13	1.9	00.1-03.7
65+	1186	643,894	821	73.1	69.0-77.2	127	12.5	09.0-16.0	83	6.0	04.0-08.0	130	6.6	04.8-08.4	25	1.8	00.2-03.4
Less Than H.S.	476	421,089	212	39.6	30.2-49.0	66	18.8	09.0-28.6	66	15.3	08.0-22.6	107	17.1	11.2-23.0	25	9.1	02.2-16.0
H.S. or G.E.D.	1144	990,233	682	57.6	51.5-63.7	151	13.5	09.4-17.6	126	11.3	08.0-14.6	165	16.9	12.2-21.6	20	0.7	00.3-01.1
Some Post-H.S.	1322	1,197,229	868	65.7	60.2-71.2	159	12.8	09.5-16.1	121	11.4	06.5-16.3	153	8.5	06.0-11.0	21	1.7	00.5-02.9
College Graduate	1383	1,432,456	1078	79.3	75.6-83.0	148	11.1	08.2-14.0	90	4.5	02.9-06.1	63	4.7	02.7-06.7	4	0.4	00.0-01.0
Less than \$15,000	442	321,302	167	38.6	28.8-48.4	62	16.0	06.2-25.8	67	11.8	07.3-16.3	123	24.2	16.4-32.0	23	9.4	03.3-15.5
\$15,000- 24,999	732	507,067	391	49.8	41.6-58.0	101	12.8	08.1-17.5	90	15.8	06.4-25.2	127	19.0	12.9-25.1	23	2.6	01.0-04.2
\$25,000- 34,999	500	405,837	318	54.3	44.7-63.9	56	12.1	06.0-18.2	60	16.4	08.6-24.2	58	12.8	06.7-18.9	8	4.4	00.0-10.3
\$35,000- 49,999	604	515,109	401	62.6	54.8-70.4	92	20.0	13.1-26.9	49	6.2	03.1-09.3	59	10.9	06.2-15.6	3	0.3	00.0-00.7
\$50,000- 74,999	635	648,293	478	70.9	64.4-77.4	74	12.5	08.0-17.0	39	7.7	03.8-11.6	40	8.0	04.1-11.9	4	0.8	00.0-02.2
\$75,000+	823	1,096,726	675	81.6	77.1-86.1	76	10.9	07.2-14.6	45	4.5	02.5-06.5	27	3.1	01.1-05.1			

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2259	1,864,681	572	28.0	24.1-31.9	236	14.1	11.0-17.2	1451	57.8	53.7-61.9
Male	1024	1,041,310	244	28.5	22.4-34.6	111	16.3	11.2-21.4	669	55.2	48.9-61.5
Female	1235	823,371	328	27.5	22.6-32.4	125	11.4	08.3-14.5	782	61.1	56.0-66.2
White/Non-Hisp	1742	1,441,524	442	29.0	24.3-33.7	139	9.4	06.9-11.9	1161	61.6	56.9-66.3
Oth. Race/Non-Hisp.	76	63,138	13	5.8	01.5-10.1						
Hispanic	348	271,139	95	28.7	18.9-38.5						
35-44	256	273,130	98	37.0	27.2-46.8	42	20.0	10.8-29.2	116	43.1	33.1-53.1
45-54	424	381,768	137	33.2	25.4-41.0	53	14.7	07.8-21.6	234	52.2	43.8-60.6
55-64	508	312,972	124	20.7	14.8-26.6	41	6.6	02.7-10.5	343	72.8	66.1-79.5
65+	808	418,679	122	14.5	10.6-18.4	42	4.9	02.7-07.1	644	80.6	76.3-84.9
Less Than H.S.	263	220,964				30	16.1	06.1-26.1			
H.S. or G.E.D.	675	531,397	186	32.6	25.0-40.2	75	12.6	07.7-17.5	414	54.8	47.2-62.4
Some Post-H.S.	726	554,506	201	26.0	20.3-31.7	72	14.7	08.2-21.2	453	59.4	52.3-66.5
College Graduate	580	541,441	100	21.4	13.2-29.6	58	14.6	08.5-20.7	422	64.0	55.6-72.4
Less than \$15,000	257	146,672				38	20.4	10.6-30.2			
\$15,000- 24,999	409	254,760	105	32.1	22.9-41.3	46	11.0	06.1-15.9	258	56.9	47.7-66.1
\$25,000- 34,999	303	228,403	77	21.5	14.2-28.8						
\$35,000- 49,999	308	234,120				26	9.7	03.8-15.6			
\$50,000- 74,999	316	309,739	77	22.4	15.0-29.8	38	15.4	07.8-23.0	201	62.3	53.1-71.5
\$75,000+	355	449,188				30	8.2	03.7-12.7			

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	940	1,071,578	43	4.8	02.6-07.0	897	95.2	93.0-97.4
White/Non-Hisp	466	584,291	21	4.8	01.9-07.7	445	95.2	92.3-98.1
Hispanic	371	390,855	16	3.8	00.9-06.7	355	96.2	93.3-99.1
18-24	122	252,055	15	10.1	02.8-17.4	107	89.9	82.6-97.2
25-34	336	424,446	21	4.9	01.6-08.2	315	95.1	91.8-98.4
35-44	482	395,077	7	1.2	00.0-02.6	475	98.8	97.4-0100
Less Than H.S.	143	170,253	4	2.2	00.0-04.7	139	97.8	95.3-0100
H.S. or G.E.D.	242	274,853	12	5.0	00.9-09.1	230	95.0	90.9-99.1
Some Post-H.S.	292	324,188	14	2.9	00.7-05.1	278	97.1	94.9-99.3
College Graduate	261	297,743	13	8.1	01.8-14.4	248	91.9	85.6-98.2
Less than \$15,000	107	80,172	5	5.6	00.3-10.9	102	94.4	89.1-99.7
\$15,000- 24,999	176	158,310	7	5.3	00.0-11.0	169	94.7	89.0-0100
\$25,000- 34,999	112	98,512	5	5.7	00.0-12.8	107	94.3	87.2-0100
\$35,000- 49,999	149	163,288	6	6.2	00.0-13.8	143	93.8	86.2-0100
\$50,000- 74,999	119	132,374	3	4.3	00.0-10.8	116	95.7	89.2-0100
\$75,000+	174	255,664	7	3.6	00.0-08.3	167	96.4	91.7-0100

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4759	4,320,387	2349	53.4	50.7-56.1	2410	46.6	43.9-49.3
Male	1781	2,134,925	1054	63.8	59.5-68.1	727	36.2	31.9-40.5
Female	2978	2,185,462	1295	43.3	40.0-46.6	1683	56.7	53.4-60.0
White/Non-Hisp	3278	2,961,793	1816	59.2	56.1-62.3	1462	40.8	37.7-43.9
Hispanic	1077	1,001,062	389	42.3	35.2-49.4	688	57.7	50.6-64.8
25-34	518	885,950	256	56.2	48.8-63.6	262	43.8	36.4-51.2
35-44	730	813,177	367	57.0	50.5-63.5	363	43.0	36.5-49.5
45-54	868	711,229	469	60.5	54.8-66.2	399	39.5	33.8-45.2
55-64	937	563,008	461	48.3	42.8-53.8	476	51.7	46.2-57.2
65+	1444	763,745	676	48.2	43.9-52.5	768	51.8	47.5-56.1
Less Than H.S.	575	511,217	169	39.4	30.0-48.8	406	60.6	51.2-70.0
H.S. or G.E.D.	1284	1,065,190	559	49.4	43.5-55.3	725	50.6	44.7-56.5
Some Post-H.S.	1436	1,254,461	713	52.0	46.7-57.3	723	48.0	42.7-53.3
College Graduate	1437	1,469,343	901	63.0	58.5-67.5	536	37.0	32.5-41.5
Less than \$15,000	525	357,070				362	62.3	52.3-72.3
\$15,000- 24,999	829	562,421	319	37.3	30.4-44.2	510	62.7	55.8-69.6
\$25,000- 34,999	561	447,698	271	53.2	44.4-62.0	290	46.8	38.0-55.6
\$35,000- 49,999	661	547,745	360	51.7	43.9-59.5	301	48.3	40.5-56.1
\$50,000- 74,999	663	672,618	399	58.8	52.1-65.5	264	41.2	34.5-47.9
\$75,000+	832	1,101,362	558	70.2	64.9-75.5	274	29.8	24.5-35.1

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

ONE DRINK IS EQUIVALENT TO A 12 OUNCE BEER, A 4 OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. ON THE DAYS WHEN YOU DRANK, DURING THE PAST 30 DAYS, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2212	2,148,199	1047	40.2	36.5-43.9	629	28.2	24.7-31.7	257	14.8	11.7-17.9	95	4.6	03.0-06.2	184	12.2	08.9-15.5
Male	983	1,245,181	350	30.6	25.5-35.7	307	28.8	23.7-33.9	153	18.1	13.4-22.8	55	5.4	03.0-07.8	118	17.0	11.5-22.5
Female	1229	903,018	697	53.4	48.5-58.3	322	27.4	22.9-31.9	104	10.2	06.9-13.5	40	3.5	01.7-05.3	66	5.5	03.1-07.9
White/Non-Hisp	1739	1,693,975	880	43.3	39.0-47.6	516	29.0	25.1-32.9	182	14.6	11.1-18.1	58	3.8	02.2-05.4	103	9.3	05.8-12.8
Oth. Race/Non-Hisp.	71	61,448							10	6.8	01.3-12.3	2	1.0	00.0-02.4			
Hispanic	337	335,143	104	23.2	15.4-31.0				59	18.1	09.1-27.1	30	8.2	03.1-13.3			
18-24	87	211,733										12	6.8	01.9-11.7			
25-34	242	461,971	78	26.7	18.3-35.1	69	29.0	19.4-38.6	40	20.8	12.4-29.2	19	6.9	02.2-11.6	36	16.6	07.8-25.4
35-44	352	439,992	129	34.9	26.3-43.5	95	32.8	24.2-41.4	64	19.1	10.7-27.5	20	5.4	01.9-08.9	44	7.7	03.4-12.0
45-54	451	419,405	215	49.0	41.0-57.0	139	28.4	21.3-35.5	51	12.8	07.9-17.7	19	3.0	00.3-05.7	27	6.7	03.2-10.2
55-64	437	264,691	214	53.6	46.0-61.2	137	27.4	20.9-33.9	48	8.8	04.9-12.7	12	2.4	00.0-04.8	26	7.8	03.3-12.3
65+	623	339,177	383	57.6	51.5-63.7	165	30.0	24.1-35.9	36	5.0	02.3-07.7	13	2.9	00.5-05.3	26	4.5	02.1-06.9
Less Than H.S.	136	157,208	46	16.9	07.7-26.1							9	2.5	00.1-04.9			
H.S. or G.E.D.	519	472,620	239	35.3	27.7-42.9	126	25.6	17.4-33.8	73	18.1	10.7-25.5	28	5.7	02.8-08.6	53	15.3	07.5-23.1
Some Post-H.S.	674	604,288	293	37.5	31.0-44.0	202	29.1	23.2-35.0	83	16.6	11.1-22.1	28	5.0	01.9-08.1	68	11.9	07.0-16.8
College Graduate	876	911,402	464	48.4	42.3-54.5	264	30.6	24.9-36.3	83	10.7	07.0-14.4	30	4.2	01.8-06.6	35	6.0	01.3-10.7
Less than \$15,000	143	112,335							14	5.5	00.0-12.0	10	6.0	00.0-12.3			
\$15,000- 24,999	290	185,824							36	13.4	04.2-22.6	20	6.4	01.9-10.9	37	12.2	06.9-17.5
\$25,000- 34,999	250	197,373				61	19.2	11.8-26.6				9	5.1	00.0-10.2	24	13.6	04.0-23.2
\$35,000- 49,999	345	272,339	164	40.3	30.9-49.7	100	26.2	18.0-34.4	37	8.9	04.2-13.6	10	4.5	00.0-09.8			
\$50,000- 74,999	388	392,078	177	42.1	33.9-50.3	117	26.8	19.5-34.1	47	17.0	09.7-24.3	18	3.5	01.3-05.7	29	10.6	04.5-16.7
\$75,000+	543	749,819	254	40.4	33.3-47.5	180	35.0	27.9-42.1	62	12.8	08.1-17.5	21	3.5	01.1-05.9	26	8.4	02.3-14.5

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

THE NEXT QUESTION ASKS ABOUT A RECENT FALL. BY A FALL, WE MEAN WHEN A PERSON UNINTENTIONALLY COMES TO REST ON THE GROUND OR ANOTHER LOWER LEVEL. IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3246	2,061,574	335	9.3	07.5-11.1	104	3.4	02.2-04.6	32	1.0	00.4-01.6	20	0.9	00.3-01.5	33	0.8	00.4-01.2	2722	84.6	82.2-87.0
Male	1250	969,300	105	7.9	05.5-10.3	43	3.2	01.6-04.8	18	1.3	00.3-02.3	9	0.8	00.0-01.8	15	0.8	00.2-01.4	1060	86.0	82.9-89.1
Female	1996	1,092,274	230	10.5	07.8-13.2	61	3.6	01.8-05.4	14	0.7	00.1-01.3	11	0.9	00.0-01.9	18	0.8	00.2-01.4	1662	83.5	80.2-86.8
White/Non-Hisp	2495	1,673,453	249	8.7	06.7-10.7	85	3.9	02.5-05.3	24	1.0	00.4-01.6	16	0.8	00.0-01.6	28	0.8	00.4-01.2	2093	84.8	82.3-87.3
Oth. Race/Non-Hisp.	121	79,676	16	6.1	01.8-10.4	3	0.8	00.0-01.8	3	0.7	00.0-01.5	2	0.2	00.0-00.6				97	92.2	87.5-96.9
Hispanic	513	219,801	56	15.4	06.4-24.4	13	1.6	00.0-03.4	3	0.2	00.0-00.4	1	1.6	00.0-04.7	4	1.2	00.0-02.6	436	80.0	70.6-89.4
45-54	856	712,788	93	10.2	06.3-14.1	23	2.9	01.1-04.7	9	0.9	00.0-01.9	5	0.7	00.0-01.7	10	0.9	00.1-01.7	716	84.5	80.0-89.0
55-64	920	556,957	88	8.8	05.3-12.3	35	4.6	02.1-07.1	10	1.4	00.2-02.6	10	2.0	00.0-04.2	6	0.7	00.0-01.7	771	82.6	77.9-87.3
65+	1414	748,836	151	9.2	06.8-11.6	46	3.3	01.1-05.5	11	0.6	00.0-01.2	5	0.2	00.0-00.4	16	0.6	00.2-01.0	1185	86.1	83.0-89.2
Less Than H.S.	360	166,752	41	9.0	03.7-14.3	11	2.2	00.0-04.4	1	0.2	00.0-00.6	3	2.2	00.0-06.3	2	0.4	00.0-01.0	302	86.0	79.1-92.9
H.S. or G.E.D.	863	474,376	78	11.4	06.3-16.5	25	4.7	01.6-07.8	8	1.3	00.0-02.9	3	0.7	00.0-01.9	5	0.8	00.0-02.0	744	81.0	75.1-86.9
Some Post-H.S.	978	616,263	100	9.6	06.5-12.7	32	3.5	01.3-05.7	10	0.9	00.1-01.7	6	0.2	00.0-00.4	12	0.6	00.0-01.2	818	85.1	81.2-89.0
College Graduate	1023	782,864	112	8.0	05.5-10.5	36	2.9	01.3-04.5	13	1.1	00.1-02.1	8	1.3	00.0-02.7	14	1.0	00.2-01.8	840	85.8	82.5-89.1
Less than \$15,000	371	185,007	39	9.5	03.6-15.4	23	8.7	01.8-15.6	4	0.5	00.0-01.1	8	2.7	00.0-06.4	9	1.7	00.1-03.3	288	76.9	67.9-85.9
\$15,000- 24,999	544	261,213	49	9.8	04.3-15.3	17	4.4	00.9-07.9	6	1.7	00.0-03.9	2	0.1	00.0-00.3	4	0.5	00.0-01.3	466	83.5	77.0-90.0
\$25,000- 34,999	376	198,740	42	10.6	05.7-15.5	14	3.7	00.8-06.6	5	0.7	00.0-01.7	1	0.5	00.0-01.5	2	1.5	00.0-04.2	312	83.1	76.8-89.4
\$35,000- 49,999	440	249,749	54	12.5	05.4-19.6	11	1.5	00.1-02.9	3	0.5	00.0-01.1				2	0.1	00.0-00.3	370	85.4	78.3-92.5
\$50,000- 74,999	446	328,610	48	11.9	06.2-17.6	13	4.9	00.6-09.2	7	2.2	00.0-04.7	3	1.5	00.0-04.2	5	1.3	00.0-02.9	370	78.2	70.9-85.5
\$75,000+	537	509,085	51	7.1	03.8-10.4	6	1.0	00.0-02.2	4	0.7	00.0-01.7	5	0.8	00.0-02.0	5	0.3	00.0-00.7	466	90.0	86.3-93.7

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	521	314,238	141	28.4	20.4-36.4	16	3.5	00.2-06.8	5	1.7	00.0-03.7	1	0.1	00.0-00.3	2	0.1	00.1-00.1	356	66.2	58.0-74.4
Male	189	134,848				5	1.2	00.0-02.6	3	2.6	00.0-06.7									
Female	332	179,390				11	5.2	00.0-10.7	2	1.0	00.0-02.6	1	0.2	00.0-00.6	2	0.1	00.0-00.3			
White/Non-Hisp	399	251,830	113	28.1	19.7-36.5	13	4.2	00.1-08.3	3	1.0	00.0-02.2				2	0.1	00.0-00.3	268	66.6	58.0-75.2
Hispanic	77	43,921				3	0.5	00.0-01.5												
45-54	139	109,540				4	1.9	00.0-04.8				1	0.3	00.0-00.9	1	0.1	00.0-00.3			
55-64	149	97,161	43	16.5	08.7-24.3	7	7.4	00.0-17.0	4	4.3	00.0-10.2									
65+	228	103,980				5	1.6	00.0-03.4	1	1.2	00.0-03.6				1	0.1	00.0-00.3			
Less Than H.S.	58	23,376				1	0.8	00.0-02.6							1	0.3	00.0-00.9			
H.S. or G.E.D.	118	89,785				1	0.2	00.0-00.6	1	1.4	00.0-04.1				1	0.1	00.0-00.3			
Some Post-H.S.	159	90,607				7	3.4	00.0-07.3												
College Graduate	182	110,048	50	20.2	11.2-29.2	7	6.7	00.0-15.1	4	3.8	00.0-08.9	1	0.3	00.0-00.9						
Less than \$15,000	83	42,768							1	0.2	00.0-00.6	1	0.9	00.0-02.7	1	0.3	00.0-00.9			
\$15,000- 24,999	77	43,098	16	7.9	02.4-13.4	1	2.1	00.0-06.2												
\$25,000- 34,999	64	33,667				1	0.6	00.0-01.8												
\$35,000- 49,999	70	36,484				2	0.9	00.0-02.3	1	1.7	00.0-05.0									
\$50,000- 74,999	76	71,788				2	6.3	00.0-18.3												
\$75,000+	70	49,480				1	0.2	00.0-00.6												

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY... (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4684	4,284,793	3868	81.8	79.4-84.2	485	9.8	08.0-11.6	178	4.2	03.0-05.4	56	1.9	00.7-03.1	88	2.2	01.2-03.2	9	0.1	00.0-00.3
Male	1761	2,127,471	1377	76.3	72.2-80.4	213	12.0	08.9-15.1	82	5.4	03.4-07.4	34	3.0	00.8-05.2	54	3.3	01.5-05.1	1	0.0	00.0-00.0
Female	2923	2,157,322	2491	87.3	84.9-89.7	272	7.6	05.8-09.4	96	3.1	01.7-04.5	22	0.7	00.1-01.3	34	1.2	00.4-02.0	8	0.2	00.0-00.4
White/Non-Hisp	3234	2,947,448	2679	82.6	79.9-85.3	343	9.7	07.7-11.7	106	3.6	02.2-05.0	40	2.2	00.6-03.8	63	1.9	01.1-02.7	3	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp.	76	93,305	69	93.6	85.8-0100	5	5.6	00.0-13.4	1	0.7	00.0-02.1				1	0.1	00.0-00.3			
Oth. Race/Non-Hisp.	225	182,402	182	86.5	80.4-92.6	24	6.6	03.1-10.1	14	5.4	00.9-09.9	3	0.6	00.0-01.4	2	0.9	00.0-02.3			
Hispanic	1056	991,323	856	77.8	71.9-83.7	106	10.4	06.1-14.7	56	6.4	03.1-09.7	12	1.3	00.0-02.7	21	3.8	00.7-06.9	5	0.3	00.0-00.7
18-24	199	529,354				33	12.5	05.8-19.2	19	9.5	03.4-15.6	8	7.4	00.0-15.6	3	0.3	00.0-00.7			
25-34	517	890,157	403	76.8	70.3-83.3	75	14.0	08.5-19.5	28	5.8	02.3-09.3	2	0.8	00.0-02.2	9	2.7	00.3-05.1			
35-44	721	805,848	590	82.6	77.3-87.9	64	8.3	04.4-12.2	40	3.8	01.8-05.8	6	0.6	00.0-01.4	20	4.7	01.2-08.2	1	0.1	00.0-00.3
45-54	855	714,078	702	85.1	81.0-89.2	103	9.4	06.1-12.7	29	3.4	00.9-05.9	9	1.1	00.0-02.3	12	0.9	00.1-01.7			
55-64	925	557,214	773	86.3	82.6-90.0	86	6.1	03.7-08.5	33	2.6	01.0-04.2	13	2.2	00.2-04.2	18	2.3	00.3-04.3	2	0.4	00.0-01.2
65+	1412	745,416	1213	87.8	85.1-90.5	123	8.2	05.8-10.6	28	1.1	00.5-01.7	17	1.2	00.2-02.2	25	1.6	00.4-02.8	6	0.2	00.0-00.4
Less Than H.S.	560	498,468	441	68.6	59.4-77.8	55	11.5	05.2-17.8	36	9.2	03.5-14.9	6	3.5	00.0-07.2	17	6.7	01.2-12.2	5	0.5	00.0-01.3
H.S. or G.E.D.	1255	1,057,793	1002	79.8	75.1-84.5	152	11.0	07.3-14.7	57	5.7	03.0-08.4	16	1.2	00.2-02.2	25	2.2	00.4-04.0	3	0.1	00.0-00.3
Some Post-H.S.	1414	1,237,895	1164	85.5	82.0-89.0	155	8.4	05.7-11.1	47	3.0	01.0-05.0	20	1.6	00.4-02.8	27	1.5	00.7-02.3	1	0.1	00.0-00.3
College Graduate	1426	1,462,408	1238	84.8	80.7-88.9	120	9.6	06.5-12.7	36	2.0	00.8-03.2	14	2.1	00.0-05.0	18	1.4	00.4-02.4			
Less than \$15,000	515	348,520	415	77.5	68.9-86.1	55	14.2	06.2-22.2	24	4.9	01.0-08.8	5	2.0	00.0-04.5	14	1.3	00.3-02.3	2	0.1	00.0-00.3
\$15,000- 24,999	808	558,892	651	81.6	76.3-86.9	80	6.0	04.0-08.0	47	8.0	03.9-12.1	11	2.2	00.0-04.4	17	2.2	00.4-04.0	2	0.1	00.0-00.3
\$25,000- 34,999	554	450,451	439	69.0	59.6-78.4	66	13.7	06.6-20.8	23	11.6	04.3-18.9	11	0.6	00.2-01.0	14	5.0	00.0-10.5	1	0.1	00.0-00.3
\$35,000- 49,999	651	543,083	533	87.2	83.3-91.1	84	7.3	04.8-09.8	21	2.8	00.8-04.8	6	0.9	00.0-02.1	6	1.6	00.0-03.4	1	0.1	00.0-00.3
\$50,000- 74,999	657	670,635	545	84.2	79.3-89.1	68	8.4	04.7-12.1	22	2.0	00.6-03.4	5	0.6	00.0-01.2	17	4.8	01.7-07.9			
\$75,000+	828	1,093,878	709	84.0	78.5-89.5	80	11.0	06.9-15.1	20	1.2	00.2-02.2	8	3.3	00.0-07.2	11	0.5	00.1-00.9			

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

DURING THE PAST MONTH, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRINKDRI)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2306	2,286,224	49	3.3	01.7-04.9	10	0.4	00.0-00.8	5	0.4	00.0-00.8	1	0.0	00.0-00.0	8	1.0	00.0-02.8	2233	94.8	92.4-97.2
Male	1038	1,359,962	32	4.7	02.3-07.1	6	0.3	00.0-00.7	4	0.4	00.0-01.0	1	0.0	00.0-00.0	4	1.6	00.0-04.7	991	92.9	89.2-96.6
Female	1268	926,262	17	1.3	00.1-02.5	4	0.5	00.0-01.1	1	0.5	00.0-01.5				4	0.2	00.0-00.4	1242	97.6	96.0-99.2
White/Non-Hisp	1784	1,741,788	38	3.4	01.6-05.2	9	0.5	00.1-00.9	4	0.6	00.0-01.2				6	1.3	00.0-03.7	1727	94.2	91.3-97.1
Oth. Race/Non-Hisp.	71	61,750										1	0.9	00.0-02.7				70	99.1	97.3-0100
Hispanic	381	422,854	8	2.9	00.0-06.2	1	0.0	00.0-00.0							2	0.3	00.0-00.7	370	96.8	93.5-0100
18-24	94	248,351	3	1.4	00.0-03.9															
25-34	258	503,303	10	5.9	01.4-10.4	3	0.8	00.0-01.8	2	1.5	00.0-03.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	241	91.6	86.7-96.5
35-44	362	461,405	13	5.3	00.8-09.8	2	0.1	00.0-00.3	2	0.4	00.0-01.2				2	0.2	00.0-00.6	343	94.0	89.5-98.5
45-54	460	430,917	11	2.9	00.2-05.6	3	0.1	00.0-00.3	1	0.1	00.0-00.3				1	0.0	00.0-00.0	444	96.9	94.2-99.6
55-64	458	269,805	9	1.6	00.0-03.6	2	1.3	00.0-03.5										447	97.1	94.2-0100
65+	653	355,575	3	0.5	00.0-01.1										3	0.3	00.0-00.7	647	99.2	98.4-0100
Less Than H.S.	163	197,943	6	5.7	00.0-12.6										1	0.4	00.0-01.2	156	93.9	86.8-0100
H.S. or G.E.D.	545	518,147	12	3.0	00.0-06.1	3	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	2	0.1	00.0-00.3	526	96.6	93.5-99.7
Some Post-H.S.	697	637,680	13	2.2	00.2-04.2	2	0.1	00.0-00.3	2	1.0	00.0-02.4				2	0.0	00.0-00.0	678	96.7	94.3-99.1
College Graduate	892	921,719	18	3.8	01.3-06.3	5	0.8	00.0-01.6	2	0.4	00.0-01.0				3	2.4	00.0-06.9	864	92.7	87.6-97.8
Less than \$15,000	159	132,674	2	1.7	00.0-04.8				1	2.4	00.0-07.1							156	95.9	90.2-0100
\$15,000- 24,999	307	209,563	8	2.9	00.0-06.0	1	0.1	00.0-00.3				1	0.3	00.0-00.9	4	0.7	00.0-01.7	293	96.0	92.7-99.3
\$25,000- 34,999	270	242,313	5	3.8	00.0-08.5				1	0.1	00.0-00.3				1	0.0	00.0-00.0	263	96.1	91.4-0100
\$35,000- 49,999	352	280,963	6	2.8	00.0-05.9	2	0.8	00.0-02.4							1	0.3	00.0-00.9	343	96.1	92.6-99.6
\$50,000- 74,999	394	393,906	10	0.9	00.3-01.5	2	0.1	00.0-00.3	1	0.1	00.0-00.3							381	99.0	98.2-99.8
\$75,000+	552	758,578	16	5.4	01.9-08.9	4	0.7	00.0-01.5	1	0.6	00.0-01.8				1	2.8	00.0-08.3	530	90.5	84.2-96.8

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	2901	2,148,424	2582	88.6	85.9-91.3	319	11.4	08.7-14.1
White/Non-Hisp	1972	1,477,770	1839	95.1	93.7-96.5	133	4.9	03.5-06.3
Hispanic	690	503,157	544	73.9	65.5-82.3	146	26.1	17.7-34.5
25-34	329	420,967	291	86.9	78.7-95.1	38	13.1	04.9-21.3
35-44	476	388,751	418	87.3	82.0-92.6	58	12.7	07.4-18.0
45-54	525	355,923	490	95.3	91.0-99.6	35	4.7	00.4-09.0
55-64	572	291,765	531	94.4	91.9-96.9	41	5.6	03.1-08.1
65+	838	410,345	728	89.7	86.2-93.2	110	10.3	06.8-13.8
Less Than H.S.	367	250,510	283	79.6	71.2-88.0	84	20.4	12.0-28.8
H.S. or G.E.D.	823	582,299	701	80.4	73.1-87.7	122	19.6	12.3-26.9
Some Post-H.S.	911	676,218	835	91.4	87.7-95.1	76	8.6	04.9-12.3
College Graduate	785	629,936	751	96.5	94.7-98.3	34	3.5	01.7-05.3
Less than \$15,000	374	210,715	295	85.0	79.3-90.7	79	15.0	09.3-20.7
\$15,000- 24,999	512	297,884	438	84.2	78.5-89.9	74	15.8	10.1-21.5
\$25,000- 34,999	333	198,418	288	87.4	80.1-94.7	45	12.6	05.3-19.9
\$35,000- 49,999	405	307,857	379	91.3	84.8-97.8	26	8.7	02.2-15.2
\$50,000- 74,999	357	300,523	344	95.6	91.7-99.5	13	4.4	00.5-08.3
\$75,000+	441	459,827	429	95.8	91.5-0100	12	4.2	00.0-08.5

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 lt 12 months			1 lt 2 years			2 lt 3 years			3 lt 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2551	1,885,859	1756	71.3	68.2-74.4	399	14.9	12.4-17.4	142	5.9	04.1-07.7	89	2.8	01.8-03.8	165	5.1	03.5-06.7
White/Non-Hisp	1816	1,389,575	1235	70.9	67.4-74.4	286	15.2	12.5-17.9	98	5.8	04.0-07.6	68	3.4	02.0-04.8	129	4.7	03.1-06.3
Oth. Race/Non-Hisp.	111	58,332	82	83.3	75.1-91.5	13	4.7	01.8-07.6	8	6.7	01.2-12.2	2	0.7	00.0-02.1	6	4.5	00.0-09.0
Hispanic	540	371,522	378	70.9	62.1-79.7	88	15.7	08.3-23.1	35	6.4	01.7-11.1	18	1.6	00.4-02.8	21	5.4	01.1-09.7
18-24	89	193,783							4	2.3	00.0-05.2				3	3.9	00.0-10.0
25-34	291	365,941	205	73.6	65.4-81.8	44	11.5	05.4-17.6	22	9.8	04.3-15.3	8	1.7	00.0-03.7	12	3.5	00.6-06.4
35-44	418	339,361	284	63.9	56.1-71.7	70	19.9	13.4-26.4	29	8.5	03.4-13.6	15	3.8	00.5-07.1	20	3.9	01.4-06.4
45-54	485	334,542	343	70.2	62.9-77.5	86	19.9	13.2-26.6	21	3.6	00.7-06.5	13	3.6	00.5-06.7	22	2.7	01.3-04.1
55-64	524	272,236	356	70.4	63.3-77.5	83	14.0	09.1-18.9	23	5.7	01.8-09.6	24	3.7	01.3-06.1	38	6.1	01.4-10.8
65+	709	359,150	471	70.9	65.4-76.4	99	11.5	08.0-15.0	42	4.2	02.2-06.2	28	3.4	01.6-05.2	69	10.0	05.3-14.7
Less Than H.S.	278	195,049							21	9.1	02.0-16.2	17	4.7	00.2-09.2	23	5.6	00.5-10.7
H.S. or G.E.D.	691	463,222	449	65.3	58.2-72.4	117	16.6	10.9-22.3	50	7.0	03.5-10.5	17	2.0	00.6-03.4	58	9.0	04.7-13.3
Some Post-H.S.	825	611,859	559	70.1	64.6-75.6	134	15.2	11.1-19.3	41	5.9	02.8-09.0	40	5.0	02.5-07.5	51	3.7	01.5-05.9
College Graduate	745	607,010	565	78.8	74.1-83.5	105	13.1	09.2-17.0	30	4.2	01.8-06.6	13	0.7	00.1-01.3	32	3.2	01.4-05.0
Less than \$15,000	294	179,073				41	11.1	05.2-17.0	29	5.9	02.0-09.8	16	4.4	00.3-08.5	37	16.8	06.8-26.8
\$15,000- 24,999	431	245,874	275	57.5	47.9-67.1	70	18.8	10.2-27.4	33	10.9	03.8-18.0	15	3.8	00.3-07.3	38	9.0	02.9-15.1
\$25,000- 34,999	283	171,046	194	72.0	62.8-81.2	46	15.0	07.4-22.6	13	4.0	00.9-07.1	6	4.0	00.3-07.7	24	5.0	02.3-07.7
\$35,000- 49,999	376	280,240	255	71.8	63.8-79.8	66	14.3	08.2-20.4	15	5.2	01.5-08.9	16	3.8	00.5-07.1	24	5.0	01.9-08.1
\$50,000- 74,999	343	284,144	254	75.4	67.8-83.0	54	15.4	08.9-21.9	14	6.9	01.8-12.0	11	1.0	00.4-01.6	10	1.3	00.3-02.3
\$75,000+	426	437,781	330	78.0	71.7-84.3	65	14.9	09.6-20.2	13	4.2	01.1-07.3	9	1.8	00.0-03.8	9	1.1	00.3-01.9

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 lt 12 months			1 lt 2 years			2 lt 3 years			3 lt 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2678	1,956,748	1509	62.2	58.9-65.5	469	16.9	14.4-19.4	187	7.3	05.5-09.1	153	4.4	03.2-05.6	360	9.2	07.4-11.0
White/Non-Hisp	1852	1,388,488	962	59.7	56.0-63.4	336	17.3	14.6-20.0	140	8.3	06.1-10.5	115	4.5	03.1-05.9	299	10.3	08.3-12.3
Oth. Race/Non-Hisp.	121	63,674				16	7.2	02.3-12.1	5	5.6	00.0-12.3	4	1.8	00.0-04.0	11	9.2	02.5-15.9
Hispanic	620	432,145	413	69.1	60.9-77.3	103	16.6	09.5-23.7	38	5.0	01.7-08.3	31	4.4	01.3-07.5	35	4.9	01.4-08.4
18-24	93	198,304							4	5.3	00.0-11.8				2	3.0	00.0-08.7
25-34	310	381,066	229	75.6	68.0-83.2	51	14.4	07.9-20.9	14	4.8	01.1-08.5	8	3.7	00.2-07.2	8	1.5	00.1-02.9
35-44	456	373,953	306	64.9	57.6-72.2	73	16.0	10.7-21.3	35	8.1	04.0-12.2	17	3.2	00.8-05.6	25	7.7	03.4-12.0
45-54	508	346,852	315	63.5	56.1-70.9	103	21.6	14.7-28.5	27	5.4	02.1-08.7	18	3.7	00.8-06.6	45	5.8	03.3-08.3
55-64	540	280,649	291	58.5	51.2-65.8	96	14.0	09.3-18.7	31	8.8	04.1-13.5	34	4.5	02.1-06.9	88	14.1	08.8-19.4
65+	736	354,250	270	37.6	31.7-43.5	130	19.5	14.8-24.2	75	11.1	07.6-14.6	74	9.6	06.3-12.9	187	22.1	17.0-27.2
Less Than H.S.	320	231,808				49	15.9	06.1-25.7	24	8.5	03.0-14.0	18	3.0	00.8-05.2	41	11.5	04.8-18.2
H.S. or G.E.D.	741	471,838	375	54.4	47.3-61.5	137	20.6	14.9-26.3	64	7.4	04.1-10.7	48	5.3	02.8-07.8	117	12.3	08.4-16.2
Some Post-H.S.	849	632,665	456	59.2	53.3-65.1	159	18.2	13.7-22.7	53	6.3	03.6-09.0	50	5.8	03.3-08.3	131	10.5	07.2-13.8
College Graduate	755	611,525	481	71.2	66.1-76.3	123	13.3	09.6-17.0	46	8.0	04.7-11.3	36	2.9	01.1-04.7	69	4.7	03.1-06.3
Less than \$15,000	328	175,846	158	49.3	39.5-59.1	53	13.0	07.5-18.5	40	10.9	05.2-16.6	21	6.5	01.8-11.2	56	20.3	11.1-29.5
\$15,000- 24,999	467	265,186	238	50.5	41.7-59.3	78	19.5	11.5-27.5	33	9.3	04.0-14.6	27	5.5	01.8-09.2	91	15.2	09.3-21.1
\$25,000- 34,999	310	190,912	166	62.7	52.9-72.5	58	18.0	10.4-25.6	22	4.7	02.0-07.4	19	6.6	01.9-11.3	45	8.1	04.8-11.4
\$35,000- 49,999	389	283,982	224	67.2	59.2-75.2	66	13.8	08.3-19.3	23	6.7	02.8-10.6	26	7.0	02.5-11.5	50	5.4	03.4-07.4
\$50,000- 74,999	347	295,657	224	66.0	57.8-74.2	57	14.9	08.6-21.2	20	8.4	03.3-13.5	19	3.7	01.2-06.2	27	7.0	02.3-11.7
\$75,000+	428	438,308	290	73.7	67.2-80.2	76	14.8	09.7-19.9	21	5.8	02.1-09.5	16	1.2	00.4-02.0	25	4.5	01.6-07.4

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	889	693,241	647	71.5	66.0-77.0	132	17.3	12.4-22.2	47	5.9	03.4-08.4	27	2.4	00.8-04.0	36	3.0	01.0-05.0
White/Non-Hisp	732	585,687	533	70.2	64.1-76.3	110	18.7	13.2-24.2	37	5.2	02.5-07.9	21	2.5	00.7-04.3	31	3.4	01.2-05.6
Hispanic	102	55,188				15	10.3	02.9-17.7	5	5.7	00.0-11.6	6	3.1	00.0-07.6	4	1.0	00.0-02.2
45-54	154	160,128							13	11.1	02.9-19.3	5	2.8	00.0-07.1	8	3.4	00.5-06.3
55-64	248	190,114	182	79.2	71.0-87.4	39	12.0	05.3-18.7	10	4.8	00.1-09.5	8	3.3	00.0-06.6	9	0.7	00.1-01.3
65+	456	280,899	348	77.9	72.2-83.6	54	12.5	07.6-17.4	22	4.7	02.2-07.2	14	2.0	00.6-03.4	18	2.9	00.9-04.9
Less Than H.S.	61	26,726				9	9.2	01.4-17.0				1	0.1	00.0-00.3	6	9.4	00.0-19.2
H.S. or G.E.D.	189	118,676				30	18.2	09.4-27.0	9	6.1	01.0-11.2	7	4.5	00.0-09.6	8	2.4	00.4-04.4
Some Post-H.S.	235	180,556							14	6.8	00.5-13.1	8	3.5	00.0-07.6	3	0.4	00.0-00.8
College Graduate	400	361,504	295	73.5	65.9-81.1	58	17.5	10.4-24.6	17	3.6	01.2-06.0	11	1.3	00.3-02.3	19	4.0	00.7-07.3
Less than \$15,000	55	21,127				7	7.1	00.0-14.2							4	4.8	00.0-10.3
\$15,000- 24,999	115	63,944							4	3.9	00.0-09.4	5	1.6	00.0-03.6	3	0.7	00.0-01.7
\$25,000- 34,999	106	59,045							6	8.5	00.0-17.3	4	0.9	00.0-01.9	6	4.0	00.0-08.1
\$35,000- 49,999	139	77,692				19	10.0	04.5-15.5				7	6.3	00.8-11.8	9	5.5	00.2-10.8
\$50,000- 74,999	155	119,567							8	3.8	00.7-06.9	4	4.5	00.0-10.4	1	0.0	00.0-00.0
\$75,000+	214	247,138				37	18.4	09.0-27.8	12	6.0	00.9-11.1	3	1.3	00.0-03.5	10	4.8	00.1-09.5

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1337	1,124,664	1038	78.3	74.6-82.0	299	21.7	18.0-25.4
White/Non-Hisp	1031	899,745	859	82.7	78.8-86.6	172	17.3	13.4-21.2
45-54	321	347,601	223	75.6	68.3-82.9	98	24.4	17.1-31.7
55-64	343	256,499	285	83.2	76.7-89.7	58	16.8	10.3-23.3
65+	552	327,186	472	88.3	84.2-92.4	80	11.7	07.6-15.8
H.S. or G.E.D.	299	199,597	211	73.4	65.0-81.8	88	26.6	18.2-35.0
Some Post-H.S.	370	308,509	286	77.1	70.2-84.0	84	22.9	16.0-29.8
College Graduate	531	529,864	459	84.9	79.6-90.2	72	15.1	09.8-20.4
\$35,000- 49,999	197	126,589	159	82.0	73.6-90.4	38	18.0	09.6-26.4
\$50,000- 74,999	225	196,886	185	76.2	66.4-86.0	40	23.8	14.0-33.6
\$75,000+	298	377,127	251	86.0	79.9-92.1	47	14.0	07.9-20.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a digital rectal exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1023	860,888	575	54.8	49.3-60.3	181	22.6	17.5-27.7	85	7.8	04.5-11.1	65	6.1	03.4-08.8	117	8.7	06.2-11.2
White/Non-Hisp	847	729,958	480	55.2	49.3-61.1	152	23.5	17.8-29.2	61	5.7	03.3-08.1	53	6.1	03.0-09.2	101	9.5	06.6-12.4
Hispanic	111	62,881										7	6.2	00.1-12.3	9	4.8	00.3-09.3
35-44	57	106,575							6	4.3	00.4-08.2				10	7.1	00.6-13.6
45-54	221	260,798				41	24.9	15.1-34.7	22	12.8	03.8-21.8	18	6.9	01.8-12.0	40	14.8	07.5-22.1
55-64	281	208,733	165	64.4	55.2-73.6	45	15.1	08.2-22.0	28	8.9	03.2-14.6	19	7.0	01.5-12.5	24	4.6	01.5-07.7
65+	464	284,782	289	68.5	62.2-74.8	80	17.6	12.1-23.1	29	3.8	02.0-05.6	23	3.5	01.3-05.7	43	6.6	04.1-09.1
Less Than H.S.	74	38,749				13	6.3	01.4-11.2				6	4.7	00.0-09.8	8	8.1	00.8-15.4
H.S. or G.E.D.	207	135,569				39	21.6	12.6-30.6	14	4.6	01.7-07.5	10	5.1	00.0-11.2	32	16.1	08.7-23.5
Some Post-H.S.	282	232,860							30	7.7	02.6-12.8	17	3.9	01.2-06.6	32	8.9	03.4-14.4
College Graduate	454	446,882	278	55.4	47.4-63.4	77	23.8	16.4-31.2	24	6.7	01.6-11.8	31	7.6	02.7-12.5	44	6.5	03.2-09.8
Less than \$15,000	71	36,547							7	5.2	00.0-11.1	4	4.4	00.0-09.7			
\$15,000- 24,999	138	77,950							18	12.8	03.4-22.2	10	5.7	01.4-10.0	18	7.3	03.4-11.2
\$35,000- 49,999	156	93,506				24	15.2	07.0-23.4	11	9.8	00.0-19.6	9	4.0	00.5-07.5	22	14.4	06.0-22.8
\$50,000- 74,999	184	149,907							14	6.7	02.4-11.0	9	4.8	00.0-10.3	19	8.6	02.5-14.7
\$75,000+	247	318,908				46	27.9	17.9-37.9	19	6.5	02.0-11.0	16	4.6	00.9-08.3	23	6.0	02.1-09.9

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER?
(PROSTATE)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.
Denominator excludes: Respondents less than 40 years old.**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1346	1,144,952	69	4.6	03.0-06.2	1277	95.4	93.8-97.0
White/Non-Hisp	1033	910,939	61	5.0	03.2-06.8	972	95.0	93.2-96.8
Oth. Race/Non-Hisp.	53	61,233	1	1.0	00.0-03.0	52	99.0	97.0-0100
Hispanic	211	130,483	5	2.7	00.0-06.0	206	97.3	94.0-0100
35-44	124	206,025				124	100.0	0100-0100
45-54	323	351,819	2	0.7	00.0-01.7	321	99.3	98.3-0100
55-64	343	256,499	7	4.8	00.7-08.9	336	95.2	91.1-99.3
65+	556	330,609	60	11.6	07.5-15.7	496	88.4	84.3-92.5
Less Than H.S.	129	74,091	10	6.4	01.5-11.3	119	93.6	88.7-98.5
H.S. or G.E.D.	302	200,464	14	4.0	01.1-06.9	288	96.0	93.1-98.9
Some Post-H.S.	370	312,428	13	2.5	00.7-04.3	357	97.5	95.7-99.3
College Graduate	534	542,581	32	6.0	03.3-08.7	502	94.0	91.3-96.7
Less than \$15,000	113	59,762	6	2.5	00.1-04.9	107	97.5	95.1-99.9
\$15,000- 24,999	208	126,720	11	6.9	02.0-11.8	197	93.1	88.2-98.0
\$25,000- 34,999	155	109,364	9	3.2	00.7-05.7	146	96.8	94.3-99.3
\$35,000- 49,999	198	126,764	12	4.9	00.6-09.2	186	95.1	90.8-99.4
\$50,000- 74,999	226	198,414	10	3.0	00.8-05.2	216	97.0	94.8-99.2
\$75,000+	303	393,363	15	5.7	02.2-09.2	288	94.3	90.8-97.8

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1202	731,197	481	42.0	37.5-46.5	243	22.0	18.1-25.9	252	20.6	17.1-24.1	226	15.5	12.2-18.8
Male	462	340,717	202	44.2	36.9-51.5	100	24.6	18.1-31.1	93	19.2	13.7-24.7	67	12.0	07.5-16.5
Female	740	390,480	279	40.0	34.1-45.9	143	19.6	15.1-24.1	159	21.8	17.3-26.3	159	18.6	13.9-23.3
White/Non-Hisp	1051	645,525	416	42.9	38.0-47.8	208	20.6	16.7-24.5	218	20.7	17.0-24.4	209	15.8	12.5-19.1
45-54	115	87,132							19	11.4	02.0-20.8	26	18.8	09.2-28.4
55-64	377	246,875	140	43.1	34.7-51.5	79	18.4	12.3-24.5	82	19.0	13.3-24.7	76	19.5	12.2-26.8
65+	710	397,190	297	42.5	36.8-48.2	138	21.6	16.9-26.3	151	23.6	18.7-28.5	124	12.3	09.0-15.6
Less Than H.S.	72	34,452										9	6.0	01.1-10.9
H.S. or G.E.D.	317	177,499	115	37.9	29.3-46.5	73	23.5	16.2-30.8	64	20.6	13.7-27.5	65	18.0	09.8-26.2
Some Post-H.S.	371	213,848	153	42.6	34.6-50.6	71	20.3	14.0-26.6	77	20.8	14.5-27.1	70	16.4	10.7-22.1
College Graduate	439	305,047	175	42.2	34.6-49.8	85	22.7	16.0-29.4	98	20.5	14.8-26.2	81	14.5	09.8-19.2
\$15,000- 24,999	183	84,937							32	13.7	07.2-20.2			
\$25,000- 34,999	163	78,009				31	21.4	12.4-30.4	37	24.1	14.5-33.7	27	12.7	05.6-19.8
\$35,000- 49,999	178	93,538				39	22.9	13.1-32.7				30	15.4	07.6-23.2
\$50,000- 74,999	177	125,172				35	18.3	09.7-26.9	41	22.7	13.7-31.7	25	12.1	05.6-18.6
\$75,000+	207	172,134							43	17.2	09.4-25.0	42	10.4	05.9-14.9

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1521	920,715	393	25.7	22.2-29.2	335	23.7	20.0-27.4	527	36.3	32.2-40.4	157	8.9	06.7-11.1	109	5.4	03.6-07.2
Male	593	421,412	150	23.7	18.4-29.0	138	22.7	17.4-28.0	201	38.3	31.4-45.2	61	8.9	05.6-12.2	43	6.4	03.3-09.5
Female	928	499,303	243	27.4	22.5-32.3	197	24.4	19.1-29.7	326	34.6	29.5-39.7	96	8.9	06.2-11.6	66	4.6	02.6-06.6
White/Non-Hisp	1274	775,605	309	24.4	20.7-28.1	272	23.0	19.3-26.7	458	36.9	32.6-41.2	144	10.3	07.8-12.8	91	5.5	03.5-07.5
Hispanic	163	78,080										10	2.1	00.1-04.1	12	6.0	00.0-14.6
45-54	155	144,490										11	5.8	01.1-10.5	8	4.7	00.4-09.0
55-64	476	288,102	114	24.7	18.4-31.0	118	22.6	16.7-28.5	164	41.3	33.9-48.7	46	8.2	04.7-11.7	34	3.2	01.0-05.4
65+	890	488,123	224	24.5	20.2-28.8	179	23.5	18.8-28.2	320	34.7	29.8-39.6	100	10.3	07.2-13.4	67	7.0	04.3-09.7
Less Than H.S.	123	55,720				30	14.8	06.6-23.0				10	4.6	00.9-08.3	13	3.4	00.7-06.1
H.S. or G.E.D.	397	227,908	102	24.4	17.7-31.1	90	25.9	17.1-34.7	139	34.8	27.0-42.6	42	9.7	05.0-14.4	24	5.2	01.7-08.7
Some Post-H.S.	433	245,130	106	23.0	17.1-28.9	95	26.6	19.5-33.7	147	35.1	27.7-42.5	46	10.3	06.0-14.6	39	4.9	02.7-07.1
College Graduate	562	389,331	145	24.7	19.0-30.4	119	21.9	16.6-27.2	207	39.0	31.9-46.1	59	8.2	05.1-11.3	32	6.2	02.9-09.5
Less than \$15,000	133	71,749										12	5.1	00.6-09.6	11	3.0	00.5-05.5
\$15,000- 24,999	240	103,725	46	20.9	13.1-28.7	58	29.0	19.6-38.4	85	36.5	27.1-45.9	24	8.9	04.2-13.6	27	4.7	02.3-07.1
\$25,000- 34,999	183	101,243				35	16.8	08.2-25.4				21	7.1	01.8-12.4	13	10.2	02.2-18.2
\$35,000- 49,999	229	132,726	60	24.5	14.7-34.3							24	8.6	03.5-13.7	12	3.5	01.0-06.0
\$50,000- 74,999	212	140,561	51	22.0	13.8-30.2							22	9.0	03.9-14.1	11	3.9	00.0-08.0
\$75,000+	259	216,583	74	24.4	17.0-31.8	57	21.8	14.2-29.4	92	39.2	29.8-48.6	28	9.8	04.5-15.1	8	4.7	00.6-08.8

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HAVE YOU EVER BEEN TESTED FOR HIV? (HIVTST5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3172	3,450,865	1041	33.7	30.6-36.8	2131	66.3	63.2-69.4
Male	1153	1,744,858	386	31.7	26.8-36.6	767	68.3	63.4-73.2
Female	2019	1,706,006	655	35.8	31.7-39.9	1364	64.2	60.1-68.3
White/Non-Hisp	2010	2,245,525	655	32.7	29.0-36.4	1355	67.3	63.6-71.0
Hispanic	856	918,259	279	35.4	28.1-42.7	577	64.6	57.3-71.9
25-34	507	881,296	231	37.5	30.4-44.6	276	62.5	55.4-69.6
35-44	705	789,653	310	46.1	39.4-52.8	395	53.9	47.2-60.6
45-54	829	692,393	246	28.4	23.1-33.7	583	71.6	66.3-76.9
55-64	887	530,258	177	15.9	12.0-19.8	710	84.1	80.2-88.0
Less Than H.S.	370	422,833	113	32.4	22.8-42.0	257	67.6	58.0-77.2
H.S. or G.E.D.	800	830,368	226	33.7	26.4-41.0	574	66.3	59.0-73.6
Some Post-H.S.	991	1,012,885	342	32.8	27.3-38.3	649	67.2	61.7-72.7
College Graduate	992	1,165,893	358	35.4	30.1-40.7	634	64.6	59.3-69.9
Less than \$15,000	322	254,105	116	29.4	20.2-38.6	206	70.6	61.4-79.8
\$15,000- 24,999	525	434,946	174	29.6	22.0-37.2	351	70.4	62.8-78.0
\$35,000- 49,999	451	434,782	146	32.0	22.8-41.2	305	68.0	58.8-77.2
\$50,000- 74,999	506	570,221	161	28.1	21.8-34.4	345	71.9	65.6-78.2
\$75,000+	686	980,220	229	36.5	30.2-42.8	457	63.5	57.2-69.8

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVTSTD2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	939	1,039,934	75	6.8	03.9-09.7	105	9.1	06.0-12.2	195	16.1	12.0-20.2	466	54.3	48.2-60.4	98	13.7	09.4-18.0
Male	343	485,560	28	7.6	02.5-12.7	46	10.9	05.4-16.4	51	13.3	06.8-19.8	180	53.6	44.0-63.2	38	14.7	07.8-21.6
Female	596	554,374	47	6.1	03.2-09.0	59	7.5	04.2-10.8	144	18.7	13.4-24.0	286	54.9	47.5-62.3	60	12.8	07.1-18.5
White/Non-Hisp	582	652,973	60	9.9	05.4-14.4	70	8.1	05.2-11.0	132	17.9	12.8-23.0	271	52.5	45.1-59.9	49	11.6	06.5-16.7
Oth. Race/Non-Hisp.	54	51,358	1	0.6	00.0-01.8										7	8.8	00.0-17.6
Hispanic	256	287,674	10	1.6	00.2-03.0	27	12.8	04.2-21.4	44	12.0	04.9-19.1						
18-24	68	177,100							5	4.4	00.0-10.9						
25-34	213	291,822	1	0.0	00.0-00.0	7	4.6	00.0-11.1	31	9.8	04.1-15.5						
35-44	280	323,534	17	10.4	02.8-18.0	35	14.0	07.1-20.9	69	20.4	12.4-28.4				18	6.8	00.5-13.1
45-54	220	168,671	30	13.7	07.0-20.4	36	13.3	07.2-19.4							17	6.7	00.8-12.6
55-64	151	75,182				26	18.0	08.4-27.6									
Less Than H.S.	100	125,242	3	0.6	00.0-01.4	7	4.5	00.0-09.2	20	12.3	02.5-22.1						
H.S. or G.E.D.	209	241,143	13	7.6	00.2-15.0	24	5.7	01.2-10.2	37	15.5	06.9-24.1				26	15.5	05.5-25.5
Some Post-H.S.	299	284,378	23	3.1	01.1-05.1	37	10.1	04.6-15.6	59	12.6	07.7-17.5	151	63.4	54.4-72.4	29	10.8	04.7-16.9
College Graduate	329	387,691	36	11.0	05.1-16.9	37	12.0	05.7-18.3	78	20.3	12.1-28.5	146	46.2	36.6-55.8	32	10.5	05.0-16.0
Less than \$15,000	111	73,213	8	2.9	00.0-06.0	13	3.8	01.1-06.5	9	3.1	00.0-06.4						
\$15,000- 24,999	161	119,173				13	6.6	01.7-11.5	35	14.0	06.2-21.8				17	12.4	03.8-21.0
\$25,000- 34,999	106	127,621	3	1.5	00.0-03.7												
\$35,000- 49,999	130	129,060	14	3.3	00.9-05.7	14	7.8	00.4-15.2	35	12.0	04.6-19.4						
\$50,000- 74,999	146	138,875	10	8.3	00.1-16.5	19	12.7	05.8-19.6	35	18.9	10.3-27.5				10	9.9	00.9-18.9
\$75,000+	203	317,035	23	10.0	03.7-16.3	25	10.9	03.5-18.3	42	21.6	12.4-30.8				21	9.6	03.1-16.1

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

WHERE DID YOU HAVE YOUR LAST HIV TEST, AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST7)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1025	1,142,684	397	39.3	33.8-44.8	45	6.2	03.1-09.3	439	35.6	30.1-41.1	7	2.7	00.0-05.6	32	4.9	02.5-07.3	105	11.3	07.6-15.0
Male	379	537,251	108	27.2	19.6-34.8	24	9.8	03.7-15.9	173	35.1	26.9-43.3	4	4.8	00.0-11.1	12	4.9	01.2-08.6	58	18.1	10.8-25.4
Female	646	605,433	289	50.1	42.7-57.5	21	3.1	00.9-05.3	266	36.1	28.7-43.5	3	0.7	00.0-01.7	20	4.8	02.1-07.5	47	5.2	02.8-07.6
White/Non-Hisp	644	716,859	285	48.0	40.9-55.1	32	6.7	02.8-10.6	228	25.7	20.2-31.2	5	4.0	00.0-08.7	22	4.2	01.8-06.6	72	11.5	06.8-16.2
Oth. Race/Non-Hisp.	56	52,179				3	4.9	00.0-11.8				1	1.8	00.0-05.3	4	2.4	00.0-05.3			
Hispanic	276	324,866	85	22.4	13.6-31.2	9	5.8	00.0-12.3							5	6.7	00.6-12.8	20	6.6	01.9-11.3
18-24	68	177,100				2	0.4	00.0-01.0										4	4.7	00.0-12.5
25-34	229	330,100				12	10.9	02.3-19.5							6	5.3	00.2-10.4	20	6.9	02.4-11.4
35-44	306	352,530	106	37.5	28.1-46.9	12	6.1	01.2-11.0	134	30.9	22.1-39.7	4	1.7	00.0-03.7	8	4.8	00.5-09.1	42	19.0	10.4-27.6
45-54	240	190,985				12	4.8	00.7-08.9	94	28.9	20.3-37.5				12	10.2	03.3-17.1			
55-64	174	83,810				7	5.0	00.0-10.3							6	2.2	00.0-04.7	18	7.0	02.1-11.9
Less Than H.S.	109	133,700										1	1.9	00.0-05.6	1	0.2	00.0-00.6	3	3.2	00.0-07.5
H.S. or G.E.D.	221	274,983				4	0.6	00.0-01.2							4	3.0	00.0-06.7	19	11.6	03.0-20.2
Some Post-H.S.	338	319,652	148	51.6	42.2-61.0	16	5.1	01.2-09.0	125	28.8	20.4-37.2	1	0.3	00.0-00.9	10	4.4	00.7-08.1	38	9.8	05.1-14.5
College Graduate	355	412,868	132	39.1	30.3-47.9	20	9.8	03.3-16.3	141	28.2	20.8-35.6				17	8.0	02.9-13.1	45	14.9	07.3-22.5
Less than \$15,000	114	74,623	42	18.6	10.0-27.2	5	3.5	00.0-09.0				1	3.5	00.0-10.2	2	1.7	00.0-04.4	3	2.7	00.0-06.2
\$15,000- 24,999	172	125,917				7	3.2	00.5-05.9				2	2.2	00.0-05.3	3	3.5	00.0-10.2			
\$25,000- 34,999	114	140,296				3	4.8	00.0-12.2				2	1.3	00.0-03.1						
\$35,000- 49,999	145	138,879				8	7.2	00.0-17.0							2	4.1	00.0-09.8	11	4.0	00.9-07.1
\$50,000- 74,999	159	157,714				4	5.8	00.0-13.2	57	25.0	15.2-34.8				7	3.8	00.0-07.7			
\$75,000+	224	345,019				15	8.3	02.0-14.6	62	18.8	11.5-26.1				17	10.6	04.3-16.9	34	10.6	04.1-17.1

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4487	4,162,153	2325	53.7	50.8-56.6	1204	26.5	24.0-29.0	470	10.4	08.6-12.2	160	3.5	02.5-04.5	328	5.9	04.3-07.5
Male	1671	2,062,724	862	53.9	49.2-58.6	415	25.7	21.8-29.6	165	9.5	06.8-12.2	64	3.5	02.1-04.9	165	7.5	04.6-10.4
Female	2816	2,099,429	1463	53.5	50.0-57.0	789	27.4	24.3-30.5	305	11.3	08.9-13.7	96	3.6	02.2-05.0	163	4.3	02.9-05.7
White/Non-Hisp	3111	2,870,083	1607	52.5	49.2-55.8	934	31.3	28.2-34.4	303	9.5	07.5-11.5	94	2.9	01.9-03.9	173	3.9	02.9-04.9
Black or Afr. Am./Non-Hisp	72	86,143										5	7.3	00.0-15.1	3	1.8	00.0-04.5
Oth. Race/Non-Hisp.	214	173,027				37	15.1	06.9-23.3	37	15.0	06.0-24.0	11	5.9	00.4-11.4	33	11.8	05.5-18.1
Hispanic	1002	960,213	538	57.2	49.8-64.6	198	16.6	11.9-21.3	111	10.5	05.8-15.2	46	4.7	02.2-07.2	109	10.9	05.0-16.8
18-24	200	530,627				43	16.2	08.6-23.8	30	17.7	08.5-26.9	11	2.3	00.3-04.3	11	10.0	00.2-19.8
25-34	505	876,288	256	56.5	49.1-63.9	152	26.8	20.3-33.3	56	9.4	05.5-13.3	18	4.2	01.5-06.9	23	3.1	00.6-05.6
35-44	702	785,283	352	50.3	43.6-57.0	205	31.3	25.2-37.4	75	11.4	07.1-15.7	29	3.7	01.0-06.4	41	3.2	01.6-04.8
45-54	829	704,163	384	48.1	42.0-54.2	246	32.3	26.4-38.2	113	11.6	08.3-14.9	38	4.1	02.1-06.1	48	3.9	02.1-05.7
55-64	890	536,654	472	57.7	52.2-63.2	253	28.2	23.1-33.3	85	6.3	04.1-08.5	21	3.5	01.1-05.9	59	4.3	02.1-06.5
65+	1313	689,172	729	56.6	52.3-60.9	290	21.2	17.7-24.7	107	6.6	04.6-08.6	42	2.9	01.5-04.3	145	12.8	09.5-16.1
Less Than H.S.	515	472,001	233	51.9	42.3-61.5	79	12.9	07.4-18.4	82	17.2	09.9-24.5	38	5.3	02.6-08.0	83	12.8	07.1-18.5
H.S. or G.E.D.	1200	1,033,551	652	54.2	48.3-60.1	271	23.3	18.4-28.2	128	12.7	08.4-17.0	38	3.7	01.5-05.9	111	6.2	04.0-08.4
Some Post-H.S.	1365	1,214,302	720	53.4	48.1-58.7	374	25.0	20.7-29.3	147	11.6	08.1-15.1	46	3.5	01.5-05.5	78	6.5	02.2-10.8
College Graduate	1381	1,418,580	707	54.5	49.8-59.2	477	34.6	30.1-39.1	109	5.2	03.6-06.8	38	2.9	01.5-04.3	50	2.7	01.5-03.9
Less than \$15,000	491	335,218	204	48.3	38.7-57.9	90	18.6	10.6-26.6	83	12.8	08.1-17.5	40	5.8	02.7-08.9	74	14.6	08.9-20.3
\$15,000- 24,999	765	541,031	329	41.6	34.0-49.2	195	25.3	19.0-31.6	111	13.8	09.5-18.1	38	6.2	02.9-09.5	92	13.2	04.2-22.2
\$25,000- 34,999	535	442,368	270	52.8	43.8-61.8	156	26.2	18.6-33.8	57	12.0	06.5-17.5	17	2.7	00.9-04.5	35	6.3	01.6-11.0
\$35,000- 49,999	637	523,635	333	57.3	49.9-64.7	178	25.2	18.9-31.5	71	9.6	05.5-13.7	15	3.3	00.9-05.7	40	4.7	02.0-07.4
\$50,000- 74,999	637	660,427	355	54.3	47.6-61.0	199	33.3	26.8-39.8	47	6.8	03.9-09.7	14	3.3	00.9-05.7	22	2.4	00.6-04.2
\$75,000+	810	1,083,136	465	58.7	52.8-64.6	268	30.0	24.7-35.3	41	6.2	02.9-09.5	16	3.0	00.6-05.4	20	2.1	00.9-03.3

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4569	4,209,545	2259	49.7	46.8-52.6	2115	46.1	43.2-49.0	141	3.1	02.1-04.1	54	1.0	00.6-01.4
Male	1715	2,093,740	841	50.1	45.4-54.8	797	45.9	41.2-50.6	56	3.0	01.8-04.2	21	1.0	00.4-01.6
Female	2854	2,115,805	1418	49.4	45.9-52.9	1318	46.3	42.8-49.8	85	3.2	01.8-04.6	33	1.1	00.5-01.7
White/Non-Hisp	3169	2,904,530	1657	53.8	50.5-57.1	1375	42.9	39.6-46.2	94	2.3	01.7-02.9	43	1.0	00.6-01.4
Oth. Race/Non-Hisp.	218	173,349										5	2.3	00.0-05.4
Hispanic	1020	966,020	439	40.8	33.7-47.9	553	56.3	49.0-63.6	24	2.1	00.3-03.9	4	0.9	00.0-01.9
18-24	199	528,636							7	3.9	00.0-08.2	1	0.4	00.0-01.2
25-34	506	883,848	237	51.3	43.7-58.9	246	44.2	36.8-51.6	16	3.4	01.2-05.6	7	1.2	00.0-02.4
35-44	705	790,885	335	49.8	43.1-56.5	341	47.7	41.0-54.4	23	2.2	00.8-03.6	6	0.3	00.0-00.7
45-54	834	699,627	378	46.0	39.9-52.1	408	48.1	42.0-54.2	37	3.8	02.0-05.6	11	2.1	00.3-03.9
55-64	899	536,631	450	54.1	48.6-59.6	406	41.8	36.3-47.3	30	2.9	01.3-04.5	13	1.2	00.0-02.4
65+	1375	728,797	751	58.5	54.2-62.8	581	37.7	33.6-41.8	27	3.0	01.0-05.0	16	0.8	00.0-01.6
Less Than H.S.	534	479,013	172	31.8	23.0-40.6	339	63.5	54.5-72.5	16	4.2	01.3-07.1	7	0.6	00.0-01.2
H.S. or G.E.D.	1220	1,043,853	550	40.0	34.3-45.7	616	54.7	48.8-60.6	42	4.9	02.2-07.6	12	0.3	00.1-00.5
Some Post-H.S.	1385	1,224,111	690	48.3	43.0-53.6	620	46.4	41.1-51.7	53	3.3	01.9-04.7	22	2.0	00.8-03.2
College Graduate	1402	1,434,352	833	63.9	59.2-68.6	527	33.9	29.2-38.6	29	1.4	00.8-02.0	13	0.8	00.2-01.4
Less than \$15,000	497	331,661	156	35.4	26.0-44.8	285	53.9	44.3-63.5	37	6.2	02.9-09.5	19	4.5	01.0-08.0
\$15,000- 24,999	783	547,372	283	34.4	27.5-41.3	451	57.1	49.7-64.5	39	7.4	03.7-11.1	10	1.1	00.1-02.1
\$25,000- 34,999	544	447,219	235	35.8	27.4-44.2	286	58.7	50.1-67.3	18	4.5	00.8-08.2	5	1.1	00.0-02.7
\$35,000- 49,999	646	536,605	356	46.9	39.1-54.7	267	48.2	40.4-56.0	14	3.7	01.3-06.1	9	1.2	00.2-02.2
\$50,000- 74,999	647	665,672	379	59.9	53.4-66.4	265	39.5	33.0-46.0	3	0.6	00.0-01.4			
\$75,000+	812	1,083,762	523	65.6	59.7-71.5	277	32.4	26.5-38.3	8	1.4	00.0-03.2	4	0.6	00.0-01.4

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1437	1,824,195	182	12.2	09.3-15.1	1255	87.8	84.9-90.7	
Male	472	855,534	58	12.1	07.6-16.6	414	87.9	83.4-92.4	
Female	965	968,661	124	12.3	08.6-16.0	841	87.7	84.0-91.4	
White/Non-Hisp	738	1,087,062	98	11.5	08.2-14.8	640	88.5	85.2-91.8	
Oth. Race/Non-Hisp.	112	77,052	18	14.5	05.7-23.3	94	85.5	76.7-94.3	
Hispanic	538	598,084	53	10.9	05.2-16.6	485	89.1	83.4-94.8	
18-24	118	258,392	13	7.1	01.4-12.8	105	92.9	87.2-98.6	
25-34	369	565,710	42	11.6	06.1-17.1	327	88.4	82.9-93.9	
35-44	541	633,916	68	11.3	06.8-15.8	473	88.7	84.2-93.2	
45-54	306	281,850	41	19.0	10.4-27.6	265	81.0	72.4-89.6	
Less Than H.S.	232	281,742	22	11.9	03.9-19.9	210	88.1	80.1-96.1	
H.S. or G.E.D.	375	454,680	47	14.0	07.5-20.5	328	86.0	79.5-92.5	
Some Post-H.S.	430	523,786	74	15.7	09.8-21.6	356	84.3	78.4-90.2	
College Graduate	395	551,030	37	7.6	03.9-11.3	358	92.4	88.7-96.1	
\$15,000- 24,999	275	285,552	34	9.8	04.9-14.7	241	90.2	85.3-95.1	
\$35,000- 49,999	199	229,802	23	13.4	03.8-23.0	176	86.6	77.0-96.2	
\$50,000- 74,999	217	318,497	22	8.4	02.5-14.3	195	91.6	85.7-97.5	
\$75,000+	299	500,925	44	12.5	07.0-18.0	255	87.5	82.0-93.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	465	362,104	14	6.9	00.8-13.0	34	7.4	03.7-11.1	94	25.3	17.5-33.1	191	40.9	32.5-49.3	132	19.4	13.9-24.9
Male	211	199,559	5	8.8	00.0-18.8	12	4.4	00.3-08.5							57	18.2	10.6-25.8
Female	254	162,546	9	4.7	00.0-09.4	22	11.0	04.3-17.7	53	25.2	15.6-34.8				75	21.0	13.4-28.6
White/Non-Hisp	306	227,850	10	7.1	00.0-15.3	20	6.2	02.3-10.1	59	26.0	16.8-35.2	109	34.7	26.1-43.3	108	26.0	18.7-33.3
Hispanic	111	92,512	3	6.5	00.0-16.1										17	10.3	00.3-20.3
55-64	130	91,238	3	0.9	00.0-01.9	8	5.9	00.0-12.8	25	15.8	06.8-24.8				7	4.6	00.3-08.9
65+	211	112,553	3	1.8	00.0-04.2	5	1.1	00.0-02.5	12	7.9	02.0-13.8						
H.S. or G.E.D.	125	98,419				9	7.8	00.0-16.0							31	14.9	06.1-23.7
Some Post-H.S.	144	110,508	4	2.9	00.0-07.6	11	9.9	02.6-17.2							43	15.6	07.8-23.4
College Graduate	119	91,457	2	2.4	00.0-05.9	6	3.7	00.0-08.6	20	17.4	08.6-26.2						
Less than \$15,000	82	51,320	2	3.4	00.0-09.1	2	5.4	00.0-13.6									
\$15,000- 24,999	88	52,269	5	4.7	00.0-10.0												
\$25,000- 34,999	69	57,068				5	2.0	00.0-04.2									
\$35,000- 49,999	57	43,321	1	6.0	00.0-17.6	1	0.7	00.0-02.1									
\$50,000- 74,999	52	68,187				5	8.5	00.0-19.5									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	482	365,869	46	12.7	06.2-19.2	124	26.5	19.2-33.8	300	53.4	45.0-61.8	12	7.4	01.3-13.5
Male	218	200,934	18	10.9	01.3-20.5									
Female	264	164,935	28	14.9	06.7-23.1	58	21.1	11.1-31.1				6	3.9	00.0-07.8
White/Non-Hisp	315	228,629	30	7.9	04.0-11.8	83	29.2	20.4-38.0	191	53.1	43.3-62.9	11	9.8	01.2-18.4
Hispanic	116	92,740										1	4.9	00.0-14.1
H.S. or G.E.D.	132	101,542	11	10.2	01.6-18.8	29	13.2	05.0-21.4						
Some Post-H.S.	147	111,211	13	9.8	02.4-17.2							5	6.2	00.0-12.9
College Graduate	121	91,175	11	7.3	02.0-12.6							3	4.0	00.0-08.9
Less than \$15,000	85	54,012										1	2.7	00.0-08.0
\$15,000- 24,999	90	52,663				19	14.6	05.2-24.0				1	0.7	00.0-02.1
\$25,000- 34,999	69	57,068										2	4.2	00.0-10.9
\$35,000- 49,999	60	43,983	5	4.2	00.0-09.7							1	5.9	00.0-17.3
\$50,000- 74,999	52	68,356	3	1.8	00.0-04.3									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	478	358,133	304	63.2	55.2-71.2	87	20.3	13.2-27.4	18	3.8	00.7-06.9	10	1.2	00.0-02.4	57	10.9	05.8-16.0	2	0.6	00.0-01.8
Male	214	191,040							8	3.7	00.0-08.2	3	1.2	00.0-03.2	19	13.2	04.8-21.6	1	1.1	00.0-03.3
Female	264	167,093	164	70.2	60.4-80.0	44	16.2	08.4-24.0	10	3.9	00.0-08.0	7	1.3	00.0-02.7	38	8.3	03.2-13.4	1	0.0	00.0-00.0
White/Non-Hisp	311	228,006	205	60.7	50.7-70.7	59	24.4	14.8-34.0	7	2.3	00.1-04.5	5	0.9	00.0-01.9	34	10.8	04.5-17.1	1	0.9	00.0-02.7
Hispanic	114	83,433										5	2.9	00.0-07.4				1	0.0	00.0-00.0
45-54	73	88,396							2	3.2	00.0-08.1	1	0.1	00.0-00.3						
55-64	132	91,379							6	6.0	00.0-14.8	3	0.6	00.0-01.6	12	4.9	00.2-09.6	1	2.3	00.0-06.8
65+	221	116,339				46	23.1	13.9-32.3	10	4.6	00.0-09.7	4	1.4	00.0-03.2	23	5.6	02.1-09.1	1	0.0	00.0-00.0
Less Than H.S.	84	48,384				13	9.0	00.0-18.4	8	7.7	00.0-19.1	4	4.8	00.0-12.4				1	0.0	00.0-00.0
H.S. or G.E.D.	131	102,479							3	1.4	00.0-03.2	2	0.2	00.0-00.6	12	4.8	00.3-09.3			
Some Post-H.S.	143	109,080				23	12.0	03.4-20.6	2	4.5	00.0-11.9	2	1.1	00.0-02.7				1	1.9	00.0-05.6
College Graduate	119	91,187							5	3.9	00.0-08.8	2	0.8	00.0-02.2	13	12.5	02.9-22.1			
Less than \$15,000	86	54,955				15	11.7	01.9-21.5				3	3.6	00.0-10.1	11	5.3	00.0-10.8			
\$15,000- 24,999	91	52,171							3	1.4	00.0-03.6				13	7.6	01.7-13.5			
\$25,000- 34,999	66	46,896							2	0.7	00.0-01.9									
\$35,000- 49,999	58	43,786				7	5.7	00.0-11.6	2	0.6	00.0-01.6	3	2.9	00.0-07.0						
\$50,000- 74,999	51	67,863							1	1.3	00.0-03.8	2	0.7	00.0-01.9	3	1.4	00.0-03.8	1	3.1	00.0-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	474	362,891	56	9.7	05.4-14.0	81	11.6	06.9-16.3	57	12.6	07.5-17.7	105	27.1	19.3-34.9	95	24.1	16.7-31.5	80	15.0	08.5-21.5
Male	214	196,677	30	10.7	03.8-17.6	42	10.6	05.7-15.5	28	12.8	05.4-20.2				40	22.1	12.1-32.1			
Female	260	166,214	26	8.5	03.4-13.6	39	12.7	04.7-20.7	29	12.3	05.6-19.0							48	13.6	06.5-20.7
White/Non-Hisp	311	225,633	43	9.8	04.5-15.1	61	11.8	07.3-16.3	34	11.3	06.2-16.4	69	30.1	20.1-40.1	58	26.5	17.5-35.5	46	10.5	06.2-14.8
Hispanic	111	92,661	9	7.6	00.0-15.8															
45-54	73	88,611				8	9.0	00.0-18.0	6	8.6	00.0-17.8							8	2.3	00.1-04.5
55-64	130	88,785	8	3.0	00.1-05.9													22	14.2	05.8-22.6
65+	218	114,054	29	8.7	04.4-13.0	44	15.0	09.1-20.9	24	14.4	06.0-22.8	47	23.3	13.9-32.7	37	22.1	12.1-32.1	37	16.5	07.5-25.5
Less Than H.S.	78	54,997	5	4.4	00.0-11.1	8	2.0	00.0-04.0	10	6.3	00.0-12.8									
H.S. or G.E.D.	127	97,826	15	4.5	01.6-07.4													16	6.1	01.0-11.2
Some Post-H.S.	148	111,308				26	13.5	05.7-21.3	18	13.4	03.6-23.2							17	7.9	02.4-13.4
College Graduate	120	91,759	17	12.7	03.9-21.5	23	9.8	04.7-14.9										19	12.7	05.1-20.3
Less than \$15,000	82	53,806	6	2.0	00.0-04.0	10	6.2	00.7-11.7	12	9.0	01.2-16.8									
\$15,000- 24,999	89	52,589	11	11.2	02.2-20.2				6	3.0	00.0-06.7	18	14.4	04.4-24.4				15	8.3	02.0-14.6
\$25,000- 34,999	68	54,301							11	10.6	01.2-20.0	12	7.3	01.0-13.6						
\$35,000- 49,999	58	43,146	6	7.7	00.3-15.1	11	11.2	02.4-20.0	4	6.0	00.0-16.4							9	6.6	00.3-12.9
\$50,000- 74,999	52	68,187	5	3.0	00.0-06.3	6	4.4	00.1-08.7										10	9.6	01.0-18.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	424	336,611	161	32.7	25.1-40.3	133	36.4	28.0-44.8	14	4.7	01.8-07.6	9	3.6	00.0-07.9	65	18.0	10.2-25.8	42	4.7	02.3-07.1
Male	193	188,317							5	3.2	00.0-06.5	4	3.9	00.0-11.0				18	5.3	01.2-09.4
Female	231	148,294							9	6.5	01.4-11.6	5	3.2	00.0-07.1				24	3.9	01.9-05.9
White/Non-Hisp	277	210,983	119	35.3	26.3-44.3				10	5.7	01.4-10.0	5	5.4	00.0-12.3	27	8.2	03.5-12.9	21	3.4	01.4-05.4
Hispanic	100	82,407							2	1.5	00.0-04.2	2	0.3	00.0-00.9				14	7.7	00.0-16.1
45-54	70	79,590							2	1.9	00.0-04.8							5	1.4	00.0-03.0
55-64	121	86,300							3	4.3	00.0-09.8	3	1.1	00.0-02.5	16	9.8	02.2-17.4	14	8.0	00.6-15.4
65+	184	101,131							3	3.0	00.0-07.1	5	4.2	00.0-09.9	24	12.9	03.1-22.7	20	7.3	02.8-11.8
Less Than H.S.	67	52,627				10	8.5	00.0-18.9	2	2.7	00.0-07.2	1	0.2	00.0-00.6						
H.S. or G.E.D.	114	84,082							1	0.8	00.0-02.4	5	5.4	00.0-12.5	13	8.7	00.7-16.7	8	4.1	00.6-07.6
Some Post-H.S.	133	107,478							5	6.0	00.0-12.5				20	12.7	04.9-20.5	13	3.8	01.1-06.5
College Graduate	109	85,422							6	8.3	01.0-15.6	2	0.6	00.0-01.4	9	11.2	01.2-21.2	5	1.5	00.0-03.5
Less than \$15,000	68	48,376										4	3.2	00.0-07.5				5	2.6	00.0-05.3
\$15,000- 24,999	82	48,869				18	12.9	03.7-22.1	6	9.1	00.5-17.7									
\$25,000- 34,999	57	49,274																7	7.6	00.0-15.4
\$35,000- 49,999	54	34,797										2	1.7	00.0-04.4	3	2.0	00.0-04.9	5	5.0	00.0-10.1
\$50,000- 74,999	50	68,018							4	7.8	00.0-16.4	2	4.5	00.0-12.7	6	6.6	00.0-14.0	2	1.2	00.0-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents that reported not being diagnosed with diabetes
 Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	471	359,164	89	19.1	12.4-25.8	71	13.9	07.6-20.2	46	9.7	05.2-14.2	56	10.8	06.3-15.3	54	14.3	07.6-21.0	155	32.2	24.2-40.2
Male	209	193,544	47	14.5	07.6-21.4				16	8.7	02.0-15.4	24	11.9	04.6-19.2	22	12.0	03.6-20.4			
Female	262	165,620				35	8.9	04.2-13.6	30	10.9	04.6-17.2	32	9.5	04.8-14.2				91	29.3	19.7-38.9
White/Non-Hisp	307	221,459	59	16.4	09.7-23.1	48	16.9	08.1-25.7	29	8.9	03.8-14.0	38	12.0	06.3-17.7	34	13.5	06.1-20.9	99	32.3	23.5-41.1
Hispanic	113	91,535				12	6.3	00.0-15.3	9	8.2	00.0-17.8	8	2.2	00.0-04.6						
45-54	74	88,719				9	6.5	00.0-13.2	4	4.1	00.0-11.0									
55-64	134	87,241				20	8.7	03.0-14.4										34	17.7	08.5-26.9
65+	210	111,230				32	14.0	06.7-21.3	20	5.9	01.4-10.4	20	8.0	02.9-13.1	21	10.8	04.5-17.1			
Less Than H.S.	81	56,369				10	6.7	00.0-14.5	6	4.5	00.0-09.8	5	1.6	00.0-03.4						
H.S. or G.E.D.	127	96,823							13	7.5	00.4-14.6	12	3.1	00.4-05.8						
Some Post-H.S.	143	107,559				22	13.8	05.8-21.8				22	15.6	05.8-25.4	19	11.0	03.4-18.6			
College Graduate	119	91,411	34	20.5	10.5-30.5	19	11.8	04.4-19.2	7	9.1	00.5-17.7				11	10.6	03.2-18.0			
Less than \$15,000	83	53,335				11	5.9	00.4-11.4	11	7.0	00.9-13.1									
\$15,000- 24,999	87	50,347				14	7.3	01.6-13.0	9	6.9	00.4-13.4	12	10.8	02.6-19.0						
\$25,000- 34,999	66	52,867							7	4.0	00.3-07.7	9	5.0	00.0-10.5	5	2.8	00.0-05.7			
\$35,000- 49,999	60	43,983							2	2.4	00.0-06.9	8	6.8	00.1-13.5						
\$50,000- 74,999	50	66,093										7	6.2	00.0-14.6						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	487	369,980	129	31.0	23.2-38.8	217	40.4	32.4-48.4	67	11.3	07.0-15.6	56	11.6	06.1-17.1	18	5.7	00.2-11.2
Male	220	203,127							31	12.9	06.0-19.8	17	6.2	00.5-11.9	6	7.2	00.0-16.6
Female	267	166,853							36	9.5	04.4-14.6	39	18.1	08.5-27.7	12	3.8	00.3-07.3
White/Non-Hisp	317	229,871	83	33.8	24.0-43.6	143	41.2	32.0-50.4	47	13.2	07.5-18.9	35	9.4	03.9-14.9	9	2.3	00.0-04.8
Hispanic	117	93,415							16	7.0	01.7-12.3						
45-54	74	88,719							11	8.3	00.7-15.9				4	3.1	00.0-07.2
55-64	136	92,083													4	4.6	00.0-10.9
65+	224	116,983							32	11.9	05.2-18.6	24	11.8	03.4-20.2	3	0.1	00.0-00.3
Less Than H.S.	84	57,997							5	4.3	00.0-10.8						
H.S. or G.E.D.	132	101,876							25	11.1	03.7-18.5	8	8.3	00.0-19.7	4	2.8	00.0-07.5
Some Post-H.S.	148	110,746							22	14.9	05.3-24.5				2	2.6	00.0-07.5
College Graduate	122	92,359							15	12.6	04.0-21.2	14	6.9	01.4-12.4	2	0.5	00.0-01.5
Less than \$15,000	85	54,873													6	4.0	00.0-08.9
\$15,000- 24,999	92	52,579	23	15.3	06.1-24.5				13	10.6	03.0-18.2						
\$25,000- 34,999	69	57,068							9	5.7	00.0-12.4						
\$50,000- 74,999	53	68,679										6	4.9	00.0-11.2	2	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	484	366,690	92	17.3	11.8-22.8	392	82.7	77.2-88.2	
Male	214	198,439	41	16.4	08.4-24.4	173	83.6	75.6-91.6	
Female	270	168,250	51	18.3	10.7-25.9	219	81.7	74.1-89.3	
White/Non-Hisp	317	229,125	53	17.7	11.0-24.4	264	82.3	75.6-89.0	
65+	220	113,185	36	13.1	06.4-19.8	184	86.9	80.2-93.6	
H.S. or G.E.D.	131	101,118	22	9.2	01.9-16.5	109	90.8	83.5-98.1	
\$25,000- 34,999	66	54,939	11	5.0	00.9-09.1	55	95.0	90.9-99.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE IN RECOGNIZING A FRIEND ACROSS THE STREET? WOULD YOU SAY: (VIDFCLT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No difficulty		Little difficulty		Moderate Difficulty		Extreme difficulty		Unable, due to eyesight other reasons		N.A., Blind	
	TOTAL	WEIGHTED	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	3463	2,354,072	2909	86.2	338	8.7	139	2.9	36	1.5	37	0.6	4	0.1
				C.I. (95%)		C.I. (95%)		C.I. (95%)		C.I. (95%)		C.I. (95%)		C.I. (95%)
Male	1326	1,131,434	1157	86.7-91.7	107	6.8	37	2.1	11	1.3	13	0.5	1	0.2
Female	2137	1,222,638	1752	80.5-86.3	231	10.5	102	3.7	25	1.6	24	0.7	3	0.0
White/Non-Hisp	2611	1,868,697	2236	86.1-88.1	232	7.6	91	2.9	21	0.6	28	0.6	3	0.1
Black or Afr. Am./Non-Hisp	54	66,477					2	1.7						
Oth. Race/Non-Hisp.	135	96,781			22	9.7	5	1.0	3	7.6	1	0.1		
Hispanic	595	292,076	469	67.4-75.4	70	14.8	36	3.7	12	5.2	7	0.9	1	0.0
35-44	355	378,574	306	86.6-90.7	33	6.8	16	2.5						
45-54	836	708,616	695	80.5-84.8	88	10.2	33	2.2	9	1.8	10	0.7	1	0.2
55-64	898	536,741	760	82.2-85.9	96	10.4	29	2.2	5	1.2	7	0.2	1	0.0
65+	1374	730,141	1148	82.2-85.5	121	7.0	61	4.3	22	2.1	20	1.1	2	0.0
Less Than H.S.	376	188,700	291	67.2-75.8	42	13.6	24	4.4	8	4.2	11	1.9		
H.S. or G.E.D.	909	528,403	753	78.0-82.9	89	9.4	44	4.6	10	2.1	11	0.9	2	0.1
Some Post-H.S.	1039	696,066	882	83.5-86.8	95	8.7	43	2.5	7	1.4	11	0.6	1	0.0
College Graduate	1120	922,991	968	87.7-90.1	109	6.9	27	2.0	11	0.6	4	0.2	1	0.2
Less than \$15,000	391	200,004	269	57.1-66.1	68	18.1	29	9.8	10	3.7	13	2.3	2	0.1
\$15,000- 24,999	572	284,277	463	72.0-78.3	64	13.6	31	4.5	5	2.7	8	0.9	1	0.1
\$25,000- 34,999	398	227,239	325	82.6-86.9	45	7.8	20	3.1	2	1.1	6	1.2		
\$35,000- 49,999	495	289,163	435	80.4-86.9	38	9.1	17	2.8	4	1.1	1	0.1		
\$50,000- 74,999	491	394,193	438	80.7-86.2	29	7.5	15	3.2	5	2.3	3	0.3	1	0.4
\$75,000+	614	642,910	553	91.2-93.7	50	5.5	7	0.3	2	0.1	2	0.3		

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

HOW MUCH DIFFICULTY, IF ANY, DO YOU HAVE READING PRINT IN NEWSPAPER, MAGAZINE, RECIPE, MENU, OR NUMBERS? WOULD YOU SAY: (VIREDF2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No difficulty			Little difficulty			Moderate Difficulty			Extreme difficulty			Unable, due to eyesight other reasons			N.A., Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3459	2,344,852	2332	68.5	65.8-71.2	663	19.2	16.8-21.6	316	7.4	06.0-08.8	109	4.0	02.6-05.4	38	0.8	00.4-01.2	1	0.0	00.0-00.0
Male	1324	1,125,152	902	70.1	65.8-74.4	254	17.8	14.5-21.1	121	7.1	04.9-09.3	32	4.2	01.7-06.7	15	0.8	00.2-01.4			
Female	2135	1,219,700	1430	67.0	63.5-70.5	409	20.6	17.5-23.7	195	7.7	05.7-09.7	77	3.8	02.4-05.2	23	0.8	00.2-01.4	1	0.0	00.0-00.0
White/Non-Hisp	2606	1,860,331	1810	71.0	68.1-73.9	484	18.4	15.9-20.9	215	6.9	05.3-08.5	70	3.0	01.8-04.2	26	0.7	00.3-01.1	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	55	66,573							4	7.1	00.0-15.9	1	1.9	00.0-05.6						
Oth. Race/Non-Hisp.	136	97,738							20	7.7	03.2-12.2				1	0.8	00.0-02.6			
Hispanic	594	291,832	360	60.2	52.0-68.4	125	21.1	14.6-27.6	71	11.0	05.7-16.3	28	6.1	02.2-10.0	10	1.6	00.2-03.0			
35-44	354	378,759	256	74.5	67.2-81.8	76	18.9	12.4-25.4	13	4.6	00.7-08.5	6	1.2	00.0-02.8	3	0.8	00.0-01.8			
45-54	836	707,221	487	59.3	53.4-65.2	190	22.6	17.5-27.7	106	10.4	07.3-13.5	44	7.1	03.2-11.0	9	0.7	00.1-01.3			
55-64	896	536,452	612	70.5	65.4-75.6	163	18.2	13.9-22.5	85	7.2	04.5-09.9	32	4.0	01.6-06.4	4	0.1	00.1-00.1			
65+	1373	722,420	977	72.8	69.1-76.5	234	16.9	13.8-20.0	112	6.3	04.5-08.1	27	2.5	00.9-04.1	22	1.5	00.5-02.5	1	0.0	00.0-00.0
Less Than H.S.	377	182,715	232	59.0	49.2-68.8	66	15.9	09.0-22.8	44	12.5	05.2-19.8	25	10.2	04.3-16.1	10	2.5	00.7-04.3			
H.S. or G.E.D.	909	529,125	588	67.2	61.9-72.5	180	19.2	14.9-23.5	95	8.3	05.4-11.2	35	4.0	01.6-06.4	11	1.2	00.2-02.2			
Some Post-H.S.	1035	693,669	689	64.4	59.3-69.5	214	23.2	18.5-27.9	93	7.3	05.1-09.5	28	4.5	01.8-07.2	10	0.5	00.0-01.1	1	0.0	00.0-00.0
College Graduate	1119	921,433	808	73.9	69.4-78.4	199	17.0	13.5-20.5	84	6.2	04.0-08.4	21	2.5	00.1-04.9	7	0.5	00.1-00.9			
Less than \$15,000	390	200,329	218	59.3	50.1-68.5	87	22.2	14.6-29.8	47	7.7	03.6-11.8	27	7.7	02.6-12.8	10	3.1	00.4-05.8	1	0.0	00.0-00.0
\$15,000- 24,999	570	279,561	354	55.5	47.7-63.3	107	23.3	16.2-30.4	74	15.0	09.7-20.3	25	4.6	00.7-08.5	10	1.6	00.2-03.0			
\$25,000- 34,999	398	227,362	256	63.5	54.1-72.9	83	16.6	11.3-21.9	41	10.2	05.7-14.7	15	8.8	00.0-18.2	3	0.8	00.0-02.0			
\$35,000- 49,999	494	289,113	346	72.9	66.4-79.4	96	17.0	11.9-22.1	38	6.8	02.9-10.7	11	2.8	00.4-05.2	3	0.5	00.0-01.3			
\$50,000- 74,999	491	392,742	354	64.5	57.2-71.8	89	24.1	17.2-31.0	34	6.5	03.4-09.6	14	4.9	01.6-08.2						
\$75,000+	614	642,910	454	77.5	72.4-82.6	109	14.7	10.4-19.0	41	5.9	03.0-08.8	7	1.7	00.0-03.5	3	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

WHEN WAS THE LAST TIME YOU HAD YOUR EYES EXAMINED BY ANY DOCTOR OR EYE CARE PROVIDER? (VIPRFVS2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3455	2,349,445	677	20.3	17.9-22.7	1537	44.2	41.3-47.1	577	16.8	14.4-19.2	623	17.5	15.1-19.9	41	1.1	0.3-01.9
Male	1323	1,123,562	262	20.1	16.2-24.0	591	44.4	39.7-49.1	205	15.7	12.4-19.0	247	18.2	14.5-21.9	18	1.6	0.2-03.0
Female	2132	1,225,884	415	20.5	17.4-23.6	946	44.1	40.4-47.8	372	17.9	15.0-20.8	376	16.9	14.0-19.8	23	0.6	0.0-01.2
White/Non-Hisp	2602	1,864,492	521	20.7	18.0-23.4	1176	44.6	41.3-47.9	447	17.7	15.2-20.2	444	16.4	13.9-18.9	14	0.6	0.0-01.2
Black or Afr. Am./Non-Hisp	55	66,573							6	4.7	0.0-09.8						
Hispanic	592	291,438	105	18.4	11.5-25.3	233	40.9	32.3-49.5	90	12.5	07.2-17.8	137	23.3	15.9-30.7	27	4.9	0.6-09.2
35-44	350	376,112	66	21.1	13.3-28.9	135	35.5	26.7-44.3	49	15.3	08.4-22.2	89	23.9	16.3-31.5	11	4.3	0.0-08.6
45-54	832	701,792	122	15.0	10.7-19.3	339	43.0	36.9-49.1	161	19.3	14.6-24.0	193	21.9	16.8-27.0	17	0.9	0.1-01.7
55-64	897	539,399	169	22.2	17.5-26.9	365	41.1	35.6-46.6	182	19.7	15.2-24.2	170	16.5	12.2-20.8	11	0.5	0.0-01.1
65+	1376	732,142	320	23.7	19.8-27.6	698	52.3	48.0-56.6	185	13.2	10.3-16.1	171	10.8	08.3-13.3	2	0.0	0.0-00.0
Less Than H.S.	380	189,823	77	18.1	10.7-25.5	144	36.1	27.1-45.1	48	11.9	04.3-19.5	95	27.1	18.5-35.7	16	6.8	0.5-13.1
H.S. or G.E.D.	907	531,500	180	21.9	16.6-27.2	390	43.9	38.0-49.8	143	14.5	10.8-18.2	183	19.4	14.9-23.9	11	0.3	0.0-00.7
Some Post-H.S.	1033	693,396	196	19.8	15.5-24.1	451	41.3	36.2-46.4	187	19.9	15.2-24.6	192	18.9	14.6-23.2	7	0.1	0.0-00.3
College Graduate	1116	917,402	219	19.7	15.8-23.6	546	48.3	43.2-53.4	196	17.2	13.5-20.9	148	13.7	09.8-17.6	7	1.0	0.0-02.4
Less than \$15,000	391	200,980	69	25.4	16.2-34.6	150	33.2	24.8-41.6	50	13.9	06.6-21.2	115	27.0	19.0-35.0	7	0.6	0.0-01.2
\$15,000- 24,999	570	283,420	114	22.3	15.4-29.2	226	37.3	30.2-44.4	94	16.4	09.7-23.1	125	22.7	16.0-29.4	11	1.2	0.0-02.4
\$25,000- 34,999	397	226,576	68	16.0	09.7-22.3	200	51.6	42.4-60.8	64	13.0	07.9-18.1	63	16.9	09.6-24.2	2	2.6	0.0-07.3
\$35,000- 49,999	492	288,523	100	20.6	13.3-27.9	229	44.6	36.8-52.4	90	20.2	13.9-26.5	70	14.5	09.8-19.2	3	0.2	0.0-00.4
\$50,000- 74,999	489	390,416	98	19.4	14.1-24.7	222	47.0	39.6-54.4	90	19.2	13.1-25.3	71	13.9	08.6-19.2	8	0.5	0.1-00.9
\$75,000+	612	638,511	119	18.7	13.6-23.8	285	46.8	40.3-53.3	108	18.0	13.1-22.9	97	15.0	10.1-19.9	3	1.4	0.0-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

WHAT IS THE MAIN REASON YOU HAVE NOT VISITED AN EYE CARE PROFESSIONAL IN THE PAST 12 MONTHS? (VINOCRE2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Cost-insurance			Do not have, know an eye doctor			Too far away, no transport			Could not get an appointment			No reason to go, No problem, Have not thought of it			Other N.A., Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1242	836,525	255	18.1	14.2-22.0	28	2.4	01.0-03.8	35	1.4	00.6-02.2	25	1.4	00.0-03.0	724	61.1	56.2-66.0	175	15.6	11.9-19.3
Male	476	407,023	56	9.0	05.3-12.7	11	1.5	00.0-03.1	14	1.7	00.5-02.9	8	0.7	00.1-01.3	320	70.6	63.7-77.5	67	16.5	10.6-22.4
Female	766	429,502	199	26.7	20.6-32.8	17	3.2	00.8-05.6	21	1.1	00.3-01.9	17	2.2	00.0-05.1	404	52.0	45.5-58.5	108	14.8	10.5-19.1
White/Non-Hisp	910	649,992	165	16.3	12.0-20.6	22	2.4	00.8-04.0	18	1.2	00.4-02.0	16	0.6	00.2-01.0	561	63.7	58.2-69.2	128	15.9	11.6-20.2
Hispanic	249	117,730				5	2.0	00.0-04.7	12	2.1	00.3-03.9	6	6.5	00.0-16.5				32	12.7	04.9-20.5
35-44	152	163,186	33	14.7	06.7-22.7	6	4.6	00.0-09.3	2	0.1	00.0-00.3	2	0.3	00.0-00.7				16	11.0	02.4-19.6
45-54	372	298,239	82	16.8	09.9-23.7	1	0.1	00.0-00.3	12	1.2	00.2-02.2	5	2.4	00.0-06.5	215	59.4	50.4-68.4	57	20.1	12.8-27.4
55-64	361	198,058	93	27.7	18.5-36.9	6	3.4	00.0-07.1	11	1.9	00.1-03.7	8	1.0	00.2-01.8	196	53.0	43.4-62.6	47	13.0	06.9-19.1
65+	357	177,043	47	12.6	07.1-18.1	15	3.2	00.5-05.9	10	2.3	00.1-04.5	10	1.5	00.3-02.7	220	65.4	57.4-73.4	55	15.1	09.2-21.0
Less Than H.S.	153	83,142				3	4.1	00.0-09.8	3	0.3	00.0-00.7							15	6.1	01.4-10.8
H.S. or G.E.D.	342	184,396	79	24.1	15.3-32.9	9	2.6	00.0-05.3	14	2.4	00.4-04.4	5	0.7	00.0-01.5	188	53.1	43.9-62.3	47	17.1	09.8-24.4
Some Post-H.S.	388	272,475	90	21.0	13.6-28.4	9	1.0	00.2-01.8	11	1.3	00.3-02.3	5	0.7	00.0-01.5	221	62.0	53.2-70.8	52	14.0	08.1-19.9
College Graduate	352	295,029	40	9.2	04.3-14.1	7	3.0	00.0-06.1	7	1.1	00.0-02.5	10	0.7	00.3-01.1	230	67.1	58.7-75.5	58	18.8	11.5-26.1
Less than \$15,000	167	79,827				6	2.4	00.0-05.7	5	3.2	00.0-06.9							18	10.8	03.0-18.6
\$15,000- 24,999	233	115,773				7	3.2	00.0-06.9	5	0.4	00.0-00.8	5	1.8	00.0-03.8				23	11.3	03.3-19.3
\$25,000- 34,999	129	74,450	25	17.2	07.2-27.2	4	3.8	00.0-09.9	9	4.1	00.8-07.4	1	0.7	00.0-02.1				20	15.3	05.3-25.3
\$35,000- 49,999	165	101,038	28	15.4	05.8-25.0	2	0.8	00.0-02.0	1	1.7	00.0-05.0	3	0.4	00.0-00.8				26	11.6	05.5-17.7
\$50,000- 74,999	170	133,055	14	9.9	02.3-17.5	3	1.2	00.0-02.8	5	1.7	00.0-03.7	1	0.1	00.0-00.3				27	19.0	09.0-29.0
\$75,000+	208	222,072	12	2.6	00.2-05.0	3	3.7	00.0-07.8	4	0.5	00.0-01.1	6	0.6	00.0-01.2				35	20.2	11.0-29.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? (VIEYEXM2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never			8		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2933	2,000,998	412	14.4	12.0-16.8	1094	37.5	34.4-40.6	432	16.0	13.6-18.4	708	23.0	20.3-25.7	283	8.8	6.8-10.8	4	0.4	0.0-0.10
Male	1087	942,809	164	15.6	11.7-19.5	394	36.6	31.5-41.7	156	15.5	11.6-19.4	263	21.6	17.5-25.7	108	9.9	6.6-13.2	2	0.7	0.0-0.19
Female	1846	1,058,189	248	13.3	10.6-16.0	700	38.2	34.5-41.9	276	16.5	13.4-19.6	445	24.2	20.7-27.7	175	7.8	5.8-9.8	2	0.0	0.0-0.00
White/Non-Hisp	2266	1,637,463	319	14.6	12.1-17.1	871	37.8	34.5-41.1	365	17.3	14.6-20.0	554	22.9	20.0-25.8	156	7.4	5.4-9.4	1	0.0	0.0-0.00
Hispanic	467	215,103	63	12.1	06.4-17.8	132	31.9	22.9-40.9	44	9.5	05.2-13.8	114	25.4	16.6-34.2	111	17.8	11.7-23.9	3	3.3	0.0-0.84
35-44	315	346,736	41	14.3	07.0-21.6	82	23.6	15.2-32.0	40	19.3	11.1-27.5	78	26.2	17.6-34.8	72	14.6	08.7-20.5	2	2.0	0.0-0.51
45-54	735	603,584	67	9.1	05.6-12.6	230	33.8	27.5-40.1	117	15.3	11.2-19.4	214	27.3	21.6-33.0	106	14.4	09.7-19.1	1	0.0	0.0-0.00
55-64	746	439,634	97	16.5	11.6-21.4	258	37.3	31.4-43.2	125	17.0	12.3-21.7	202	23.8	18.7-28.9	63	5.4	02.9-07.9	1	0.0	0.0-0.00
65+	1137	611,044	207	18.2	14.3-22.1	524	49.0	44.3-53.7	150	14.1	10.4-17.8	214	16.3	13.0-19.6	42	2.4	01.4-03.4			
Less Than H.S.	290	147,235	48	18.5	09.9-27.1	100	32.9	23.3-42.5	22	9.7	02.3-17.1	67	21.8	12.4-31.2	53	17.1	09.5-24.7			
H.S. or G.E.D.	769	438,420	115	15.5	10.4-20.6	275	37.1	31.2-43.0	94	13.0	08.7-17.3	196	24.6	19.5-29.7	86	8.1	05.2-11.0	3	1.6	0.0-0.41
Some Post-H.S.	881	586,239	118	14.9	10.6-19.2	310	32.4	27.1-37.7	140	18.8	13.9-23.7	231	26.4	21.1-31.7	81	7.5	04.6-10.4	1	0.0	0.0-0.00
College Graduate	974	818,128	129	12.7	09.2-16.2	403	41.7	36.2-47.2	175	17.0	13.1-20.9	206	19.9	15.4-24.4	61	8.7	05.2-12.2			
Less than \$15,000	300	147,571	41	21.2	11.2-31.2	93	31.5	21.7-41.3	31	11.3	03.1-19.5	88	25.0	16.4-33.6	47	10.9	05.6-16.2			
\$15,000- 24,999	479	235,893	77	16.8	10.9-22.7	159	30.0	23.1-36.9	52	10.1	05.6-14.6	129	30.2	22.0-38.4	59	9.9	05.6-14.2	3	3.0	0.0-0.77
\$25,000- 34,999	329	182,808	45	11.4	05.7-17.1				46	10.7	05.6-15.8	74	23.5	14.5-32.5	24	5.8	02.5-09.1			
\$35,000- 49,999	422	237,961	54	16.7	08.5-24.9	163	37.4	29.8-45.0	73	21.2	13.9-28.5	90	17.4	12.1-22.7	41	7.3	03.6-11.0	1	0.0	0.0-0.00
\$50,000- 74,999	434	333,199	59	12.2	07.9-16.5	171	40.7	32.9-48.5	72	18.4	11.9-24.9	92	18.7	12.6-24.8	40	10.1	05.0-15.2			
\$75,000+	551	579,992	79	12.9	08.4-17.4	203	36.3	29.6-43.0	100	20.7	15.0-26.4	135	20.9	15.4-26.4	34	9.2	04.5-13.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

DO YOU HAVE ANY KIND OF HEALTH INSURANCE COVERAGE FOR EYE CARE? (VIINSUR2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N A, Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3377	2,304,011	1801	61.1	58.2-64.0	1573	38.5	35.6-41.4	3	0.4	00.0-01.0
Male	1296	1,110,769	722	64.1	59.6-68.6	572	35.0	30.7-39.3	2	0.9	00.0-02.1
Female	2081	1,193,242	1079	58.4	54.7-62.1	1001	41.6	37.9-45.3	1	0.0	00.0-00.0
White/Non-Hisp	2546	1,836,086	1418	63.0	59.9-66.1	1127	36.7	33.6-39.8	1	0.3	00.0-00.9
Hispanic	575	273,511	228	43.8	35.2-52.4	345	54.6	45.8-63.4	2	1.6	00.0-04.7
35-44	340	358,104	187	69.7	61.9-77.5	151	27.5	20.2-34.8	2	2.8	00.0-06.5
45-54	829	700,469	463	63.0	57.1-68.9	365	37.0	31.1-42.9	1	0.0	00.0-00.0
55-64	875	529,667	464	58.8	53.3-64.3	411	41.2	35.7-46.7			
65+	1333	715,770	687	56.7	52.4-61.0	646	43.3	39.0-47.6			
Less Than H.S.	369	178,635	150	44.7	34.7-54.7	219	55.3	45.3-65.3			
H.S. or G.E.D.	885	519,035	422	51.2	45.3-57.1	462	48.0	42.1-53.9	1	0.8	00.0-02.4
Some Post-H.S.	1022	689,943	565	64.7	59.8-69.6	456	35.3	30.4-40.2	1	0.0	00.0-00.0
College Graduate	1083	898,904	656	67.4	62.7-72.1	426	32.0	27.3-36.7	1	0.6	00.0-01.8
Less than \$15,000	379	193,971	133	42.9	33.1-52.7	246	57.1	47.3-66.9			
\$15,000- 24,999	559	273,751	223	40.6	33.0-48.2	336	59.4	51.8-67.0			
\$25,000- 34,999	392	224,577	200	51.1	41.9-60.3	191	47.0	37.6-56.4	1	1.9	00.0-05.6
\$35,000- 49,999	481	285,378	274	63.2	55.6-70.8	207	36.8	29.2-44.4			
\$50,000- 74,999	482	388,993	328	77.9	72.6-83.2	154	22.1	16.8-27.4			
\$75,000+	602	632,011	398	70.8	65.1-76.5	203	28.3	22.6-34.0	1	0.9	00.0-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

HAVE YOU BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU NOW HAVE CATARACTS? (VICTRCT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, but had them removed			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3441	2,332,395	544	14.3	12.3-16.3	385	9.3	07.7-10.9	2512	76.5	74.1-78.9
Male	1319	1,112,615	178	12.1	09.4-14.8	142	7.9	05.9-09.9	999	80.0	76.7-83.3
Female	2122	1,219,779	366	16.3	13.6-19.0	243	10.5	08.3-12.7	1513	73.2	70.1-76.3
White/Non-Hisp	2599	1,859,028	445	14.4	12.4-16.4	312	10.0	08.2-11.8	1842	75.6	73.1-78.1
Black or Afr. Am./Non-Hisp	55	66,573	5	5.9	00.0-11.8						
Oth. Race/Non-Hisp.	136	97,517				9	2.0	00.4-03.6			
Hispanic	585	279,609	66	14.8	07.9-21.7	44	4.9	02.4-07.4	475	80.3	73.2-87.4
35-44	348	362,029	8	0.6	00.0-01.4	12	3.3	00.8-05.8	328	96.0	93.5-98.5
45-54	832	702,236	41	5.0	02.1-07.9	17	1.6	00.4-02.8	774	93.4	90.3-96.5
55-64	892	538,932	115	14.5	10.6-18.4	46	3.8	02.0-05.6	731	81.7	77.6-85.8
65+	1369	729,198	380	29.7	25.6-33.8	310	23.7	20.0-27.4	679	46.6	42.3-50.9
Less Than H.S.	379	189,449	67	18.0	10.2-25.8	60	17.2	10.1-24.3	252	64.7	55.3-74.1
H.S. or G.E.D.	901	520,333	165	18.5	14.0-23.0	103	9.4	06.7-12.1	633	72.1	67.0-77.2
Some Post-H.S.	1031	694,966	146	12.4	09.3-15.5	107	9.0	06.1-11.9	778	78.6	74.5-82.7
College Graduate	1111	909,963	162	12.2	09.3-15.1	114	8.0	05.8-10.2	835	79.8	76.3-83.3
Less than \$15,000	389	200,807	65	20.1	12.1-28.1	53	14.9	07.5-22.3	271	65.0	55.6-74.4
\$15,000- 24,999	564	276,344	91	16.8	10.9-22.7	75	12.3	08.4-16.2	398	70.9	64.2-77.6
\$25,000- 34,999	397	222,795	81	23.5	16.6-30.4	48	9.7	05.8-13.6	268	66.8	59.0-74.6
\$35,000- 49,999	492	288,904	77	15.9	10.8-21.0	50	7.4	04.3-10.5	365	76.7	71.0-82.4
\$50,000- 74,999	488	391,266	60	12.9	07.8-18.0	44	6.6	03.1-10.1	384	80.5	74.6-86.4
\$75,000+	611	636,582	60	5.9	03.7-08.1	31	4.3	02.1-06.5	520	89.8	86.9-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD GLAUCOMA? (VIGLUMA2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			N A, Blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3434	2,318,224	172	4.5	03.5-05.5	3261	95.5	94.5-96.5	1	0.0	00.0-00.0
Male	1314	1,105,117	70	4.1	02.5-05.7	1244	95.9	94.3-97.5			
Female	2120	1,213,107	102	4.8	03.2-06.4	2017	95.1	93.5-96.7	1	0.1	00.0-00.3
White/Non-Hisp	2595	1,847,877	139	4.6	03.4-05.8	2455	95.4	94.2-96.6	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	53	64,813	5	6.1	00.0-13.4	48	93.9	86.6-0100			
Oth. Race/Non-Hisp.	135	95,188	5	2.9	00.0-07.2	130	97.1	92.8-0100			
Hispanic	584	280,133	17	2.6	00.1-05.1	567	97.4	94.9-99.9			
35-44	350	362,596	1	0.4	00.0-01.2	349	99.6	98.8-0100			
45-54	828	699,310	18	1.3	00.5-02.1	809	98.6	97.8-99.4	1	0.1	00.0-00.3
55-64	890	532,549	31	5.3	02.6-08.0	859	94.7	92.0-97.4			
65+	1366	723,770	122	9.0	06.6-11.4	1244	91.0	88.6-93.4			
Less Than H.S.	378	187,716	25	6.8	02.3-11.3	353	93.2	88.7-97.7			
H.S. or G.E.D.	898	515,096	39	4.4	02.4-06.4	859	95.6	93.6-97.6			
Some Post-H.S.	1029	694,342	45	2.9	01.7-04.1	983	97.0	95.8-98.2	1	0.1	00.0-00.3
College Graduate	1110	904,260	62	5.3	03.1-07.5	1048	94.7	92.5-96.9			
Less than \$15,000	391	201,312	23	4.8	02.1-07.5	368	95.2	92.5-97.9			
\$15,000- 24,999	562	272,238	36	6.9	03.6-10.2	526	93.1	89.8-96.4			
\$25,000- 34,999	394	222,041	22	3.6	01.6-05.6	372	96.4	94.4-98.4			
\$35,000- 49,999	489	286,111	26	5.9	02.4-09.4	463	94.1	90.6-97.6			
\$50,000- 74,999	489	390,173	24	6.1	02.6-09.6	465	93.9	90.4-97.4			
\$75,000+	611	633,814	14	1.3	00.5-02.1	597	98.7	97.9-99.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

HAVE YOU EVER BEEN TOLD BY AN EYE DOCTOR OR OTHER HEALTH CARE PROFESSIONAL THAT YOU HAD MACULAR DEGENERATION? (VIMACDG2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3423	2,308,731	197	5.7	04.3-07.1	3226	94.3	92.9-95.7
Male	1313	1,100,589	78	5.7	03.7-07.7	1235	94.3	92.3-96.3
Female	2110	1,208,142	119	5.6	03.8-07.4	1991	94.4	92.6-96.2
White/Non-Hisp	2592	1,843,166	161	5.2	04.0-06.4	2431	94.8	93.6-96.0
Black or Afr. Am./Non-Hisp	54	66,246	2	5.9	00.0-14.5	52	94.1	85.5-0100
Oth. Race/Non-Hisp.	134	97,396	8	4.3	00.0-09.2	126	95.7	90.8-0100
Hispanic	577	272,028	22	8.9	02.8-15.0	555	91.1	85.0-97.2
35-44	348	362,370	12	5.1	00.8-09.4	336	94.9	90.6-99.2
45-54	820	690,058	26	4.2	01.8-06.6	794	95.8	93.4-98.2
55-64	887	534,209	27	3.2	01.2-05.2	860	96.8	94.8-98.8
65+	1368	722,095	132	9.1	06.7-11.5	1236	90.9	88.5-93.3
Less Than H.S.	370	182,459	21	10.2	02.9-17.5	349	89.8	82.5-97.1
H.S. or G.E.D.	901	520,564	61	6.2	03.8-08.6	840	93.8	91.4-96.2
Some Post-H.S.	1024	681,786	62	6.0	03.6-08.4	962	94.0	91.6-96.4
College Graduate	1108	905,945	52	4.2	02.2-06.2	1056	95.8	93.8-97.8
Less than \$15,000	388	192,014	33	8.1	04.0-12.2	355	91.9	87.8-96.0
\$15,000- 24,999	564	274,942	41	7.9	04.4-11.4	523	92.1	88.6-95.6
\$25,000- 34,999	390	214,886	21	4.1	01.6-06.6	369	95.9	93.4-98.4
\$35,000- 49,999	489	286,426	26	5.4	01.7-09.1	463	94.6	90.9-98.3
\$50,000- 74,999	490	392,427	20	6.0	02.3-09.7	470	94.0	90.3-97.7
\$75,000+	608	632,962	21	4.6	01.9-07.3	587	95.4	92.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

HAVE YOU EVER HAD AN EYE INJURY THAT OCCURRED AT YOUR WORKPLACE WHILE YOU WERE DOING YOUR WORK? (VIATWRK2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3441	2,319,315	269	8.2	06.6-09.8	3172	91.8	90.2-93.4
Male	1319	1,101,157	215	14.3	11.2-17.4	1104	85.7	82.6-88.8
Female	2122	1,218,159	54	2.6	01.4-03.8	2068	97.4	96.2-98.6
35-44	350	362,596	23	10.5	04.0-17.0	327	89.5	83.0-96.0
45-54	828	693,353	85	9.4	06.5-12.3	743	90.6	87.7-93.5
55-64	889	533,398	67	8.5	05.2-11.8	822	91.5	88.2-94.8
65+	1374	729,969	94	5.6	03.8-07.4	1280	94.4	92.6-96.2
Less Than H.S.	373	182,560	26	8.6	04.1-13.1	347	91.4	86.9-95.9
H.S. or G.E.D.	904	521,885	75	11.3	06.8-15.8	829	88.7	84.2-93.2
Some Post-H.S.	1033	695,121	98	8.5	05.8-11.2	935	91.5	88.8-94.2
College Graduate	1111	901,771	69	6.2	03.7-08.7	1042	93.8	91.3-96.3
Less than \$15,000	391	197,670	26	8.2	02.9-13.5	365	91.8	86.5-97.1
\$15,000- 24,999	564	276,486	57	10.0	05.9-14.1	507	90.0	85.9-94.1
\$25,000- 34,999	395	218,076	37	10.8	05.7-15.9	358	89.2	84.1-94.3
\$35,000- 49,999	489	288,168	42	9.6	03.5-15.7	447	90.4	84.3-96.5
\$50,000- 74,999	491	392,742	44	10.4	05.9-14.9	447	89.6	85.1-94.1
\$75,000+	611	632,193	33	5.2	02.5-07.9	578	94.8	92.1-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.'

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (BRTHCNT3)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Female respondents that report being 45 years of age or older
 Denominator excludes: Female respondents that report being pregnant
 Denominator excludes: Female respondents that report having had a hysterectomy
 Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1742	2,469,914	1055	62.4	58.1-66.7	458	26.2	22.1-30.3	208	10.4	08.2-12.6	21	1.0	00.4-01.6
Male	943	1,546,312	487	55.2	49.3-61.1	307	31.5	25.8-37.2	134	12.0	08.9-15.1	15	1.3	00.3-02.3
Female	799	923,602	568	74.5	69.2-79.8	151	17.2	12.5-21.9	74	7.7	04.8-10.6	6	0.6	00.0-01.2
White/Non-Hisp	1004	1,536,376	627	66.7	61.8-71.6	237	21.1	16.8-25.4	131	11.0	08.3-13.7	9	1.2	00.2-02.2
Oth. Race/Non-Hisp.	119	120,817										1	0.2	00.0-00.6
Hispanic	555	721,045	335	59.2	50.0-68.4	154	32.4	23.0-41.8	57	7.6	04.3-10.9	9	0.7	00.1-01.3
18-24	181	505,203							34	14.7	07.6-21.8	1	0.1	00.0-00.3
25-34	468	796,304	330	68.3	60.7-75.9	102	25.8	18.4-33.2	33	5.6	02.5-08.7	3	0.3	00.0-00.7
35-44	615	714,967	408	70.4	64.5-76.3	127	18.1	13.4-22.8	73	11.1	07.4-14.8	7	0.5	00.0-01.1
45-54	302	328,885	152	53.9	44.3-63.5	101	30.3	21.1-39.5	43	12.7	07.0-18.4	6	3.1	00.0-06.8
55-64	164	116,158							24	14.4	06.2-22.6	3	4.7	00.0-11.8
Less Than H.S.	219	334,444							24	10.0	03.7-16.3	3	0.8	00.0-01.8
H.S. or G.E.D.	439	582,981	245	53.7	44.5-62.9	137	34.3	25.1-43.5	54	11.7	06.4-17.0	3	0.3	00.0-00.7
Some Post-H.S.	520	719,235	324	60.9	52.7-69.1	117	26.5	18.3-34.7	70	10.7	06.8-14.6	9	1.9	00.1-03.7
College Graduate	556	826,422	357	69.1	62.8-75.4	135	20.7	15.2-26.2	59	9.4	05.9-12.9	5	0.8	00.0-02.0
Less than \$15,000	162	173,569										1	0.2	00.0-00.6
\$15,000- 24,999	303	309,795							47	14.4	07.3-21.5	2	0.3	00.0-00.7
\$25,000- 34,999	195	259,183							19	8.7	02.4-15.0	4	0.7	00.0-01.7
\$35,000- 49,999	246	312,602							34	16.9	08.9-24.9	1	0.5	00.0-01.5
\$50,000- 74,999	279	401,982	172	58.7	49.1-68.3	75	32.2	22.8-41.6	29	8.6	04.1-13.1	3	0.5	00.0-01.3
\$75,000+	413	737,391	278	70.4	63.5-77.3	108	23.2	16.9-29.5	22	4.9	01.6-08.2	5	1.6	00.0-03.4

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)		Drugs (04,06,07,08,09)		Condoms (05)		External Contraceptives (10,11,15)			Emergencies (12)		Withdrawal, Rhythm, No Sex (13,14)						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	1010	1,481,379	440	37.2	31.9-42.5	275	32.0	26.9-37.1	170	19.1	14.4-23.8	86	0.9	05.3-11.5	6	0.9	00.0-01.9	33	2.4	01.0-03.8
Male	468	824,056	241	45.0	37.0-53.0	98	24.1	17.2-31.0	83	19.9	12.8-27.0	27	1.0	02.4-12.2	2	1.0	00.0-02.8	17	2.7	00.7-04.7
Female	542	657,322	199	27.5	21.4-33.6	177	41.8	34.4-49.2	87	18.1	12.4-23.8	59	0.7	06.0-13.8	4	0.7	00.0-01.7	16	2.0	00.4-03.6
White/Non-Hisp	601	980,308	284	39.7	33.2-46.2	153	32.0	25.7-38.3	93	18.2	12.3-24.1	48	0.2	04.3-10.5	2	0.2	00.0-00.6	21	2.5	00.9-04.1
Oth. Race/Non-Hisp.	51	40,606										7	9.5	00.1-18.9				1	0.8	00.0-02.6
Hispanic	322	412,986							52	18.5	09.7-27.3	30	11.6	03.4-19.8	4	2.7	00.0-06.2	8	0.9	00.1-01.7
18-24	102	271,265	9	9.8	01.0-18.6										1	2.6	00.0-07.7	4	3.6	00.0-08.1
25-34	319	529,867	72	24.9	16.3-33.5	135	43.7	34.7-52.7	66	21.4	14.0-28.8	36	0.2	04.8-13.0	2	0.2	00.0-00.6	8	0.8	00.0-01.6
35-44	389	480,501	222	53.1	43.9-62.3	73	25.2	16.4-34.0	47	10.4	05.7-15.1	29	1.0	02.4-11.4	3	1.0	00.0-02.2	15	3.4	00.7-06.1
45-54	147	169,961				18	13.9	05.7-22.1	20	14.8	06.2-23.4	5		00.0-02.4				4	1.5	00.0-03.5
Less Than H.S.	117	199,796										8	5.4	00.3-10.5				2	0.1	00.0-00.3
H.S. or G.E.D.	238	303,226							47	20.9	11.3-30.5	17	7.7	01.8-13.6	3	3.6	00.0-08.5	6	1.5	00.0-03.1
Some Post-H.S.	313	422,842	134	34.0	25.4-42.6	78	25.0	17.2-32.8	58	24.0	15.2-32.8	31	0.5	05.1-22.3	2	0.5	00.0-01.3	10	2.7	00.0-05.4
College Graduate	340	551,023	145	39.2	30.2-48.2	100	34.7	26.1-43.3	49	16.7	08.5-24.9	30	6.0	02.5-09.5	1	0.0	00.0-00.0	15	3.3	00.8-05.8
Less than \$15,000	88	105,229										10	6.1	00.0-13.5	1	2.5	00.0-07.4	4	2.4	00.0-05.3
\$15,000- 24,999	165	169,350										8	7.5	01.4-13.6				4	2.0	00.0-04.9
\$25,000- 34,999	117	165,036										14	8.6	00.0-17.4	2	5.1	00.0-13.5	4	2.4	00.0-05.1
\$35,000- 49,999	140	166,939										10	4.1	00.0-08.2				2	0.3	00.0-00.7
\$50,000- 74,999	168	234,439							33	16.7	07.3-26.1	14	7.8	02.3-13.3	1	0.5	00.0-01.5	6	2.4	00.0-04.9
\$75,000+	266	504,225	138	41.8	32.2-51.4	68	33.3	24.1-42.5	26	13.4	04.8-22.0	22	8.0	03.1-12.9				12	3.5	00.4-06.6

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

WHAT IS THE MAIN REASON FOR NOT DOING ANYTHING TO KEEP [IF FEMALE, INSERT YOU, IF MALE, INSERT YOUR WIFE/PARTNER] FROM GETTING PREGNANT? (NOBCUSE2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Can't get Pregnant(01,07,11)			Want don't care about pregnancy (02,15)			Don't want to, can't use BC, can't pay for BC (03,04,05)			Surgical (08,09,10)			Physical (12,13,16)			Lapse Method or Other (06,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	391	525,043	76	19.2	10.1-22.7	88	22.3	21.9-40.7	13	3.3	00.2-07.6	82	21.0	11.7-25.9	13	3.4	01.8-13.2	119	31.1	14.3-29.9
Male	259	387,961	61	23.5	11.2-27.2				3	1.2	00.0-03.0	62	23.9	10.8-26.8	11	4.3	01.8-16.6	75	28.9	10.7-29.1
Female	132	137,082	15	11.3	01.5-15.7										2	1.5	00.0-06.8			
White/Non-Hisp	210	280,025	42	20.0	09.8-28.2				7	3.3	00.0-06.6	51	24.3	10.7-27.5	5	2.4	00.0-08.8			
Hispanic	130	180,407	21	16.2	01.5-13.3				4	5.5	00.0-14.9							34	26.1	03.3-22.1
25-34	84	174,852	5	6.0	00.0-01.8				7	3.6	00.0-07.5	2	0.3	00.0-00.7						
35-44	113	117,488							3	0.8	00.0-01.8				2	2.7	00.0-07.2			
45-54	85	88,479				7	5.3	00.0-10.6	1	4.0	00.0-11.6				1	0.1	00.0-00.3	27	14.9	05.5-24.3
55-64	78	57,719				1	4.8	00.0-14.0							1	0.3	00.0-00.9			
Less Than H.S.	51	61,222							1	0.2	00.0-00.6									
H.S. or G.E.D.	120	159,435							7	8.3	00.0-19.3	23	11.1	03.5-18.7	4	3.4	00.0-07.3			
Some Post-H.S.	99	144,181							2	0.8	00.0-02.0									
College Graduate	118	159,146							3	3.7	00.0-08.8				3	4.8	00.0-12.6	36	18.2	10.0-26.4
\$15,000- 24,999	70	52,935	13	18.6	02.8-19.6				1	1.3	00.0-03.8	12	7.4	00.1-14.7						
\$35,000- 49,999	57	73,674				12	4.5	00.4-08.6	3	6.5	00.0-15.5									
\$50,000- 74,999	68	120,486							1	0.3	00.0-00.9				2	6.6	00.0-17.0	22	9.4	03.1-15.7
\$75,000+	91	135,387							4	3.3	00.0-08.4				4	5.0	00.0-11.9			

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDFT)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Do Not Want To Have One			Want To Have One			Not Sure If Do or Do Not		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	926	1,380,164	391	32.9	27.8-38.0	312	40.1	34.2-46.0	223	27.0	21.7-32.3
Male	449	780,693	197	30.4	23.3-37.5	151	42.1	33.9-50.3	101	27.5	19.9-35.1
Female	477	599,472	194	36.1	28.8-43.4	161	37.5	29.9-45.1	122	26.4	19.7-33.1
White/Non-Hisp	495	830,432	217	32.1	25.8-38.4	164	45.0	37.6-52.4	114	22.8	16.9-28.7
25-34	342	565,129	95	22.0	14.9-29.1	147	44.7	35.5-53.9	100	33.4	24.6-42.2
35-44	273	323,614	139	39.6	30.0-49.2				60	26.3	16.5-36.1
45-54	120	116,386							27	18.1	08.9-27.3
55-64	61	44,927							2	0.5	00.0-01.3
H.S. or G.E.D.	233	364,735	91	22.3	13.9-30.7						
Some Post-H.S.	270	390,253							70	25.3	16.3-34.3
College Graduate	300	438,188	137	36.3	27.9-44.7	99	40.0	30.6-49.4	64	23.7	15.9-31.5
\$75,000+	206	388,573	103	36.9	27.1-46.7				45	21.4	13.2-29.6

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4506	4,133,860	3709	84.9	82.7-87.1	256	6.2	04.8-07.6	65	1.0	00.6-01.4	476	7.9	06.3-09.5
Male	1686	2,048,814	1360	84.2	80.7-87.7	101	6.6	04.2-09.0	28	1.1	00.5-01.7	197	8.1	05.4-10.8
Female	2820	2,085,046	2349	85.6	83.2-88.0	155	5.8	04.2-07.4	37	0.8	00.4-01.2	279	7.7	05.9-09.5
White/Non-Hisp	3148	2,880,420	2560	84.6	82.2-87.0	173	5.6	04.2-07.0	50	1.0	00.6-01.4	365	8.8	06.6-11.0
Black or Afr. Am./Non-Hisp	73	91,718							3	4.7	00.0-11.2			
Oth. Race/Non-Hisp.	211	168,580	184	90.4	84.1-96.7	9	4.0	00.1-07.9	2	0.2	00.0-00.6	16	5.4	00.3-10.5
Hispanic	987	923,448	850	87.1	82.2-92.0	59	7.7	03.4-12.0	10	0.9	00.0-01.9	68	4.3	01.8-06.8
18-24	196	526,573				18	8.5	02.4-14.6	2	0.3	00.0-00.9	16	11.3	02.1-20.5
25-34	495	862,652	441	90.3	86.2-94.4	22	3.3	01.5-05.1	4	1.2	00.0-02.4	28	5.2	01.7-08.7
35-44	685	752,822	610	88.4	83.7-93.1	34	7.4	03.1-11.7	5	0.4	00.0-00.8	36	3.7	01.5-05.9
45-54	828	694,143	672	83.0	79.1-86.9	56	9.0	05.7-12.3	17	1.3	00.3-02.3	83	6.7	04.5-08.9
55-64	886	531,361	701	82.1	77.8-86.4	57	5.6	03.1-08.1	16	1.8	00.4-03.2	112	10.6	07.3-13.9
65+	1370	730,274	1087	82.2	79.1-85.3	68	4.8	03.0-06.6	20	1.0	00.4-01.6	195	12.0	09.3-14.7
Less Than H.S.	520	459,534	427	81.1	72.9-89.3	34	10.9	04.0-17.8	7	0.5	00.0-01.1	52	7.4	01.9-12.9
H.S. or G.E.D.	1208	1,035,826	941	80.2	75.9-84.5	83	6.7	04.0-09.4	23	1.5	00.5-02.5	161	11.6	08.1-15.1
Some Post-H.S.	1365	1,209,148	1130	86.6	83.5-89.7	80	6.9	04.4-09.4	24	1.1	00.3-01.9	131	5.4	03.6-07.2
College Graduate	1385	1,401,266	1191	88.2	84.7-91.7	59	3.8	02.2-05.4	11	0.6	00.0-01.2	124	7.4	04.1-10.7
Less than \$15,000	501	337,674	373	77.7	71.0-84.4	48	10.2	05.7-14.7	8	2.8	00.3-05.3	72	9.3	05.0-13.6
\$15,000- 24,999	776	547,029	604	80.0	74.7-85.3	61	9.3	05.0-13.6	12	2.1	00.3-03.9	99	8.6	05.9-11.3
\$25,000- 34,999	527	416,360	426	82.6	74.8-90.4	23	6.0	00.1-11.9	14	1.4	00.4-02.4	64	10.0	04.3-15.7
\$35,000- 49,999	637	529,354	527	80.8	74.3-87.3	29	6.7	02.0-11.4	11	1.0	00.2-01.8	70	11.5	06.4-16.6
\$50,000- 74,999	637	652,644	547	85.9	81.8-90.0	35	8.0	04.5-11.5	9	0.9	00.1-01.7	46	5.2	02.8-07.6
\$75,000+	805	1,066,164	719	92.7	88.6-96.8	33	2.5	01.1-03.9	4	0.2	00.0-00.4	49	4.6	00.7-08.5

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2128	2,368,745	1634	74.2	70.1-78.3	494	25.8	21.7-29.9
Male	894	1,399,103	549	63.3	57.0-69.6	345	36.7	30.4-43.0
Female	1234	969,642	1085	90.0	87.3-92.7	149	10.0	07.3-12.7
White/Non-Hisp	1449	1,684,619	1151	76.1	71.6-80.6	298	23.9	19.4-28.4
25-34	335	674,128	244	75.4	67.6-83.2	91	24.6	16.8-32.4
35-44	494	559,951	392	79.8	73.7-85.9	102	20.2	14.1-26.3
45-54	605	507,516	473	77.3	71.4-83.2	132	22.7	16.8-28.6
55-64	421	245,258	329	80.2	73.7-86.7	92	19.8	13.3-26.3
H.S. or G.E.D.	485	505,652	329	66.4	57.6-75.2	156	33.6	24.8-42.4
Some Post-H.S.	672	690,573	513	69.5	61.1-77.9	159	30.5	22.1-38.9
College Graduate	801	962,248	703	86.0	80.5-91.5	98	14.0	08.5-19.5
\$50,000- 74,999	387	455,161	296	75.1	67.5-82.7	91	24.9	17.3-32.5
\$75,000+	588	826,291	503	84.2	77.9-90.5	85	15.8	09.5-22.1

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1611	1,731,521	1308	78.2	74.5-81.9	192	13.7	10.8-16.6	17	0.9	00.3-01.5	94	7.3	04.8-09.8
Male	543	872,685	416	75.6	69.5-81.7	78	15.3	10.2-20.4	11	1.1	00.3-01.9	38	8.0	03.7-12.3
Female	1068	858,836	892	80.8	76.7-84.9	114	12.1	08.8-15.4	6	0.7	00.1-01.3	56	6.5	03.8-09.2
White/Non-Hisp	1139	1,263,378	950	82.7	79.0-86.4	119	10.8	07.7-13.9	11	0.7	00.1-01.3	59	5.7	03.5-07.9
Oth. Race/Non-Hisp.	85	57,959							1	2.2	00.0-06.5	11	9.9	02.6-17.2
Hispanic	337	356,988				57	20.4	12.0-28.8	4	0.9	00.0-01.9	22	13.2	04.2-22.2
18-24	64	127,643							3	3.6	00.0-08.1	3	2.2	00.0-04.7
25-34	240	497,557	170	69.5	60.5-78.5	47	19.0	11.7-26.3	4	1.0	00.0-02.0	19	10.5	03.8-17.2
35-44	390	442,739	327	79.7	72.3-87.1	42	12.4	06.3-18.5	2	0.3	00.0-00.9	19	7.6	02.3-12.9
45-54	469	389,931	393	83.0	77.7-88.3	47	11.3	06.8-15.8	3	0.6	00.0-01.4	26	5.1	02.2-08.0
55-64	326	196,299	268	82.5	75.4-89.6	31	9.3	03.8-14.8	3	0.7	00.0-01.7	24	7.6	02.5-12.7
65+	107	63,888	90	87.8	78.4-97.2	12	7.8	01.1-14.5	2	0.7	00.0-01.9	3	3.7	00.0-10.8
Less Than H.S.	79	108,320							2	1.5	00.0-04.2			
H.S. or G.E.D.	324	331,324	240	72.8	63.0-82.6	51	12.6	06.7-18.5	6	2.5	00.3-04.7	27	12.1	03.5-20.7
Some Post-H.S.	510	477,990	399	74.0	67.1-80.9	78	20.4	13.9-26.9	7	0.9	00.1-01.7	26	4.7	01.6-07.8
College Graduate	691	808,987	606	83.5	78.4-88.6	49	10.0	05.7-14.3	2	0.1	00.0-00.3	34	6.4	03.3-09.5
Less than \$15,000	69	42,818							2	2.9	00.0-08.2			
\$15,000- 24,999	202	159,927				26	12.6	05.2-20.0	3	1.5	00.0-03.5			
\$25,000- 34,999	171	137,833							2	0.6	00.0-01.4	13	3.6	00.9-06.3
\$35,000- 49,999	247	203,097	207	80.7	72.1-89.3	26	12.5	05.1-19.9	2	1.0	00.0-02.6	12	5.8	01.1-10.5
\$50,000- 74,999	292	338,114	236	74.0	64.8-83.2	40	20.4	11.6-29.2	2	0.5	00.0-01.3	14	5.2	01.5-08.9
\$75,000+	499	688,217	433	86.3	81.4-91.2	43	8.4	04.5-12.3	5	0.7	00.1-01.3	18	4.6	01.5-07.7

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1611	1,731,521	1384	82.9	79.2-86.6	121	10.3	07.2-13.4
Male	543	872,685	445	80.1	74.0-86.2	50	12.0	06.9-17.1
Female	1068	858,836	939	85.7	81.6-89.8	71	8.6	04.9-12.3
White/Non-Hisp	1139	1,263,378	1000	86.1	82.4-89.8	67	7.7	04.6-10.8
Oth. Race/Non-Hisp.	85	57,959						
Hispanic	337	356,988				42	18.0	08.6-27.4
18-24	64	127,643						
25-34	240	497,557	187	79.4	71.4-87.4	35	10.4	04.7-16.1
35-44	390	442,739	346	85.8	78.7-92.9	27	9.0	03.3-14.7
45-54	469	389,931	412	87.6	82.9-92.3	27	6.4	02.5-10.3
55-64	326	196,299	286	88.0	81.7-94.3	12	4.9	00.2-09.6
65+	107	63,888	91	87.6	78.2-97.0	6	6.0	00.0-12.3
Less Than H.S.	79	108,320						
H.S. or G.E.D.	324	331,324				37	15.7	06.9-24.5
Some Post-H.S.	510	477,990	421	81.8	75.7-87.9	47	12.2	06.7-17.7
College Graduate	691	808,987	637	89.8	85.9-93.7	27	4.6	01.9-07.3
Less than \$15,000	69	42,818						
\$15,000- 24,999	202	159,927						
\$25,000- 34,999	171	137,833						
\$35,000- 49,999	247	203,097	219	88.2	80.8-95.6	12	6.7	00.2-13.2
\$50,000- 74,999	292	338,114	262	87.7	81.8-93.6	15	6.6	02.1-11.1
\$75,000+	499	688,217	442	86.0	80.3-91.7	31	8.0	03.1-12.9

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

Allowed in All Work Areas			No Official Policy			7		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
16	0.7	00.1-01.3	83	5.7	03.3-08.1	7	0.4	00.0-00.8
8	0.3	00.0-00.7	35	7.0	02.9-11.1	5	0.5	00.0-01.1
8	1.0	00.0-02.2	48	4.5	02.3-06.7	2	0.2	00.0-00.4
13	0.8	00.0-01.6	54	5.1	02.9-07.3	5	0.3	00.0-00.7
3	0.3	00.0-00.9	8	5.6	00.7-10.5	1	0.4	00.0-01.2
			18	8.0	00.4-15.6			
			3	1.6	00.0-03.6			
2	1.2	00.0-03.0	15	8.6	02.5-14.7	1	0.3	00.0-00.9
3	0.4	00.0-01.0	13	4.7	00.0-09.4	1	0.2	00.0-00.6
5	0.6	00.0-01.2	22	4.6	02.1-07.1	3	0.8	00.0-01.8
3	0.6	00.0-01.6	23	6.1	01.8-10.4	2	0.4	00.0-01.2
3	0.8	00.0-02.0	7	5.6	00.0-12.9			
			8	5.0	00.0-12.3			
9	1.4	00.0-02.8	19	10.0	01.8-18.2			
6	1.4	00.0-03.2	32	4.2	02.0-06.4	4	0.5	00.0-01.1
1	0.0	00.0-00.0	23	5.1	02.0-08.2	3	0.5	00.0-01.1
1	2.5	00.0-07.6						
1	0.3	00.0-00.9	15	8.0	00.7-15.3	1	0.4	00.0-01.2
2	0.3	00.0-00.9	13	7.2	00.0-14.5	1	0.8	00.0-02.4
6	1.7	00.0-03.7	9	3.4	00.1-06.7	1	0.0	00.0-00.0
2	0.1	00.0-00.3	12	5.0	01.1-08.9	1	0.5	00.0-01.5
3	0.8	00.0-02.0	21	4.8	01.5-08.1	2	0.3	00.0-00.9

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

IS YOUR HOME HEATED WITH A FURNACE OR BOILER THAT BURNS OIL, GAS, COAL, OR OTHER FUEL? (IAQHTSRC)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4398	3,994,206	2377	43.9	41.0-46.8	2021	56.1	53.2-59.0
Male	1666	1,999,329	903	42.3	37.8-46.8	763	57.7	53.2-62.2
Female	2732	1,994,878	1474	45.4	41.9-48.9	1258	54.6	51.1-58.1
White/Non-Hisp	3080	2,801,760	1674	44.4	41.3-47.5	1406	55.6	52.5-58.7
Hispanic	959	869,565	507	43.4	35.8-51.0	452	56.6	49.0-64.2
25-34	478	824,935	247	43.0	35.6-50.4	231	57.0	49.6-64.4
35-44	659	722,343	349	43.5	36.8-50.2	310	56.5	49.8-63.2
45-54	813	674,697	428	41.5	35.6-47.4	385	58.5	52.6-64.4
55-64	877	526,026	475	42.8	37.3-48.3	402	57.2	51.7-62.7
65+	1341	707,500	775	51.0	46.5-55.5	566	49.0	44.5-53.5
Less Than H.S.	503	422,833	271	47.7	38.1-57.3	232	52.3	42.7-61.9
H.S. or G.E.D.	1179	997,072	669	43.6	37.7-49.5	510	56.4	50.5-62.3
Some Post-H.S.	1327	1,177,946	662	42.6	37.1-48.1	665	57.4	51.9-62.9
College Graduate	1362	1,372,604	763	44.4	39.7-49.1	599	55.6	50.9-60.3
Less than \$15,000	487	306,645	278	42.3	34.1-50.5	209	57.7	49.5-65.9
\$15,000- 24,999	757	527,687	410	48.6	40.4-56.8	347	51.4	43.2-59.6
\$25,000- 34,999	512	405,597	272	46.5	37.1-55.9	240	53.5	44.1-62.9
\$35,000- 49,999	626	518,591	326	39.1	31.8-46.4	300	60.9	53.6-68.2
\$50,000- 74,999	625	644,779	348	44.2	37.5-50.9	277	55.8	49.1-62.5
\$75,000+	786	1,022,395	424	43.6	37.5-49.7	362	56.4	50.3-62.5

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

DOES YOUR HOME HAVE ANY OF THE FOLLOWING APPLIANCES POWERED BY NATURAL GAS: A STOVE, AN OVEN, A WATER HEATER, OR A CLOTHES DRYER? (IAQGASAP)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4459	4,054,698	2604	51.5	48.6-54.4	1855	48.5	45.6-51.4
Male	1676	2,010,874	985	49.8	45.1-54.5	691	50.2	45.5-54.9
Female	2783	2,043,824	1619	53.1	49.6-56.6	1164	46.9	43.4-50.4
White/Non-Hisp	3116	2,812,806	1750	51.7	48.6-54.8	1366	48.3	45.2-51.4
Hispanic	975	918,929	631	50.3	42.7-57.9	344	49.7	42.1-57.3
25-34	487	848,670	301	55.1	47.3-62.9	186	44.9	37.1-52.7
35-44	677	743,872	419	53.5	46.6-60.4	258	46.5	39.6-53.4
45-54	820	683,874	472	49.8	43.7-55.9	348	50.2	44.1-56.3
55-64	884	531,407	501	50.5	44.8-56.2	383	49.5	43.8-55.2
65+	1358	719,317	776	52.0	47.7-56.3	582	48.0	43.7-52.3
Less Than H.S.	517	456,752	325	53.0	43.2-62.8	192	47.0	37.2-56.8
H.S. or G.E.D.	1191	1,014,331	705	51.4	45.3-57.5	486	48.6	42.5-54.7
Some Post-H.S.	1348	1,195,069	734	49.0	43.7-54.3	614	51.0	45.7-56.3
College Graduate	1375	1,360,461	821	52.9	48.2-57.6	554	47.1	42.4-51.8
Less than \$15,000	494	327,735	307	50.0	40.4-59.6	187	50.0	40.4-59.6
\$15,000- 24,999	769	539,568	436	47.3	39.5-55.1	333	52.7	44.9-60.5
\$25,000- 34,999	523	416,539	303	46.9	37.9-55.9	220	53.1	44.1-62.1
\$35,000- 49,999	630	525,081	354	44.5	36.9-52.1	276	55.5	47.9-63.1
\$50,000- 74,999	633	646,598	367	52.6	45.7-59.5	266	47.4	40.5-54.3
\$75,000+	793	1,015,686	491	55.8	49.9-61.7	302	44.2	38.3-50.1

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**DURING THE PAST 12 MONTHS, ON HOW MANY DAYS HAVE YOU USED A WOOD OR COAL STOVE, FIREPLACE, OR KEROSENE HEATER
INSIDE YOUR HOME? (IAQHTDYS)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days			6-10 days			11-20 days			21-365 days			Do Not Have			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4434	4,065,182	250	5.9	04.5-07.3	90	1.6	01.0-02.2	72	0.9	00.5-01.3	515	8.0	06.6-09.4	200	4.0	02.8-05.2	3307	77.3-79.5	81.7
Male	1660	2,023,590	101	5.9	03.9-07.9	38	1.4	00.6-02.2	31	1.2	00.4-02.0	209	8.2	06.0-10.4	74	3.9	02.1-05.7	1207	75.8-79.3	82.8
Female	2774	2,041,592	149	5.9	04.1-07.7	52	1.8	00.8-02.8	41	0.7	00.5-00.9	306	7.8	06.0-09.6	126	4.1	02.7-05.5	2100	77.0-79.7	82.4
White/Non-Hisp	3110	2,832,759	193	6.8	05.2-08.4	62	2.0	01.2-02.8	64	1.2	00.6-01.8	341	6.8	05.4-08.2	106	2.6	01.8-03.4	2344	80.6	78.2-83.0
Black or Afr. Am./Non-Hisp	71	90,755	1	0.5	00.0-01.5	2	2.8	00.0-07.7				8	7.6	00.0-16.2	4	3.9	00.0-09.2			
Oth. Race/Non-Hisp.	202	164,163	14	4.7	01.2-08.2	5	1.3	00.0-02.7	1	0.4	00.0-01.2				9	3.4	00.0-07.1			
Hispanic	965	904,713	37	3.9	01.2-06.6	19	0.5	00.1-00.9	4	0.1	00.0-00.3	114	9.6	05.5-13.7	75	8.7	04.6-12.8	716	77.2	71.1-83.3
18-24	188	518,584	10	3.9	00.0-07.8	4	2.0	00.0-04.5	2	1.0	00.0-02.8	31	10.5	04.8-16.2	12	4.0	01.1-06.9	129	78.7	70.7-86.7
25-34	485	848,780	27	5.2	02.5-07.9	5	0.8	00.0-02.4	2	0.1	00.0-00.3	56	6.6	03.7-09.5	23	3.4	00.3-06.5	372	83.8	78.7-88.9
35-44	673	741,113	44	8.3	04.2-12.4	11	0.6	00.0-01.4	18	1.3	00.5-02.1	80	9.2	04.9-13.5	31	3.5	01.5-05.5	489	77.0	71.1-82.9
45-54	811	674,257	53	7.1	03.8-10.4	24	1.8	00.6-03.0	20	2.0	00.6-03.4	95	5.8	03.8-07.8	32	5.5	02.2-08.8	587	77.8	72.7-82.9
55-64	881	528,362	50	5.7	03.2-08.2	25	3.9	01.7-06.1	17	1.1	00.0-02.3	115	8.4	05.7-11.1	34	4.5	02.0-07.0	640	76.4	71.7-81.1
65+	1351	714,914	64	4.9	02.7-07.1	20	1.6	00.4-02.8	13	0.4	00.0-00.8	136	8.7	06.2-11.2	66	3.1	02.1-04.1	1052	81.2	77.7-84.7
Less Than H.S.	506	444,408	15	2.8	00.4-05.2	10	0.6	00.0-01.2	3	0.1	00.0-00.3	60	11.3	04.8-17.8	38	6.0	02.1-09.9	380	79.1	71.5-86.7
H.S. or G.E.D.	1186	1,021,978	54	4.7	02.3-07.1	17	0.8	00.2-01.4	9	0.3	00.1-00.5	143	9.4	06.5-12.3	58	5.2	02.1-08.3	905	79.6	74.9-84.3
Some Post-H.S.	1346	1,194,846	78	6.6	04.1-09.1	25	1.2	00.4-02.0	23	1.4	00.4-02.4	143	6.6	04.4-08.8	66	4.4	02.6-06.2	1011	79.7	76.0-83.4
College Graduate	1368	1,375,865	101	7.3	04.8-09.8	38	3.0	01.4-04.6	37	1.3	00.7-01.9	166	6.8	04.8-08.8	37	2.1	01.1-03.1	989	79.5	75.8-83.2
Less than \$15,000	487	329,397	18	4.8	00.7-08.9	7	1.0	00.0-02.2	4	1.1	00.0-02.9	56	8.7	04.0-13.4	32	10.7	02.3-19.1	370	73.7	64.3-83.1
\$15,000- 24,999	765	541,108	32	3.7	01.5-05.9	13	1.1	00.1-02.1	2	0.1	00.0-00.3	97	10.3	06.6-14.0	45	3.9	01.9-05.9	576	81.0	76.1-85.9
\$25,000- 34,999	519	414,069	21	3.4	00.9-05.9	7	0.4	00.0-00.8	4	0.2	00.0-00.4	74	17.7	09.3-26.1	17	2.8	00.8-04.8	396	75.4	67.0-83.8
\$35,000- 49,999	627	515,822	39	5.4	02.7-08.1	14	1.9	00.3-03.5	8	0.7	00.1-01.3	69	7.2	04.1-10.3	29	5.0	01.5-08.5	468	79.7	74.2-85.2
\$50,000- 74,999	627	646,786	44	7.4	03.9-10.9	13	1.7	00.3-03.1	13	0.8	00.2-01.4	71	5.6	03.4-07.8	22	2.1	00.7-03.5	464	82.4	77.9-86.9
\$75,000+	794	1,037,174	63	8.6	05.1-12.1	23	2.3	00.5-04.1	29	2.0	00.8-03.2	87	5.9	03.5-08.3	19	2.2	00.8-03.6	573	79.0	74.3-83.7

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**A CARBON MONOXIDE OR CO DETECTOR CHECKS THE LEVEL OF CARBON MONOXIDE IN YOUR HOME. IT IS NOT A SMOKE DETECTOR.
DO YOU HAVE A CO DETECTOR IN YOUR HOME? (IAQCODTR)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4377	3,961,683	1339	29.9	27.2-32.6	3038	70.1	67.4-72.8	
Male	1649	1,972,567	557	30.9	26.6-35.2	1092	69.1	64.8-73.4	
Female	2728	1,989,115	782	29.0	25.7-32.3	1946	71.0	67.7-74.3	
White/Non-Hisp	3067	2,758,289	962	30.4	27.5-33.3	2105	69.6	66.7-72.5	
Oth. Race/Non-Hisp.	203	155,604	61	27.2	17.4-37.0	142	72.8	63.0-82.6	
Hispanic	952	891,325	261	28.4	21.1-35.7	691	71.6	64.3-78.9	
18-24	177	466,985	47	19.2	10.4-28.0	130	80.8	72.0-89.6	
25-34	470	828,887	153	33.9	26.1-41.7	317	66.1	58.3-73.9	
35-44	668	724,234	210	26.4	20.7-32.1	458	73.6	67.9-79.3	
45-54	809	675,998	246	34.7	28.8-40.6	563	65.3	59.4-71.2	
55-64	870	526,545	257	29.5	24.4-34.6	613	70.5	65.4-75.6	
65+	1336	699,496	405	30.0	26.1-33.9	931	70.0	66.1-73.9	
Less Than H.S.	495	431,775	115	23.4	14.4-32.4	380	76.6	67.6-85.6	
H.S. or G.E.D.	1162	988,664	353	31.6	25.9-37.3	809	68.4	62.7-74.1	
Some Post-H.S.	1331	1,155,001	392	29.8	24.9-34.7	939	70.2	65.3-75.1	
College Graduate	1362	1,358,340	469	30.7	26.4-35.0	893	69.3	65.0-73.6	
\$15,000- 24,999	748	529,630	196	23.6	17.7-29.5	552	76.4	70.5-82.3	
\$25,000- 34,999	516	408,396	145	24.6	17.7-31.5	371	75.4	68.5-82.3	
\$35,000- 49,999	622	506,988	198	30.2	23.5-36.9	424	69.8	63.1-76.5	
\$50,000- 74,999	626	641,562	207	30.7	24.4-37.0	419	69.3	63.0-75.6	
\$75,000+	780	993,430	276	31.7	26.2-37.2	504	68.3	62.8-73.8	

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

DO YOU CURRENTLY HAVE MOLD IN YOUR HOME ON AN AREA GREATER THAN THE SIZE OF A DOLLAR BILL? (IAQMOLD)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4342	3,947,456	122	2.3	01.5-03.1	4220	97.7	96.9-98.5
Male	1631	1,947,759	42	1.4	00.8-02.0	1589	98.6	98.0-99.2
Female	2711	1,999,697	80	3.0	01.8-04.2	2631	97.0	95.8-98.2
White/Non-Hisp	3052	2,773,343	62	1.9	01.1-02.7	2990	98.1	97.3-98.9
Black or Afr. Am./Non-Hisp	70	89,255				70	100.0	0100-0100
Oth. Race/Non-Hisp.	196	149,279	15	4.9	02.0-07.8	181	95.1	92.2-98.0
Hispanic	944	873,952	45	3.2	01.2-05.2	899	96.8	94.8-98.8
18-24	185	503,878	6	2.2	00.0-04.7	179	97.8	95.3-0100
25-34	467	807,605	24	2.9	00.9-04.9	443	97.1	95.1-99.1
35-44	662	727,004	30	2.8	01.2-04.4	632	97.2	95.6-98.8
45-54	792	653,171	32	2.4	01.0-03.8	760	97.6	96.2-99.0
55-64	858	516,151	13	1.1	00.1-02.1	845	98.9	97.9-99.9
65+	1331	700,110	15	1.2	00.0-02.4	1316	98.8	97.6-0100
Less Than H.S.	499	418,401	20	5.6	01.7-09.5	479	94.4	90.5-98.3
H.S. or G.E.D.	1166	1,010,733	36	1.8	00.8-02.8	1130	98.2	97.2-99.2
Some Post-H.S.	1308	1,149,186	37	2.4	01.0-03.8	1271	97.6	96.2-99.0
College Graduate	1344	1,341,925	28	1.5	00.5-02.5	1316	98.5	97.5-99.5
Less than \$15,000	477	306,411	24	3.0	01.2-04.8	453	97.0	95.2-98.8
\$15,000- 24,999	739	522,059	27	3.5	01.1-05.9	712	96.5	94.1-98.9
\$25,000- 34,999	511	399,271	15	2.8	00.8-04.8	496	97.2	95.2-99.2
\$35,000- 49,999	613	509,394	23	3.4	00.7-06.1	590	96.6	93.9-99.3
\$50,000- 74,999	627	645,527	12	1.5	00.1-02.9	615	98.5	97.1-99.9
\$75,000+	779	1,022,498	12	1.2	00.0-02.4	767	98.8	97.6-0100

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

CALCULATED VARIABLE FOR HEALTH STATUS (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4788	4,338,710	3878	83.7	81.7-85.7	910	16.3	14.3-18.3
Male	1800	2,154,211	1462	84.8	81.7-87.9	338	15.2	12.1-18.3
Female	2988	2,184,499	2416	82.7	80.2-85.2	572	17.3	14.8-19.8
White/Non-Hisp	3287	2,968,873	2748	87.1	85.1-89.1	539	12.9	10.9-14.9
Oth. Race/Non-Hisp.	231	185,214	181	77.9	67.9-87.9	50	22.1	12.1-32.1
Hispanic	1093	1,010,094	803	75.2	69.1-81.3	290	24.8	18.7-30.9
18-24	204	532,194	184	87.4	80.1-94.7	20	12.6	05.3-19.9
25-34	524	892,497	475	90.1	85.0-95.2	49	9.9	04.8-15.0
35-44	734	816,073	640	87.3	83.0-91.6	94	12.7	08.4-17.0
45-54	869	715,965	741	82.5	77.6-87.4	128	17.5	12.6-22.4
55-64	950	573,230	714	78.2	73.7-82.7	236	21.8	17.3-26.3
65+	1445	763,348	1078	75.3	71.6-79.0	367	24.7	21.0-28.4
Less Than H.S.	581	510,495	357	64.1	54.9-73.3	224	35.9	26.7-45.1
H.S. or G.E.D.	1294	1,073,381	1018	82.5	78.8-86.2	276	17.5	13.8-21.2
Some Post-H.S.	1444	1,252,514	1200	83.3	79.8-86.8	244	16.7	13.2-20.2
College Graduate	1439	1,473,917	1281	92.0	89.8-94.2	158	8.0	05.8-10.2
Less than \$15,000	532	361,659	311	59.8	50.6-69.0	221	40.2	31.0-49.4
\$15,000- 24,999	838	576,861	612	73.6	67.3-79.9	226	26.4	20.1-32.7
\$25,000- 34,999	567	459,341	465	80.6	73.0-88.2	102	19.4	11.8-27.0
\$35,000- 49,999	660	539,325	580	88.3	83.2-93.4	80	11.7	06.6-16.8
\$50,000- 74,999	661	668,512	588	84.8	79.7-89.9	73	15.2	10.1-20.3
\$75,000+	836	1,103,351	782	95.9	94.1-97.7	54	4.1	02.3-05.9

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB
(_TOTINDA)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4806	4,357,886	3582	77.7	75.3-80.1	1224	22.3	19.9-24.7
Male	1805	2,156,027	1424	81.7	78.4-85.0	381	18.3	15.0-21.6
Female	3001	2,201,859	2158	73.8	70.9-76.7	843	26.2	23.3-29.1
White/Non-Hisp	3300	2,979,805	2571	81.4	79.2-83.6	729	18.6	16.4-20.8
Hispanic	1095	1,017,173	727	69.2	62.7-75.7	368	30.8	24.3-37.3
18-24	205	541,074	163	83.5	75.3-91.7	42	16.5	08.3-24.7
25-34	523	892,080	412	80.0	73.7-86.3	111	20.0	13.7-26.3
35-44	736	820,162	557	80.0	74.9-85.1	179	20.0	14.9-25.1
45-54	874	721,498	692	78.9	74.2-83.6	182	21.1	16.4-25.8
55-64	951	572,043	712	75.1	70.4-79.8	239	24.9	20.2-29.6
65+	1456	768,253	994	68.5	64.6-72.4	462	31.5	27.6-35.4
Less Than H.S.	585	517,492	312	61.5	53.1-69.9	273	38.5	30.1-46.9
H.S. or G.E.D.	1298	1,075,341	901	72.1	67.0-77.2	397	27.9	22.8-33.0
Some Post-H.S.	1448	1,259,924	1119	78.1	73.8-82.4	329	21.9	17.6-26.2
College Graduate	1445	1,478,777	1233	87.7	85.0-90.4	212	12.3	09.6-15.0
Less than \$15,000	532	359,666	292	60.7	51.9-69.5	240	39.3	30.5-48.1
\$15,000- 24,999	839	576,717	552	65.1	58.2-72.0	287	34.9	28.0-41.8
\$25,000- 34,999	569	459,913	420	78.0	71.5-84.5	149	22.0	15.5-28.5
\$35,000- 49,999	662	547,332	514	73.5	66.4-80.6	148	26.5	19.4-33.6
\$50,000- 74,999	666	673,431	560	84.4	79.7-89.1	106	15.6	10.9-20.3
\$75,000+	838	1,107,868	753	92.7	90.2-95.2	85	7.3	04.8-09.8

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

RISK FACTOR FOR HAVING HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4722	4,315,781	2200	59.1	56.4-61.8	2522	40.9	38.2-43.6
Male	1776	2,135,933	800	59.8	55.5-64.1	976	40.2	35.9-44.5
Female	2946	2,179,848	1400	58.5	55.2-61.8	1546	41.5	38.2-44.8
White/Non-Hisp	3244	2,951,085	1526	59.1	56.2-62.0	1718	40.9	38.0-43.8
Hispanic	1079	1,012,417	490	60.5	53.8-67.2	589	39.5	32.8-46.2
18-24	204	540,078	181	88.5	82.0-95.0	23	11.5	05.0-18.0
25-34	522	885,777	385	79.0	73.1-84.9	137	21.0	15.1-26.9
35-44	736	820,984	433	63.1	56.8-69.4	303	36.9	30.6-43.2
45-54	867	718,569	447	56.0	50.1-61.9	420	44.0	38.1-49.9
55-64	938	567,147	352	35.7	30.6-40.8	586	64.3	59.2-69.4
65+	1400	746,164	371	30.7	26.6-34.8	1029	69.3	65.2-73.4
Less Than H.S.	566	507,606	178	44.2	35.0-53.4	388	55.8	46.6-65.0
H.S. or G.E.D.	1276	1,061,319	493	54.9	49.4-60.4	783	45.1	39.6-50.6
Some Post-H.S.	1427	1,256,454	679	57.8	52.9-62.7	748	42.2	37.3-47.1
College Graduate	1425	1,465,283	845	69.0	64.9-73.1	580	31.0	26.9-35.1
Less than \$15,000	521	347,861	150	38.0	28.8-47.2	371	62.0	52.8-71.2
\$15,000- 24,999	821	570,368	295	46.6	38.8-54.4	526	53.4	45.6-61.2
\$25,000- 34,999	562	458,479	234	51.7	42.9-60.5	328	48.3	39.5-57.1
\$35,000- 49,999	655	546,910	293	52.5	44.9-60.1	362	47.5	39.9-55.1
\$50,000- 74,999	659	669,997	370	65.1	59.0-71.2	289	34.9	28.8-41.0
\$75,000+	833	1,101,776	567	75.7	71.2-80.2	266	24.3	19.8-28.8

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1400	746,164	1165	85.7	83.0-88.4	235	14.3	11.6-17.0
Male	561	333,197	474	88.2	84.5-91.9	87	11.8	08.1-15.5
Female	839	412,968	691	83.6	79.5-87.7	148	16.4	12.3-20.5
White/Non-Hisp	1159	655,611	964	85.2	82.1-88.3	195	14.8	11.7-17.9
Hispanic	171	53,129	146	92.8	88.1-97.5	25	7.2	02.5-11.9
65+	1400	746,164	1165	85.7	83.0-88.4	235	14.3	11.6-17.0
H.S. or G.E.D.	428	206,017	338	79.5	73.2-85.8	90	20.5	14.2-26.8
Some Post-H.S.	400	214,737	339	87.8	83.3-92.3	61	12.2	07.7-16.7
College Graduate	389	253,260	349	92.3	89.0-95.6	40	7.7	04.4-11.0
\$15,000- 24,999	277	119,416	224	83.6	76.5-90.7	53	16.4	09.3-23.5
\$25,000- 34,999	192	93,407	151	80.0	72.0-88.0	41	20.0	12.0-28.0
\$35,000- 49,999	183	95,043	156	83.8	76.2-91.4	27	16.2	08.6-23.8
\$50,000- 74,999	135	89,688	123	87.7	78.9-96.5	12	12.3	03.5-21.1
\$75,000+	118	89,660	114	98.9	97.7-0100	4	1.1	00.0-02.3

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4790	4,350,026	3256	68.5	65.8-71.2	1534	31.5	28.8-34.2
Male	1802	2,154,354	1208	67.4	63.1-71.7	594	32.6	28.3-36.9
Female	2988	2,195,672	2048	69.6	66.3-72.9	940	30.4	27.1-33.7
White/Non-Hisp	3290	2,975,626	2303	72.8	70.1-75.5	987	27.2	24.5-29.9
Hispanic	1088	1,013,201	665	57.0	49.7-64.3	423	43.0	35.7-50.3
25-34	522	890,255	334	60.8	53.4-68.2	188	39.2	31.8-46.6
35-44	735	819,056	502	72.6	66.7-78.5	233	27.4	21.5-33.3
45-54	870	719,871	615	71.4	66.1-76.7	255	28.6	23.3-33.9
55-64	950	572,607	650	72.3	67.4-77.2	300	27.7	22.8-32.6
65+	1451	767,572	980	71.0	67.3-74.7	471	29.0	25.3-32.7
Less Than H.S.	580	514,347	279	42.6	34.0-51.2	301	57.4	48.8-66.0
H.S. or G.E.D.	1294	1,075,113	796	60.7	55.2-66.2	498	39.3	33.8-44.8
Some Post-H.S.	1441	1,255,355	1009	72.3	67.2-77.4	432	27.7	22.6-32.8
College Graduate	1445	1,478,860	1152	80.2	76.7-83.7	293	19.8	16.3-23.3
Less than \$15,000	528	356,788	246	48.0	38.8-57.2	282	52.0	42.8-61.2
\$15,000- 24,999	837	575,311	479	57.2	49.2-65.2	358	42.8	34.8-50.8
\$25,000- 34,999	565	458,656	363	55.5	46.5-64.5	202	44.5	35.5-53.5
\$35,000- 49,999	660	545,648	461	66.1	58.7-73.5	199	33.9	26.5-41.3
\$50,000- 74,999	665	671,649	514	73.2	67.1-79.3	151	26.8	20.7-32.9
\$75,000+	838	1,107,868	706	84.0	79.9-88.1	132	16.0	11.9-20.1

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4775	4,325,075	448	8.9	07.3-10.5	202	5.2	03.8-06.6	4125	85.9	83.9-87.9
Male	1798	2,147,971	120	6.9	04.9-08.9	80	5.9	03.5-08.3	1598	87.2	84.3-90.1
Female	2977	2,177,104	328	10.9	08.7-13.1	122	4.6	03.2-06.0	2527	84.5	82.0-87.0
White/Non-Hisp	3277	2,961,773	339	10.0	08.0-12.0	153	6.2	04.4-08.0	2785	83.7	81.2-86.2
Black or Afr. Am./Non-Hisp	77	94,386				7	6.4	01.1-11.7			
Oth. Race/Non-Hisp.	231	185,241	21	8.2	02.7-13.7	9	7.1	00.0-17.7			
Hispanic	1090	1,004,166	65	5.3	02.9-07.7	29	2.1	00.5-03.7	996	92.7	90.0-95.4
18-24	203	536,750	26	11.3	04.8-17.8	9	6.6	00.1-13.1	168	82.1	73.3-90.9
25-34	518	888,744	39	4.6	02.1-07.1	33	6.0	02.9-09.1	446	89.4	85.5-93.3
35-44	734	804,119	69	9.2	05.7-12.7	30	4.8	02.1-07.5	635	86.0	81.7-90.3
45-54	870	715,481	89	10.0	06.5-13.5	34	6.6	02.7-10.5	747	83.4	78.5-88.3
55-64	942	569,917	99	11.8	07.9-15.7	48	4.3	02.1-06.5	795	83.9	79.6-88.2
65+	1446	764,664	120	8.2	06.0-10.4	48	3.5	02.1-04.9	1278	88.3	85.8-90.8
Less Than H.S.	578	504,503	50	7.9	04.2-11.6	19	4.8	00.9-08.7	509	87.3	82.0-92.6
H.S. or G.E.D.	1293	1,071,139	101	9.2	05.9-12.5	46	4.8	01.7-07.9	1146	86.0	81.7-90.3
Some Post-H.S.	1436	1,247,712	159	9.5	07.0-12.0	61	4.4	02.4-06.4	1216	86.2	83.1-89.3
College Graduate	1437	1,472,743	138	8.8	06.3-11.3	74	6.4	03.9-08.9	1225	84.8	81.3-88.3
Less than \$15,000	526	357,254	56	12.1	06.6-17.6	21	4.6	01.9-07.3	449	83.2	77.1-89.3
\$15,000- 24,999	834	574,866	76	10.6	06.9-14.3	34	3.8	01.6-06.0	724	85.6	81.3-89.9
\$25,000- 34,999	564	446,933	51	6.8	04.1-09.5	26	6.1	01.0-11.2	487	87.1	81.4-92.8
\$35,000- 49,999	662	548,521	55	7.9	03.8-12.0	25	8.1	01.6-14.6	582	84.1	77.0-91.2
\$50,000- 74,999	661	670,423	70	8.9	05.4-12.4	32	4.9	02.4-07.4	559	86.2	82.1-90.3
\$75,000+	833	1,096,424	75	9.4	05.7-13.1	40	5.4	02.7-08.1	718	85.2	80.7-89.7

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4785	4,328,762	572	12.1	10.1-14.1	236	6.1	04.5-07.7	1451	24.9	22.7-27.1	2526	56.9	54.2-59.6
Male	1795	2,146,827	244	13.8	10.5-17.1	111	7.9	05.2-10.6	669	26.8	23.3-30.3	771	51.5	47.0-56.0
Female	2990	2,181,935	328	10.4	08.2-12.6	125	4.3	03.1-05.5	782	23.1	20.6-25.6	1755	62.3	59.2-65.4
White/Non-Hisp	3291	2,977,416	442	14.0	11.5-16.5	139	4.5	03.3-05.7	1161	29.8	27.1-32.5	1549	51.6	48.5-54.7
Black or Afr. Am./Non-Hisp	76	94,240				5	7.2	00.0-15.4						
Oth. Race/Non-Hisp.	230	176,670	13	2.1	00.7-03.5				45	14.6	07.9-21.3			
Hispanic	1088	1,000,136	95	7.8	04.9-10.7	69	8.3	04.0-12.6	184	11.0	07.7-14.3	740	72.9	67.0-78.8
18-24	204	532,194				17	8.0	01.3-14.7	17	9.2	03.7-14.7			
25-34	522	891,899	63	10.0	05.9-14.1	38	7.4	03.9-10.9	77	14.9	09.6-20.2	344	67.6	60.7-74.5
35-44	730	798,372	98	12.7	08.8-16.6	42	6.8	03.3-10.3	116	14.7	10.6-18.8	474	65.8	59.9-71.7
45-54	870	720,754	137	17.6	13.1-22.1	53	7.8	04.1-11.5	234	27.6	22.3-32.9	446	47.0	41.1-52.9
55-64	949	573,084	124	11.3	08.0-14.6	41	3.6	01.4-05.8	343	39.7	34.2-45.2	441	45.4	39.9-50.9
65+	1450	767,819	122	7.9	05.5-10.3	42	2.7	01.5-03.9	644	43.9	39.8-48.0	642	45.5	41.2-49.8
Less Than H.S.	581	503,660	82	16.5	10.0-23.0	30	7.0	02.3-11.7	151	20.3	14.0-26.6	318	56.1	47.5-64.7
H.S. or G.E.D.	1293	1,065,274	186	16.3	11.8-20.8	75	6.3	03.8-08.8	414	27.3	22.6-32.0	618	50.1	44.2-56.0
Some Post-H.S.	1443	1,257,512	201	11.4	08.7-14.1	72	6.5	03.4-09.6	453	26.2	22.1-30.3	717	55.9	50.8-61.0
College Graduate	1438	1,473,895	100	7.8	04.5-11.1	58	5.4	03.0-07.8	422	23.5	20.0-27.0	858	63.3	58.8-67.8
Less than \$15,000	530	359,365	84	14.7	09.0-20.4	38	8.3	04.0-12.6	135	17.8	12.1-23.5	273	59.2	50.6-67.8
\$15,000- 24,999	836	577,676	105	14.1	09.0-19.2	46	4.9	02.5-07.3	258	25.1	19.8-30.4	427	55.9	48.6-63.2
\$25,000- 34,999	564	446,327	77	11.0	07.3-14.7	33	14.3	06.7-21.9	193	25.8	19.5-32.1	261	48.8	40.0-57.6
\$35,000- 49,999	661	544,692	92	16.7	10.2-23.2	26	4.2	01.7-06.7	190	22.1	16.6-27.6	353	57.0	49.4-64.6
\$50,000- 74,999	663	671,895	77	10.3	06.8-13.8	38	7.1	03.4-10.8	201	28.7	22.6-34.8	347	53.9	47.2-60.6
\$75,000+	835	1,093,896	70	10.9	06.0-15.8	30	3.4	01.6-05.2	255	26.8	21.9-31.7	480	58.9	53.0-64.8

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4493	4,091,225	1742	40.4	37.5-43.3	1672	36.7	34.0-39.4	1079	22.9	20.4-25.4
Male	1750	2,091,977	508	30.9	26.4-35.4	822	45.3	40.8-49.8	420	23.8	19.9-27.7
Female	2743	1,999,248	1234	50.3	46.8-53.8	850	27.7	24.6-30.8	659	22.0	19.1-24.9
White/Non-Hisp	3146	2,861,786	1310	41.6	38.5-44.7	1154	37.6	34.5-40.7	682	20.9	18.2-23.6
Hispanic	963	896,681	317	39.6	31.6-47.6	366	33.7	26.6-40.8	280	26.6	20.3-32.9
18-24	189	496,074							32	16.0	06.4-25.6
25-34	489	846,902	230	48.0	40.2-55.8	150	33.2	25.8-40.6	109	18.8	12.9-24.7
35-44	676	774,712	260	38.8	32.3-45.3	228	33.4	26.7-40.1	188	27.8	21.7-33.9
45-54	829	690,553	303	36.4	30.7-42.1	292	35.9	30.0-41.8	234	27.7	22.0-33.4
55-64	886	528,799	275	28.3	23.4-33.2	344	38.2	32.7-43.7	267	33.5	28.0-39.0
65+	1380	724,435	552	37.1	33.2-41.0	587	47.8	43.5-52.1	241	15.1	12.4-17.8
Less Than H.S.	501	452,520	145	36.4	26.4-46.4	193	33.6	24.2-43.0	163	30.0	22.0-38.0
H.S. or G.E.D.	1227	1,003,153	436	35.7	30.0-41.4	492	40.9	35.0-46.8	299	23.4	18.3-28.5
Some Post-H.S.	1365	1,199,515	555	42.9	37.4-48.4	466	33.9	29.0-38.8	344	23.2	19.1-27.3
College Graduate	1384	1,423,478	598	42.4	37.7-47.1	518	37.5	32.8-42.2	268	20.1	15.8-24.4
Less than \$15,000	494	329,046				157	30.4	22.2-38.6	152	29.9	21.9-37.9
\$15,000- 24,999	774	524,675	282	38.5	29.9-47.1	290	32.2	25.5-38.9	202	29.3	22.4-36.2
\$25,000- 34,999	542	435,889	199	33.3	25.1-41.5	210	45.4	36.2-54.6	133	21.3	13.9-28.7
\$35,000- 49,999	637	536,359	256	47.5	39.7-55.3	222	31.0	23.6-38.4	159	21.5	15.8-27.2
\$50,000- 74,999	646	656,172	263	40.4	33.7-47.1	248	38.5	31.8-45.2	135	21.1	15.8-26.4
\$75,000+	809	1,075,088	324	38.8	33.1-44.5	316	38.4	32.5-44.3	169	22.8	17.1-28.5

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4618	4,203,755	4384	94.5	92.9-96.1	234	5.5	03.9-07.1
Male	1707	2,057,047	1613	94.1	91.6-96.6	94	5.9	03.4-08.4
Female	2911	2,146,707	2771	94.8	93.2-96.4	140	5.2	03.6-06.8
White/Non-Hisp	3187	2,891,603	3002	93.5	91.5-95.5	185	6.5	04.5-08.5
Black or Afr. Am./Non-Hisp	75	93,869	70	92.1	82.9-0100	5	7.9	00.0-17.1
Oth. Race/Non-Hisp.	223	173,982	212	93.8	86.0-0100	11	6.2	00.0-14.0
Hispanic	1041	967,177	1012	97.9	96.3-99.5	29	2.1	00.5-03.7
18-24	193	505,372	183	88.9	79.3-98.5	10	11.1	01.5-20.7
25-34	506	872,393	483	96.2	94.0-98.4	23	3.8	01.6-06.0
35-44	715	794,035	673	94.7	92.2-97.2	42	5.3	02.8-07.8
45-54	846	695,243	800	94.2	91.5-96.9	46	5.8	03.1-08.5
55-64	913	553,837	858	95.3	93.3-97.3	55	4.7	02.7-06.7
65+	1389	740,890	1332	95.4	93.4-97.4	57	4.6	02.6-06.6
Less Than H.S.	552	486,125	532	95.0	91.7-98.3	20	5.0	01.7-08.3
H.S. or G.E.D.	1247	1,025,385	1187	94.8	91.9-97.7	60	5.2	02.3-08.1
Some Post-H.S.	1391	1,223,984	1303	94.1	91.9-96.3	88	5.9	03.7-08.1
College Graduate	1403	1,448,654	1337	94.3	91.2-97.4	66	5.7	02.6-08.8
Less than \$15,000	510	352,124	481	94.0	89.9-98.1	29	6.0	01.9-10.1
\$15,000- 24,999	802	541,034	768	97.3	96.1-98.5	34	2.7	01.5-03.9
\$25,000- 34,999	541	416,680	521	94.5	90.2-98.8	20	5.5	01.2-09.8
\$35,000- 49,999	645	539,037	603	95.1	92.7-97.5	42	4.9	02.5-07.3
\$50,000- 74,999	649	666,574	610	95.4	92.9-97.9	39	4.6	02.1-07.1
\$75,000+	818	1,075,260	770	91.1	86.4-95.8	48	8.9	04.2-13.6

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1378	725,633	926	66.5	62.2-70.8	452	33.5	29.2-37.8
Male	543	316,611	351	63.3	56.6-70.0	192	36.7	30.0-43.4
Female	835	409,021	575	69.0	63.3-74.7	260	31.0	25.3-36.7
White/Non-Hisp	1137	630,871	800	69.4	64.9-73.9	337	30.6	26.1-35.1
65+	1378	725,633	926	66.5	62.2-70.8	452	33.5	29.2-37.8
H.S. or G.E.D.	420	199,724	298	66.6	58.4-74.8	122	33.4	25.2-41.6
Some Post-H.S.	393	207,725	264	72.9	66.4-79.4	129	27.1	20.6-33.6
College Graduate	379	240,370	263	67.0	59.6-74.4	116	33.0	25.6-40.4
\$15,000- 24,999	274	114,826	187	71.0	62.0-80.0	87	29.0	20.0-38.0
\$25,000- 34,999	191	92,667	128	74.0	65.0-83.0	63	26.0	17.0-35.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4684	4,284,793	4362	91.7	89.9-93.5	322	8.3	06.5-10.1
Male	1761	2,127,471	1591	88.3	85.0-91.6	170	11.7	08.4-15.0
Female	2923	2,157,322	2771	95.0	93.4-96.6	152	5.0	03.4-06.6
White/Non-Hisp	3234	2,947,448	3025	92.4	90.2-94.6	209	7.6	05.4-09.8
Black or Afr. Am./Non-Hisp	76	93,305	74	99.2	97.8-0100	2	0.8	00.0-02.2
Oth. Race/Non-Hisp.	225	182,402	206	93.1	88.4-97.8	19	6.9	02.2-11.6
Hispanic	1056	991,323	967	88.4	83.9-92.9	89	11.6	07.1-16.1
18-24	199	529,354	169	82.8	73.2-92.4	30	17.2	07.6-26.8
25-34	517	890,157	478	90.8	86.3-95.3	39	9.2	04.7-13.7
35-44	721	805,848	655	90.9	87.0-94.8	66	9.1	05.2-13.0
45-54	855	714,078	805	94.5	91.6-97.4	50	5.5	02.6-08.4
55-64	925	557,214	861	92.8	89.7-95.9	64	7.2	04.1-10.3
65+	1412	745,416	1342	96.1	94.5-97.7	70	3.9	02.3-05.5
Less Than H.S.	560	498,468	501	80.6	72.6-88.6	59	19.4	11.4-27.4
H.S. or G.E.D.	1255	1,057,793	1157	90.9	87.6-94.2	98	9.1	05.8-12.4
Some Post-H.S.	1414	1,237,895	1320	94.0	91.6-96.4	94	6.0	03.6-08.4
College Graduate	1426	1,462,408	1358	94.5	91.4-97.6	68	5.5	02.4-08.6
Less than \$15,000	515	348,520	472	91.8	87.1-96.5	43	8.2	03.5-12.9
\$15,000- 24,999	808	558,892	733	87.7	82.8-92.6	75	12.3	07.4-17.2
\$25,000- 34,999	554	450,451	506	82.8	74.4-91.2	48	17.2	08.8-25.6
\$35,000- 49,999	651	543,083	618	94.6	91.9-97.3	33	5.4	02.7-08.1
\$50,000- 74,999	657	670,635	613	92.6	89.1-96.1	44	7.4	03.9-10.9
\$75,000+	828	1,093,878	789	95.0	90.9-99.1	39	5.0	00.9-09.1

NOTE:
 % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1955	1,627,550	1608	84.1	81.0-87.2	347	15.9	12.8-19.0
White/Non-Hisp	1236	1,064,680	1011	87.4	84.5-90.3	225	12.6	09.7-15.5
Hispanic	548	433,998	459	79.7	72.1-87.3	89	20.3	12.7-27.9
25-34	320	392,939	286	88.9	83.4-94.4	34	11.1	05.6-16.6
35-44	417	347,645	368	87.8	82.7-92.9	49	12.2	07.1-17.3
45-54	367	271,298	327	89.4	82.7-96.1	40	10.6	03.9-17.3
55-64	350	176,874	287	85.5	78.1-92.9	63	14.5	07.1-21.9
65+	379	180,244	249	71.2	63.0-79.4	130	28.8	20.6-37.0
Less Than H.S.	259	207,063	196	80.2	70.6-89.8	63	19.8	10.2-29.4
H.S. or G.E.D.	517	397,202	402	70.2	61.4-79.0	115	29.8	21.0-38.6
Some Post-H.S.	595	491,930	493	86.8	82.1-91.5	102	13.2	08.5-17.9
College Graduate	576	525,428	512	93.6	90.9-96.3	64	6.4	03.7-09.1
\$15,000- 24,999	350	222,441	266	76.1	67.5-84.7	84	23.9	15.3-32.5
\$25,000- 34,999	223	143,993	184	87.3	80.4-94.2	39	12.7	05.8-19.6
\$35,000- 49,999	284	264,003	239	81.7	72.5-90.9	45	18.3	09.1-27.5
\$50,000- 74,999	256	245,022	231	94.8	91.3-98.3	25	5.2	01.7-08.7
\$75,000+	324	365,367	302	92.6	86.9-98.3	22	7.4	01.7-13.1

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3123	3,412,987	1033	33.9	30.8-37.0	2090	66.1	63.0-69.2
Male	1141	1,727,845	385	31.7	26.8-36.6	756	68.3	63.4-73.2
Female	1982	1,685,142	648	36.1	32.0-40.2	1334	63.9	59.8-68.0
White/Non-Hisp	1975	2,221,636	649	32.9	29.2-36.6	1326	67.1	63.4-70.8
Hispanic	850	912,904	277	35.1	27.8-42.4	573	64.9	57.6-72.2
25-34	507	881,296	231	37.5	30.4-44.6	276	62.5	55.4-69.6
35-44	705	789,653	310	46.1	39.4-52.8	395	53.9	47.2-60.6
45-54	829	692,393	246	28.4	23.1-33.7	583	71.6	66.3-76.9
55-64	887	530,258	177	15.9	12.0-19.8	710	84.1	80.2-88.0
Less Than H.S.	368	418,283	112	31.7	22.1-41.3	256	68.3	58.7-77.9
H.S. or G.E.D.	788	826,058	223	33.8	26.5-41.1	565	66.2	58.9-73.5
Some Post-H.S.	969	992,883	339	33.2	27.7-38.7	630	66.8	61.3-72.3
College Graduate	983	1,159,209	357	35.6	30.3-40.9	626	64.4	59.1-69.7
Less than \$15,000	320	253,842	116	29.5	20.3-38.7	204	70.5	61.3-79.7
\$15,000- 24,999	519	431,629	172	29.7	21.9-37.5	347	70.3	62.5-78.1
\$35,000- 49,999	447	432,699	146	32.2	23.0-41.4	301	67.8	58.6-77.0
\$50,000- 74,999	504	569,735	161	28.2	21.9-34.5	343	71.8	65.5-78.1
\$75,000+	677	972,706	228	36.6	30.3-42.9	449	63.4	57.1-69.7

NOTE:
% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

AZ1_1. WHICH OF THE FOLLOWING BEST DESCRIBES THE WATER THAT YOU DRINK AT HOME MOST OFTEN?

		Unfiltered Tap Water		Filtered Tap Water		Bottled Or Vended Water		Water From Another Source	
		Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	15.0	378	40.2	608	38.5	548	6.3	137
	Female	14.3	582	35.9	964	43.5	1026	6.3	198
AGE GROUPS	18 to 24	11.8	31	32.6	63	49.8	84	5.8	13
	25 to 34	7.2	67	35.4	155	51.1	240	6.4	25
	35 to 44	14.3	102	39.0	245	43.7	282	3.0	43
	45 to 54	14.8	190	35.3	268	40.6	326	9.3	67
	55 to 64	18.5	230	38.0	304	38.0	294	5.6	65
	65 or older	23.1	340	46.9	537	22.4	348	7.6	122
	LEVEL OF EDUCATION	< High School	12.8	81	23.0	138	56.6	251	7.7
	High School	14.0	234	32.1	396	44.9	448	9.0	107
	Some College or Tech School	14.8	309	42.8	485	37.7	455	4.7	99
	College or Tech School	15.1	328	43.6	545	36.0	409	5.4	90
	DK/NS/Refused	37.1	8	22.2	8	40.1	11	.6	1
INCOME LEVELS	< \$25,000	19.0	292	28.1	345	44.4	507	8.5	106
	\$25,000 to < \$35,000	14.9	111	39.9	192	36.6	171	8.6	50
	\$35,000 to < \$50,000	14.9	145	36.5	230	43.6	209	4.9	41
	\$50,000 to < \$75,000	11.8	125	44.0	267	39.4	200	4.8	39
	\$75,000 or more	11.7	161	42.6	316	40.2	275	5.5	44
		DK/NS/Refused	16.2	126	38.0	222	40.1	212	5.7
RACE/ETHNICITY	White only, Non-Hispanic	16.2	760	40.8	1193	37.4	902	5.7	255
	Black only, Non-Hispanic	4.0	7	32.3	21	61.1	42	2.6	1
	Other race, Non-Hispanic	19.5	68	40.6	66	31.1	92	8.7	20
	Hispanic	9.3	113	30.5	277	52.9	524	7.2	54
		DK/NS/Refused	25.4	12	20.8	15	33.1	14	20.7
VETERAN STATUS	Yes	24.5	207	35.9	283	33.7	204	5.9	63
	No	13.0	752	38.3	1286	42.3	1369	6.4	271
		DK/NS/Refused	7.9	1	20.5	1	66.0	1	5.6
Total		14.7	960	38.0	1570	41.1	1574	6.3	335

AZ2_1. HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE A SEIZURE DISORDER OR EPILEPSY?

		Yes		No	
		Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	1.9	30	98.1	1649
	Female	.7	34	99.3	2754
AGE GROUPS	18 to 24	.8	3	99.2	188
	25 to 34	1.6	7	98.4	480
	35 to 44	.4	6	99.6	673
	45 to 54	1.5	15	98.5	836
	55 to 64	2.6	19	97.4	879
	65 or older	1.0	14	99.0	1347
	LEVEL OF EDUCATION	< High School	4.6	12	95.4
High School		.4	13	99.6	1181
Some College or Tech School		.6	14	99.4	1340
College or Tech School		1.6	24	98.4	1355
DK/NS/Refused		.5	1	99.5	27
INCOME LEVELS	< \$25,000	1.7	28	98.3	1233
	\$25,000 to < \$35,000	.3	6	99.7	516
	\$35,000 to < \$50,000	.6	7	99.4	624
	\$50,000 to < \$75,000	1.1	5	98.9	630
	\$75,000 or more	1.0	9	99.0	787
	DK/NS/Refused	2.9	9	97.1	613
RACE/ETHNICITY	White only, Non-Hispanic	1.4	48	98.6	3082
	Black only, Non-Hispanic	3.7	2	96.3	69
	Other race, Non-Hispanic	2.2	5	97.8	242
	Hispanic	.7	9	99.3	962
	DK/NS/Refused			100.0	48
VETERAN STATUS	Yes	2.6	15	97.4	745
	No	1.1	48	98.9	3653
	DK/NS/Refused	5.6	1	94.4	3
Total		1.3	64	98.7	4401

AZ2_2. ARE YOU CURRENTLY TAKING ANY MEDICINE TO CONTROL YOUR SEIZURE DISORDER OR EPILEPSY?

		Yes		No	
		Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	47.1	17	52.9	13
	Female	40.6	11	59.4	23
AGE GROUPS	18 to 24	13.9	1	86.1	2
	25 to 34	23.1	2	76.9	5
	35 to 44	49.9	2	50.1	4
	45 to 54	71.2	8	28.8	7
	55 to 64	73.8	12	26.2	7
	65 or older	9.9	3	90.1	11
	LEVEL OF EDUCATION	< High School	23.6	4	76.4
High School		32.3	5	67.7	8
Some College or Tech School		60.4	7	39.6	7
College or Tech School		63.5	12	36.5	12
DK/NS/Refused				100.0	1
INCOME LEVELS	< \$25,000	50.6	12	49.4	16
	\$25,000 to < \$35,000			100.0	6
	\$35,000 to < \$50,000	34.9	4	65.1	3
	\$50,000 to < \$75,000	69.9	3	30.1	2
	\$75,000 or more	51.1	5	48.9	4
	DK/NS/Refused	32.2	4	67.8	5
	RACE/ETHNICITY	White only, Non-Hispanic	37.6	19	62.4
Black only, Non-Hispanic		82.4	1	17.6	1
Other race, Non-Hispanic		28.4	3	71.6	2
Hispanic		81.9	5	18.1	4
VETERAN STATUS	Yes	61.0	8	39.0	7
	No	39.1	20	60.9	28
	DK/NS/Refused			100.0	1
Total		45.2	28	54.8	36

AZ2_3. HOW MANY SEIZURES OF ANY TYPE HAVE YOU HAD IN THE LAST THREE MONTHS?

		None		One		More Than One		No Longer Have Epilepsy Or Seizure Disorder	
		Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	79.6	20	5.1	2	13.1	5	2.1	2
	Female	60.8	24	1.8	2	32.1	3	5.3	3
AGE GROUPS	18 to 24	100.0	3						
	25 to 34	98.1	5	1.9	2				
	35 to 44	29.6	2	38.6	1			31.8	1
	45 to 54	70.5	10	10.8	1	12.7	2	6.0	2
	55 to 64	43.2	12			55.5	5	1.3	1
	65 or older	90.1	12			8.4	1	1.5	1
LEVEL OF EDUCATION	< High School	99.1	9					.9	1
	High School	66.9	8	5.5	1	9.0	2	18.6	2
	Some College or Tech School	52.7	9	11.7	2	26.7	2	8.9	1
	College or Tech School	58.6	17	5.6	1	35.4	4	.3	1
	DK/NS/Refused	100.0	1						
INCOME LEVELS	< \$25,000	70.6	20	6.6	2	22.0	3	.8	1
	\$25,000 to < \$35,000	51.1	4					48.9	2
	\$35,000 to < \$50,000	83.7	3	2.8	1	5.6	1	7.9	1
	\$50,000 to < \$75,000	33.8	3			66.2	2		
	\$75,000 or more	71.8	6	11.2	1	17.0	2		
	DK/NS/Refused	96.4	8					3.6	1
RACE/ETHNICITY	White only, Non-Hispanic	77.3	36	3.2	1	17.3	5	2.3	3
	Black only, Non-Hispanic					82.4	1	17.6	1
	Other race, Non-Hispanic	78.0	2	17.1	1	2.3	1	2.6	1
	Hispanic	92.7	6	4.1	2	3.2	1		
VETERAN STATUS	Yes	64.0	9	8.1	1	23.8	3	4.1	1
	No	78.3	35	2.7	3	16.4	5	2.6	4
Total		74.3	44	4.2	4	18.5	8	3.0	5

AZ2_4. IN THE PAST YEAR, HAVE YOU SEEN A NEUROLOGIST OR EPILEPSY SPECIALIST FOR YOUR EPILEPSY OR SEIZURE DISORDER?

		Yes		No	
		Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	33.7	9	66.3	18
	Female	46.3	11	53.7	20
AGE GROUPS	18 to 24	30.0	2	70.0	1
	25 to 34	23.1	2	76.9	5
	35 to 44	64.8	2	35.2	2
	45 to 54	53.7	5	46.3	8
	55 to 64	56.7	6	43.3	12
	65 or older	2.1	3	97.9	10
	LEVEL OF EDUCATION	< High School	25.4	5	74.6
High School		51.8	4	48.2	7
Some College or Tech School		12.8	2	87.2	11
College or Tech School		54.1	9	45.9	13
DK/NS/Refused				100.0	1
INCOME LEVELS	< \$25,000	32.4	8	67.6	19
	\$25,000 to < \$35,000	5.1	1	94.9	3
	\$35,000 to < \$50,000	9.1	2	90.9	3
	\$50,000 to < \$75,000	69.9	3	30.1	2
	\$75,000 or more	29.6	1	70.4	8
	DK/NS/Refused	37.6	5	62.4	3
	RACE/ETHNICITY	White only, Non-Hispanic	25.6	12	74.4
Black only, Non-Hispanic		100.0	1		
Other race, Non-Hispanic		29.2	3	70.8	1
Hispanic		81.7	4	18.3	5
VETERAN STATUS	Yes	52.9	3	47.1	10
	No	30.7	16	69.3	28
	DK/NS/Refused	100.0	1		
Total		37.3	20	62.7	38

AZ2_5. DURING THE PAST MONTH, TO WHAT EXTENT HAS EPILEPSY OR ITS TREATMENT INTERFERED WITH YOUR NORMAL ACTIVITIES LIKE WORKING, SCHOOL, OR SOCIALIZING WITH FAMILY OR FRIENDS? WOULD YOU SAY ...

		Not At All		Slightly		Moderately		Quite A Bit		Extremely	
		Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	77.3	20	4.3	3	10.4	3	.6	1	7.5	1
	Female	98.1	29	.9	1			1.0	1		
AGE GROUPS	18 to 24	100.0	3								
	25 to 34	77.4	6			22.6	1				
	35 to 44	100.0	5								
	45 to 54	96.4	11	1.5	1			2.0	1		
	55 to 64	66.8	13	11.1	2	.7	1	1.1	1	20.3	1
	65 or older	91.0	11	.5	1	8.5	1				
	LEVEL OF EDUCATION	< High School	98.5	9	.8	1			.7	1	
High School		88.9	9	4.2	1			6.9	1		
Some College or Tech School		90.0	12			10.0	1				
College or Tech School		65.8	18	6.6	2	14.9	2			12.8	1
DK/NS/Refused		100.0	1								
INCOME LEVELS	< \$25,000	67.8	22	9.7	1	.7	1	2.5	2	19.4	1
	\$25,000 to < \$35,000	94.9	3	5.1	1						
	\$35,000 to < \$50,000	95.4	5	4.6	1						
	\$50,000 to < \$75,000	100.0	5								
	\$75,000 or more	64.6	7			35.4	2				
	DK/NS/Refused	99.0	7	1.0	1						
RACE/ETHNICITY	White only, Non-Hispanic	85.2	38	4.5	4	9.9	2	.4	1		
	Black only, Non-Hispanic									100.0	1
	Other race, Non-Hispanic	97.6	3			2.4	1				
	Hispanic	96.8	8					3.2	1		
VETERAN STATUS	Yes	76.4	11			4.8	2			18.8	1
	No	85.7	37	4.7	4	8.6	1	1.0	2		
	DK/NS/Refused	100.0	1								
Total		83.1	49	3.3	4	7.5	3	.7	2	5.4	1

SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE

		< 1 Per Day Or Never		1 To < 3 Times Per Day		3 To < 5 Times Per Day		5+ Times Per Day	
		Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	7.6	89	34.3	602	36.6	578	21.6	391
	Female	3.0	95	32.8	823	33.8	992	30.4	859
AGE GROUPS	18 to 24	10.4	21	35.5	71	33.7	50	20.5	47
	25 to 34	7.1	23	41.6	198	27.1	138	24.2	125
	35 to 44	3.4	29	36.9	239	34.4	220	25.3	183
	45 to 54	3.9	35	31.3	273	34.5	286	30.3	251
	55 to 64	4.4	41	31.3	289	40.0	329	24.4	232
	65 or older	3.5	35	22.8	355	44.0	547	29.7	412
	LEVEL OF EDUCATION	< High School	7.8	31	51.2	218	22.3	127	18.8
	High School	8.3	74	34.8	395	32.0	420	24.9	298
	Some College or Tech School	4.2	50	31.0	444	38.8	479	25.9	363
	College or Tech School	2.9	24	29.2	362	38.7	536	29.3	450
	DK/NS/Refused	21.8	5	22.0	6	36.9	8	19.3	7
INCOME LEVELS	< \$25,000	6.3	72	33.4	427	34.3	406	26.1	346
	\$25,000 to < \$35,000	5.9	22	40.8	186	34.5	188	18.8	123
	\$35,000 to < \$50,000	3.5	23	33.1	206	33.6	231	29.8	167
	\$50,000 to < \$75,000	4.4	17	28.7	178	42.9	262	24.0	172
	\$75,000 or more	3.9	17	34.9	247	32.7	277	28.5	248
		DK/NS/Refused	8.5	33	31.7	181	34.6	206	25.2
RACE/ETHNICITY	White only, Non-Hispanic	4.1	112	33.3	958	36.2	1153	26.4	886
	Black only, Non-Hispanic	4.1	2	24.6	19	46.4	27	24.9	18
	Other race, Non-Hispanic	3.5	8	29.0	87	33.2	65	34.3	84
	Hispanic	9.5	60	35.7	344	31.7	310	23.1	248
		DK/NS/Refused	4.4	2	39.3	17	30.6	15	25.6
VETERAN STATUS	Yes	5.7	32	32.2	247	38.3	287	23.8	184
	No	5.2	151	33.7	1176	34.7	1281	26.3	1065
		DK/NS/Refused	20.5	1	73.9	2	5.6	1	
Total		5.3	184	33.6	1425	35.2	1569	25.9	1249

CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY

		Consume < 5 Times Per Day		Consume 5 Or More Times Per Day	
		Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	78.4	1269	21.6	391
	Female	69.6	1910	30.4	859
AGE GROUPS	18 to 24	79.5	142	20.5	47
	25 to 34	75.8	359	24.2	125
	35 to 44	74.7	488	25.3	183
	45 to 54	69.7	594	30.3	251
	55 to 64	75.6	659	24.4	232
	65 or older	70.3	937	29.7	412
	LEVEL OF EDUCATION	< High School	81.2	376	18.8
High School		75.1	889	24.9	298
Some College or Tech School		74.1	973	25.9	363
College or Tech School		70.7	922	29.3	450
DK/NS/Refused		80.7	19	19.3	7
INCOME LEVELS	< \$25,000	73.9	905	26.1	346
	\$25,000 to < \$35,000	81.2	396	18.8	123
	\$35,000 to < \$50,000	70.2	460	29.8	167
	\$50,000 to < \$75,000	76.0	457	24.0	172
	\$75,000 or more	71.5	541	28.5	248
	DK/NS/Refused	74.8	420	25.2	194
RACE/ETHNICITY	White only, Non-Hispanic	73.6	2223	26.4	886
	Black only, Non-Hispanic	75.1	48	24.9	18
	Other race, Non-Hispanic	65.7	160	34.3	84
	Hispanic	76.9	714	23.1	248
	DK/NS/Refused	74.4	34	25.6	14
VETERAN STATUS	Yes	76.2	566	23.8	184
	No	73.7	2608	26.3	1065
	DK/NS/Refused	100.0	4		
Total		74.1	3178	25.9	1249

3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY.

		Meet Objective		Insufficient Activity		No Activity	
		Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	34.9	640	48.9	710	16.2	232
	Female	41.4	1047	43.1	1123	15.5	441
AGE GROUPS	18 to 24	34.9	61	43.1	83	22.0	36
	25 to 34	40.8	199	42.7	198	16.5	63
	35 to 44	37.8	255	50.9	313	11.3	80
	45 to 54	37.2	353	50.0	361	12.8	100
	55 to 64	36.7	344	49.0	370	14.3	134
	65 or older	39.6	475	40.7	508	19.6	260
	LEVEL OF EDUCATION	< High School	34.0	163	36.1	178	29.9
High School		33.9	409	49.2	491	16.9	207
Some College or Tech School		37.5	534	44.3	545	18.2	199
College or Tech School		42.9	574	48.2	607	8.9	136
DK/NS/Refused		42.2	7	47.7	12	10.1	6
INCOME LEVELS	< \$25,000	36.8	440	42.7	470	20.5	266
	\$25,000 to < \$35,000	31.8	198	44.0	215	24.2	85
	\$35,000 to < \$50,000	35.8	239	44.7	283	19.5	81
	\$50,000 to < \$75,000	37.2	267	48.7	277	14.0	60
	\$75,000 or more	42.8	350	51.8	356	5.4	57
	DK/NS/Refused	39.3	193	39.8	232	20.9	124
	RACE/ETHNICITY	White only, Non-Hispanic	38.6	1225	48.7	1314	12.6
Black only, Non-Hispanic		32.3	17	53.1	38	14.6	7
Other race, Non-Hispanic		40.0	88	44.4	97	15.6	48
Hispanic		36.2	339	37.1	368	26.7	202
DK/NS/Refused		44.6	18	46.9	16	8.5	10
VETERAN STATUS	Yes	38.3	290	48.5	319	13.2	113
	No	38.2	1397	45.6	1511	16.2	558
	DK/NS/Refused			77.8	2	22.2	1
Total		38.2	1687	46.0	1832	15.8	672

3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY.

		Meet Objective		Insufficient Activity		No Activity	
		Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	35.5	509	20.6	325	43.9	760
	Female	27.5	644	17.5	404	54.9	1632
AGE GROUPS	18 to 24	36.1	72	24.0	38	39.9	68
	25 to 34	42.8	188	19.8	89	37.4	194
	35 to 44	35.4	211	19.4	139	45.2	304
	45 to 54	30.3	245	23.8	179	45.9	394
	55 to 64	22.8	205	16.5	147	60.7	516
	65 or older	18.4	232	11.5	137	70.0	916
	LEVEL OF EDUCATION	< High School	19.1	76	12.2	58	68.7
	High School	26.8	269	18.5	175	54.7	692
	Some College or Tech School	32.7	358	18.1	223	49.2	711
	College or Tech School	37.6	445	22.7	269	39.7	620
	DK/NS/Refused	44.3	5	6.7	4	49.0	16
INCOME LEVELS	< \$25,000	26.2	247	13.1	162	60.7	791
	\$25,000 to < \$35,000	29.3	130	12.8	74	57.9	305
	\$35,000 to < \$50,000	27.3	162	27.0	127	45.7	325
	\$50,000 to < \$75,000	34.8	208	20.7	114	44.5	287
	\$75,000 or more	40.6	288	23.9	186	35.5	297
	DK/NS/Refused	24.1	118	14.2	66	61.6	387
	RACE/ETHNICITY	White only, Non-Hispanic	32.0	813	20.8	536	47.2
	Black only, Non-Hispanic	47.3	21	2.7	6	50.0	33
	Other race, Non-Hispanic	35.2	77	29.3	51	35.5	110
	Hispanic	28.4	231	13.6	133	58.0	567
	DK/NS/Refused	17.0	11	3.8	3	79.1	32
VETERAN STATUS	Yes	28.0	197	14.1	118	57.8	406
	No	32.0	953	19.9	610	48.1	1984
	DK/NS/Refused	73.9	2	5.6	1	20.5	1
Total		31.5	1152	19.1	729	49.5	2391

5 LEVEL PHYSICAL ACTIVITY CATEGORY.

		Meet Both		Vigorous Only		Moderate Only		Insufficient Activity for Either Moderate or Vigorous		No Activity	
		Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	18.2	283	17.4	226	16.9	357	35.7	521	11.8	184
	Female	18.7	387	9.8	257	23.0	660	34.4	908	14.2	395
AGE GROUPS	18 to 24	19.2	35	16.3	37	15.9	26	30.8	53	17.8	28
	25 to 34	27.2	114	16.9	74	14.2	85	29.5	141	12.2	47
	35 to 44	20.4	113	15.4	98	17.6	142	37.8	226	8.8	67
	45 to 54	14.4	146	16.1	99	22.9	207	36.9	285	9.6	76
	55 to 64	15.4	131	8.2	74	21.3	213	42.2	308	12.9	120
	65 or older	11.8	131	7.3	101	28.2	344	34.5	416	18.1	241
LEVEL OF EDUCATION	< High School	11.7	40	8.7	36	21.7	123	31.7	160	26.2	108
	High School	14.3	140	13.1	129	19.9	269	39.9	390	12.8	178
	Some College or Tech School	19.0	219	13.8	139	19.3	315	33.1	422	14.8	172
	College or Tech School	23.0	268	15.0	177	19.9	306	34.7	448	7.4	115
	DK/NS/Refused	19.8	3	32.8	2	22.7	4	14.5	9	10.2	6
INCOME LEVELS	< \$25,000	13.6	137	13.4	110	23.9	303	32.0	381	17.1	239
	\$25,000 to < \$35,000	12.9	73	16.8	57	18.5	125	31.2	173	20.5	74
	\$35,000 to < \$50,000	16.9	92	10.7	70	18.5	147	39.3	225	14.5	68
	\$50,000 to < \$75,000	20.3	126	14.6	82	17.6	141	35.6	204	12.0	51
	\$75,000 or more	25.4	175	15.9	113	17.6	175	38.0	261	3.1	39
	DK/NS/Refused	16.1	67	8.9	51	23.7	126	32.1	185	19.3	108
RACE/ETHNICITY	White only, Non-Hispanic	19.4	495	13.3	318	19.5	730	37.3	1030	10.5	359
	Black only, Non-Hispanic	26.3	9	21.0	12	7.2	8	30.3	24	15.1	7
	Other race, Non-Hispanic	17.1	41	18.8	36	22.9	47	29.2	73	12.0	36
	Hispanic	15.6	119	13.1	112	20.8	220	29.4	290	21.1	168
	DK/NS/Refused	7.9	6	9.3	5	36.7	12	38.2	12	7.8	9
VETERAN STATUS	Yes	18.8	121	9.4	76	20.0	169	42.4	252	9.3	95
	No	18.5	549	14.2	404	20.0	848	33.9	1176	13.5	482
	DK/NS/Refused			73.9	2			5.6	1	20.5	1
Total		18.5	670	13.6	482	20.0	1017	35.1	1429	12.9	578

ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS

		Meet Physical Activity Recommendations		Insufficient Physical Activity		No Physical Activity		
		Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count	
GENDER	Male	52.6	866	35.7	521	11.8	184	
	Female	51.4	1304	34.4	908	14.2	395	
AGE GROUPS	18 to 24	51.4	98	30.8	53	17.8	28	
	25 to 34	58.3	273	29.5	141	12.2	47	
	35 to 44	53.4	353	37.8	226	8.8	67	
	45 to 54	53.4	452	36.9	285	9.6	76	
	55 to 64	44.9	418	42.2	308	12.9	120	
	65 or older	47.3	576	34.5	416	18.1	241	
	LEVEL OF EDUCATION	< High School	42.1	199	31.7	160	26.2	108
		High School	47.3	538	39.9	390	12.8	178
	Some College or Tech School	52.1	673	33.1	422	14.8	172	
	College or Tech School	57.9	751	34.7	448	7.4	115	
	DK/NS/Refused	75.3	9	14.5	9	10.2	6	
INCOME LEVELS	< \$25,000	50.9	550	32.0	381	17.1	239	
	\$25,000 to < \$35,000	48.2	255	31.2	173	20.5	74	
	\$35,000 to < \$50,000	46.2	309	39.3	225	14.5	68	
	\$50,000 to < \$75,000	52.4	349	35.6	204	12.0	51	
	\$75,000 or more	58.9	463	38.0	261	3.1	39	
	DK/NS/Refused	48.6	244	32.1	185	19.3	108	
	RACE/ETHNICITY	White only, Non-Hispanic	52.2	1543	37.3	1030	10.5	359
Black only, Non-Hispanic		54.6	29	30.3	24	15.1	7	
Other race, Non-Hispanic		58.8	124	29.2	73	12.0	36	
Hispanic		49.5	451	29.4	290	21.1	168	
DK/NS/Refused		53.9	23	38.2	12	7.8	9	
VETERAN STATUS		Yes	48.3	366	42.4	252	9.3	95
	No	52.6	1801	33.9	1176	13.5	482	
	DK/NS/Refused	73.9	2	5.6	1	20.5	1	
	Total	52.0	2169	35.1	1429	12.9	578	

AZ5_1. DO YOU CURRENTLY TAKE ANY MULTIVITAMINS OR SUPPLEMENTS THAT CONTAIN FOLIC ACID?

		Yes		No	
		Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	42.5	680	57.5	812
	Female	51.1	1407	48.9	1145
AGE GROUPS	18 to 24	32.7	54	67.3	121
	25 to 34	36.6	186	63.4	275
	35 to 44	46.1	280	53.9	351
	45 to 54	49.6	409	50.4	388
	55 to 64	57.4	447	42.6	368
	65 or older	60.5	711	39.5	454
	LEVEL OF EDUCATION	< High School	27.5	157	72.5
High School		34.1	487	65.9	585
Some College or Tech School		54.1	684	45.9	540
College or Tech School		57.2	754	42.8	503
DK/NS/Refused		11.1	5	88.9	18
INCOME LEVELS	< \$25,000	41.5	512	58.5	628
	\$25,000 to < \$35,000	40.1	244	59.9	235
	\$35,000 to < \$50,000	45.8	305	54.2	268
	\$50,000 to < \$75,000	53.9	339	46.1	242
	\$75,000 or more	53.9	405	46.1	322
	DK/NS/Refused	40.6	282	59.4	262
RACE/ETHNICITY	White only, Non-Hispanic	52.7	1627	47.3	1194
	Black only, Non-Hispanic	35.7	27	64.3	34
	Other race, Non-Hispanic	38.4	84	61.6	142
	Hispanic	32.0	326	68.0	566
	DK/NS/Refused	36.9	23	63.1	21
VETERAN STATUS	Yes	46.2	337	53.8	331
	No	46.9	1747	53.1	1623
	DK/NS/Refused	86.5	2	13.5	2
Total		46.9	2086	53.1	1956

AZ5_3. SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B-VITAMIN FOLIC ACID EVERY DAY. THEY RECOMMEND THIS FOR WHICH ONE OF THE FOLLOWING REASONS?

		To Make Strong Bones		To Prevent Birth Defects		To Prevent High Blood Pressure		Some Other Reason	
		Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	30.4	265	29.7	213	14.8	115	25.1	219
	Female	27.8	552	44.0	709	7.3	143	20.8	376
AGE GROUPS	18 to 24	34.1	36	28.1	47	13.9	14	23.9	35
	25 to 34	26.6	88	50.3	174	6.5	19	16.6	51
	35 to 44	19.4	118	55.4	231	6.5	23	18.8	71
	45 to 54	24.3	144	37.7	215	11.4	57	26.6	117
	55 to 64	37.2	167	24.5	136	13.2	62	25.0	141
	65 or older	38.2	264	18.2	119	15.2	83	28.4	180
	LEVEL OF EDUCATION	< High School	44.9	130	25.9	55	11.3	38	17.9
	High School	34.7	249	23.9	168	10.6	74	30.8	168
	Some College or Tech School	27.5	226	35.6	280	14.1	81	22.8	192
	College or Tech School	21.7	206	53.8	417	7.4	64	17.2	184
	DK/NS/Refused	32.6	6	5.4	2	2.9	1	59.1	4
INCOME LEVELS	< \$25,000	30.6	280	26.8	181	12.8	85	29.8	170
	\$25,000 to < \$35,000	34.9	119	29.6	102	14.5	33	20.9	67
	\$35,000 to < \$50,000	33.5	108	39.3	153	6.4	39	20.8	79
	\$50,000 to < \$75,000	24.8	98	39.7	153	12.0	39	23.5	101
	\$75,000 or more	20.2	101	54.1	248	6.6	28	19.2	102
		DK/NS/Refused	39.9	111	26.0	85	14.0	34	20.2
RACE/ETHNICITY	White only, Non-Hispanic	24.1	498	43.1	680	10.1	175	22.7	441
	Black only, Non-Hispanic	50.7	20	12.7	12	6.2	5	30.4	4
	Other race, Non-Hispanic	24.8	43	19.5	41	17.8	19	37.9	41
	Hispanic	42.8	251	27.9	183	10.7	56	18.6	104
		DK/NS/Refused	56.8	5	13.8	6	12.5	3	16.9
VETERAN STATUS	Yes	32.7	115	29.6	80	12.6	40	25.0	103
	No	28.2	700	39.1	842	10.3	218	22.4	490
		DK/NS/Refused	83.0	1					17.0
Total		28.8	816	37.9	922	10.6	258	22.7	595

AZ6_1. HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD EMPHYSEMA?

		Yes		No	
		Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	1.9	60	98.1	1570
	Female	1.2	59	98.8	2654
AGE GROUPS	18 to 24	.2	1	99.8	181
	25 to 34			100.0	472
	35 to 44	1.2	6	98.8	643
	45 to 54	.8	10	99.2	824
	55 to 64	2.8	24	97.2	854
	65 or older	4.7	78	95.3	1250
	LEVEL OF EDUCATION	< High School	1.7	18	98.3
High School		1.6	27	98.4	1129
Some College or Tech School		1.9	48	98.1	1265
College or Tech School		1.3	25	98.7	1328
DK/NS/Refused		.8	1	99.2	25
INCOME LEVELS	< \$25,000	2.4	51	97.6	1171
	\$25,000 to < \$35,000	1.7	17	98.3	497
	\$35,000 to < \$50,000	1.4	12	98.6	604
	\$50,000 to < \$75,000	1.3	12	98.7	608
	\$75,000 or more	.8	5	99.2	767
	DK/NS/Refused	2.1	22	97.9	577
	RACE/ETHNICITY	White only, Non-Hispanic	2.0	105	98.0
Black only, Non-Hispanic		3.2	3	96.8	60
Other race, Non-Hispanic		1.2	4	98.8	236
Hispanic		.3	7	99.7	922
DK/NS/Refused				100.0	45
VETERAN STATUS	Yes	2.9	42	97.1	695
	No	1.4	77	98.6	3523
	DK/NS/Refused			100.0	4
Total		1.6	119	98.4	4222

AZ6_2. HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD CHRONIC BRONCHITIS?

		Yes		No	
		Row %	Unweighted Count	Row %	Unweighted Count
GENDER	Male	5.5	97	94.5	1534
	Female	10.1	268	89.9	2443
AGE GROUPS	18 to 24	6.9	13	93.1	168
	25 to 34	3.8	20	96.2	452
	35 to 44	8.1	46	91.9	607
	45 to 54	9.6	64	90.4	770
	55 to 64	9.2	88	90.8	790
	65 or older	10.0	134	90.0	1190
	LEVEL OF EDUCATION	< High School	9.4	49	90.6
High School		9.4	109	90.6	1049
Some College or Tech School		8.4	124	91.6	1185
College or Tech School		5.7	81	94.3	1267
DK/NS/Refused		1.2	2	98.8	24
INCOME LEVELS	< \$25,000	11.1	133	88.9	1095
	\$25,000 to < \$35,000	9.0	53	91.0	461
	\$35,000 to < \$50,000	5.2	38	94.8	576
	\$50,000 to < \$75,000	6.5	40	93.5	580
	\$75,000 or more	6.7	46	93.3	723
	DK/NS/Refused	7.6	55	92.4	542
RACE/ETHNICITY	White only, Non-Hispanic	8.4	289	91.6	2763
	Black only, Non-Hispanic	6.6	5	93.4	58
	Other race, Non-Hispanic	13.5	22	86.5	220
	Hispanic	4.8	44	95.2	896
	DK/NS/Refused	5.1	5	94.9	40
VETERAN STATUS	Yes	5.7	54	94.3	683
	No	8.2	310	91.8	3289
	DK/NS/Refused	5.6	1	94.4	3
Total		7.8	365	92.2	3975

2006 ARIZONA BRFSS QUESTIONS LISTING

CORE SECTIONS

- 1: Health Status
- 2: Healthy Days – Health-related Quality of Life
- 3: Health Care Access
- 4: Exercise
- 5: Diabetes
- 6: Oral Health
- 7: Cardiovascular Disease Prevalence
- 8: Asthma
- 9: Disability
- 10: Tobacco Use
- 11: Demographics
- 12: Veteran's Status
- 13: Alcohol Consumption
- 14: Immunization
- 15: Falls
- 16: Seatbelt Use
- 17: Drinking and Driving
- 18: Women's Health
- 19: Prostate Cancer Screening
- 20: Colorectal Cancer Screening
- 21: Emotional Support & Life Satisfaction

OPTIONAL MODULES

- 1: Random Child Selection
- 3: Childhood Asthma Prevalence
- 5: Visual Impairment and Access to Eye Care
- 8: Family Planning
- 10: Secondhand Smoke Policy
- 11: Indoor Air Quality
- 17: General Preparedness (partial year)

STATE ADDED QUESTIONS

- 1: Oral Health
- 2: Epilepsy
- 3: Fruits and Vegetables
- 4: Physical Activity
- 5: Folic Acid
- 6: COPD
- 7: Emergency Preparedness (partial year)

2006 ARIZONA QUESTIONNAIRE

<p>Section 1: Health Status</p> <p>1.1. Would you say that in general your health is:</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Excellent</td><td style="text-align: right;">1</td></tr> <tr><td>Very good</td><td style="text-align: right;">2</td></tr> <tr><td>Good</td><td style="text-align: right;">3</td></tr> <tr><td>Fair</td><td style="text-align: right;">4</td></tr> <tr><td>Poor</td><td style="text-align: right;">5</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Excellent	1	Very good	2	Good	3	Fair	4	Poor	5	Don't know/Not sure	7	Refused	9	<p>3.3. Was there a time in the past 12 months when you needed to see a doctor but could not because of the cost?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9
Excellent	1																						
Very good	2																						
Good	3																						
Fair	4																						
Poor	5																						
Don't know/Not sure	7																						
Refused	9																						
Yes	1																						
No	2																						
Don't know/Not sure	7																						
Refused	9																						
<p>Section 2: Healthy Days</p> <p>2.1. Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Number of days</td><td style="text-align: right;">_____</td></tr> <tr><td>None</td><td style="text-align: right;">8 8</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7 7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9</td></tr> </table>	Number of days	_____	None	8 8	Don't know/Not sure	7 7	Refused	9 9	<p>3.4. About how long has it been since you last visited a doctor for a routine checkup? A routine checkup is a general physical exam, not an exam for a specific injury, illness or condition.</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Within past yr (1-12 months ago)</td><td style="text-align: right;">1</td></tr> <tr><td>Within past 2 yrs (1-2 yrs ago)</td><td style="text-align: right;">2</td></tr> <tr><td>Within past 5 yrs (2-5 yrs ago)</td><td style="text-align: right;">3</td></tr> <tr><td>5 or more years ago</td><td style="text-align: right;">4</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Never</td><td style="text-align: right;">8</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Within past yr (1-12 months ago)	1	Within past 2 yrs (1-2 yrs ago)	2	Within past 5 yrs (2-5 yrs ago)	3	5 or more years ago	4	Don't know/Not sure	7	Never	8	Refused	9
Number of days	_____																						
None	8 8																						
Don't know/Not sure	7 7																						
Refused	9 9																						
Within past yr (1-12 months ago)	1																						
Within past 2 yrs (1-2 yrs ago)	2																						
Within past 5 yrs (2-5 yrs ago)	3																						
5 or more years ago	4																						
Don't know/Not sure	7																						
Never	8																						
Refused	9																						
<p>2.2. Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Number of days</td><td style="text-align: right;">_____</td></tr> <tr><td>None</td><td style="text-align: right;">8 8</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7 7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9</td></tr> </table>	Number of days	_____	None	8 8	Don't know/Not sure	7 7	Refused	9 9	<p>Section 4: Exercise</p> <p>4.1. During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9						
Number of days	_____																						
None	8 8																						
Don't know/Not sure	7 7																						
Refused	9 9																						
Yes	1																						
No	2																						
Don't know/Not sure	7																						
Refused	9																						
<p>2.3. During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Number of days</td><td style="text-align: right;">_____</td></tr> <tr><td>None</td><td style="text-align: right;">8 8</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7 7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9 9</td></tr> </table>	Number of days	_____	None	8 8	Don't know/Not sure	7 7	Refused	9 9	<p>Section 5: Diabetes</p> <p>5.1. Have you ever been told by a doctor that you have diabetes?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>Yes, only during pregnancy</td><td style="text-align: right;">2</td></tr> <tr><td>No</td><td style="text-align: right;">3</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	Yes, only during pregnancy	2	No	3	Don't know/Not sure	7	Refused	9				
Number of days	_____																						
None	8 8																						
Don't know/Not sure	7 7																						
Refused	9 9																						
Yes	1																						
Yes, only during pregnancy	2																						
No	3																						
Don't know/Not sure	7																						
Refused	9																						
<p>Section 3: Health Care Access</p> <p>Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>Section 6: Oral Health</p> <p>6.1. How long has it been since you last visited a dentist or a dental clinic for any reason?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>< 12 months ago</td><td style="text-align: right;">1</td></tr> <tr><td>1 yr but < 2 yrs ago</td><td style="text-align: right;">2</td></tr> <tr><td>2 yrs but < 5 yrs ago</td><td style="text-align: right;">3</td></tr> <tr><td>5+ yrs ago</td><td style="text-align: right;">4</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Never</td><td style="text-align: right;">8</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	< 12 months ago	1	1 yr but < 2 yrs ago	2	2 yrs but < 5 yrs ago	3	5+ yrs ago	4	Don't know/Not sure	7	Never	8	Refused	9
Yes	1																						
No	2																						
Don't know/Not sure	7																						
Refused	9																						
< 12 months ago	1																						
1 yr but < 2 yrs ago	2																						
2 yrs but < 5 yrs ago	3																						
5+ yrs ago	4																						
Don't know/Not sure	7																						
Never	8																						
Refused	9																						
<p>3.2. How long has it been since you had your teeth cleaned by a dentist or dental hygienist?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>Yes, only one</td><td style="text-align: right;">1</td></tr> <tr><td>More than one</td><td style="text-align: right;">2</td></tr> <tr><td>No</td><td style="text-align: right;">3</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes, only one	1	More than one	2	No	3	Don't know/Not sure	7	Refused	9	<p>6.2. How many of your permanent teeth have been removed because of tooth decay or gum disease?</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td>1 to 5</td><td style="text-align: right;">1</td></tr> <tr><td>6 or more but not all</td><td style="text-align: right;">2</td></tr> <tr><td>All</td><td style="text-align: right;">3</td></tr> <tr><td>None</td><td style="text-align: right;">8</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	1 to 5	1	6 or more but not all	2	All	3	None	8	Don't know/Not sure	7	Refused	9
Yes, only one	1																						
More than one	2																						
No	3																						
Don't know/Not sure	7																						
Refused	9																						
1 to 5	1																						
6 or more but not all	2																						
All	3																						
None	8																						
Don't know/Not sure	7																						
Refused	9																						

2006 ARIZONA QUESTIONNAIRE

<p>6.3. How long has it been since you last visited a dentist or a dental clinic for any reason?</p> <p>< 12 months ago 1</p> <p>1 yr but < 2 yrs ago 2</p> <p>2 yrs but < 5 yrs ago 3</p> <p>5+ yrs ago 4</p> <p>Don't know/Not sure 7</p> <p>Never 8</p> <p>Refused 9</p>	<p>9.2. Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>Section 7: Cardiovascular Disease Prevalence</p> <p>Has a doctor, nurse, or other health professional EVER told you that you had any of the following?</p> <p>7.1. (Ever told) you had a heart attack, also called a myocardial infarction?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>Section 10: Tobacco Use</p> <p>10.1. Have you smoked at least 100 cigarettes in your entire life?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>7.2. (Ever told) you had angina or coronary heart disease?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>10.2. Do you now smoke cigarettes every day, some days, or not at all?</p> <p>Every day 1</p> <p>Some days 2</p> <p>Not at all 3</p> <p>Refused 9</p>
<p>7.3. (Ever told) you had a stroke?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>10.3. During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>Section 8: Asthma</p> <p>8.1. Have you ever been told by a doctor, nurse, or other health professional that you had asthma?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>Section 11: Demographics</p> <p>11.1. What is your age</p> <p>Code age in years</p> <p>Don't know/Not sure 0 7</p> <p>Refused 0 9</p>
<p>8.2. Do you still have asthma?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>11.2. Are you Hispanic or Latino?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>Section 9: Disability</p> <p>9.1. Are you limited in any way in any activities because of physical, mental, or emotional problems?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>11.3. Which one or more of the following would you say is your race?</p> <p>White 1</p> <p>Black/African American 2</p> <p>Asian 3</p> <p>Native Hawaiian/Other Pacific Islander 4</p> <p>American Indian, Alaska Native 5</p> <p>Other 6</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>

2006 ARIZONA QUESTIONNAIRE

<p>11.4. Which one of these groups would you say best represents your race?</p> <p>White 1 Black/African American 2 Asian 3 Native Hawaiian/Other Pacific Islander 4 American Indian, Alaska Native 5 Other 6 Don't know/Not sure 7 Refused 9</p>	<p>11.11. About how tall are you without shoes?</p> <p>Height $\frac{\quad}{\quad} / \frac{\quad}{\quad} \frac{\quad}{\quad}$ ft/inches Don't know/Not sure $\frac{7}{7} \frac{7}{7}$ Refused 9 9 9</p>
<p>11.5. Are you:</p> <p>Married 1 Divorced 2 Widowed 3 Separated 4 Never been married 5 Member of an unmarried couple 6 Refused 9</p>	<p>11.12. What county do you live in?</p> <p>FIPS county code Don't know/Not sure $\frac{7}{7} \frac{7}{7} \frac{7}{7}$ Refused 9 9 9</p>
<p>11.6. How many children less than 18 years of age live in your household ?</p> <p>Number of children $\frac{\quad}{\quad}$ None 8 8 Refused 9 9</p>	<p>11.13. What is your ZIP Code where you live?</p> <p>ZIP Code Don't know/Not sure $\frac{7}{7} \frac{7}{7} \frac{7}{7} \frac{7}{7} \frac{7}{7}$ Refused 9 9 9 9 9</p>
<p>11.7. What is the highest grade or year of school you completed?</p> <p>≤ Kindergarten 1 Elementary 2 Some high school 3 High school graduate 4 Some college/tech school 5 College graduate 6 Refused 9</p>	<p>11.14. Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>11.8. Are you currently:</p> <p>Employed for wages 1 Self-employed 2 Out of work for more than 1 year 3 Out of work for less than 1 year 4 Homemaker 5 Student 6 Retired 7 Unable to work 8 Refused 9</p>	<p>11.15. How many of these are residential numbers?</p> <p>Residential phone numbers $\frac{\quad}{\quad}$ Don't know/Not sure 7 Refused 9</p>
<p>11.9. Is your annual household income from all sources:</p> <p>< \$10,000 1 \$10,000 to < \$15,000 2 \$15,000 to < \$20,000 3 \$20,000 to < \$25,000 4 \$25,000 to < \$35,000 5 \$35,000 to < \$50,000 6 \$50,000 to < \$75,000 7 ≤ \$75,000 8 Don't know/Not sure 77 Refused 99</p>	<p>11.16. During the past 12 months, has your household been without telephone service for 1 week or more?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>11.10. About how much do you weigh without shoes?</p> <p>Weight $\frac{\quad}{\quad} \frac{\quad}{\quad} \frac{\quad}{\quad}$ pounds Don't know/Not sure $\frac{7}{7} \frac{7}{7} \frac{7}{7}$ Refused 9 9 9</p>	<p>11.17. Indicate sex of respondent</p> <p>Male 1 Female 2</p>

2006 ARIZONA QUESTIONNAIRE

<p>11.18. To your knowledge, are you now pregnant?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>13.5. During the past 30 days, what is the largest number of drinks you had on any occasion?</p> <p>Number _____ Don't know/Not sure 7 7 Refused 9 9</p>
<p>Section 12: Veteran's Status</p> <p>12.1. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>Section 14: Immunization</p> <p>14.1. flu shot is an influenza vaccine injected in your arm. During the past 12 months, have you had a flu shot?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>Section 13: Alcohol Consumption</p> <p>13.1. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>14.2. During the past 12 months, have you had a flu vaccine that was sprayed in your nose? The flu vaccine that is sprayed in the nose is also called FluMist™.</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>13.2. During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?</p> <p>Days per week 1 _ _ Days in past 30 days 2 _ _ No drinks in past 30 days 8 8 8 Don't know/Not sure 7 7 7 Refused 9 9 9</p>	<p>14.3. Have you EVER had a pneumonia shot? A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>13.3. One drink is equivalent to a 12 ounce beer, a 5 ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average?</p> <p>Number of drinks _____ Don't know/Not sure 7 7 Refused 9 9</p>	<p>14.4. Have you EVER received the hepatitis B vaccine? The hepatitis B vaccine is completed after the third shot is given.</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>13.4. Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion?</p> <p>Number of times 8 8 Don't know/Not sure 7 7 Refused 9 9</p>	<p>14.5. Tell me if ANY of these statements is true for YOU. Do NOT tell me WHICH statement or statements are true for you, just if ANY of them are:</p> <p>You have hemophilia and have received clotting factor concentrate You are a man who has had sex with other men, even just one time You have taken street drugs by needle, even just one time You traded sex for money or drugs, even just one time You have tested positive for HIV You have had sex (even just one time) with someone who would answer "yes" to any of these statements You had more than two sex partners in the past year</p> <p>Are any of these statements true for you? Yes, at least one statement is true 1 No, none of these statements is true 2 Don't know/Not sure 7 Refused 9</p>

2006 ARIZONA QUESTIONNAIRE

<p>Section 15: Falls If respondent is 45 years or older continue, otherwise go to next section. The next questions ask about recent falls. By a fall, we mean when a person unintentionally comes to rest on the ground or another lower level.</p> <p>15.1. In the past 3 months, how many times have you fallen?</p> <table style="width: 100%;"> <tr> <td>Number of times</td> <td></td> <td></td> </tr> <tr> <td>None</td> <td style="text-align: center;">8</td> <td style="text-align: center;">8</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> <td style="text-align: center;">9</td> </tr> </table>	Number of times			None	8	8	Don't know/Not sure	7	7	Refused	9	9	<p>18.4. How long has it been since your last breast exam?</p> <table style="width: 100%;"> <tr> <td>Within past year</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Within past 2 years</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Within past 3 years</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Within past 5 years</td> <td style="text-align: center;">4</td> </tr> <tr> <td>5+ years ago</td> <td style="text-align: center;">5</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> </tr> </table>	Within past year	1	Within past 2 years	2	Within past 3 years	3	Within past 5 years	4	5+ years ago	5	Don't know/Not sure	7	Refused	9				
Number of times																															
None	8	8																													
Don't know/Not sure	7	7																													
Refused	9	9																													
Within past year	1																														
Within past 2 years	2																														
Within past 3 years	3																														
Within past 5 years	4																														
5+ years ago	5																														
Don't know/Not sure	7																														
Refused	9																														
<p>15.2. In the past 3 months, how many times have you fallen?</p> <table style="width: 100%;"> <tr> <td>Number of times</td> <td></td> <td></td> </tr> <tr> <td>None</td> <td style="text-align: center;">8</td> <td style="text-align: center;">8</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> <td style="text-align: center;">9</td> </tr> </table>	Number of times			None	8	8	Don't know/Not sure	7	7	Refused	9	9	<p>18.5. A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?</p> <table style="width: 100%;"> <tr> <td>Yes</td> <td style="text-align: center;">1</td> </tr> <tr> <td>No</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9										
Number of times																															
None	8	8																													
Don't know/Not sure	7	7																													
Refused	9	9																													
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														
<p>Section 16: Seatbelt Use</p> <p>16.1. How often do you use seat belts when you drive or ride in a car? Would you say:</p> <table style="width: 100%;"> <tr> <td>Always</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Nearly always</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Sometimes</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Seldom</td> <td style="text-align: center;">4</td> </tr> <tr> <td>Never</td> <td style="text-align: center;">5</td> </tr> <tr> <td>College graduate</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Never drive or ride in a car</td> <td style="text-align: center;">8</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> </tr> </table>	Always	1	Nearly always	2	Sometimes	3	Seldom	4	Never	5	College graduate	7	Never drive or ride in a car	8	Refused	9	<p>18.6. How long has it been since you had your last Pap test?</p> <table style="width: 100%;"> <tr> <td>Within past year</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Within past 2 years</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Within past 3 years</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Within past 5 years</td> <td style="text-align: center;">4</td> </tr> <tr> <td>5+ years ago</td> <td style="text-align: center;">5</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> </tr> </table>	Within past year	1	Within past 2 years	2	Within past 3 years	3	Within past 5 years	4	5+ years ago	5	Don't know/Not sure	7	Refused	9
Always	1																														
Nearly always	2																														
Sometimes	3																														
Seldom	4																														
Never	5																														
College graduate	7																														
Never drive or ride in a car	8																														
Refused	9																														
Within past year	1																														
Within past 2 years	2																														
Within past 3 years	3																														
Within past 5 years	4																														
5+ years ago	5																														
Don't know/Not sure	7																														
Refused	9																														
<p>Section 17: Drinking and Driving</p> <p>17.1. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?</p> <table style="width: 100%;"> <tr> <td>Number of times</td> <td></td> <td></td> </tr> <tr> <td>None</td> <td style="text-align: center;">8</td> <td style="text-align: center;">8</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> <td style="text-align: center;">9</td> </tr> </table>	Number of times			None	8	8	Don't know/Not sure	7	7	Refused	9	9	<p>18.7. Have you had a hysterectomy?</p> <table style="width: 100%;"> <tr> <td>Yes</td> <td style="text-align: center;">1</td> </tr> <tr> <td>No</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9										
Number of times																															
None	8	8																													
Don't know/Not sure	7	7																													
Refused	9	9																													
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														
<p>Section 18: Women's Health</p> <p>18.1. A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?</p> <table style="width: 100%;"> <tr> <td>Yes</td> <td style="text-align: center;">1</td> </tr> <tr> <td>No</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>Section 19: Prostate Cancer Screening</p> <p>19.1. A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?</p> <table style="width: 100%;"> <tr> <td>Yes</td> <td style="text-align: center;">1</td> </tr> <tr> <td>No</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9														
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														
<p>18.2. How long has it been since you had your last mammogram?</p> <table style="width: 100%;"> <tr> <td>Within past year</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Within past 2 years</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Within past 3 years</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Within past 5 years</td> <td style="text-align: center;">4</td> </tr> <tr> <td>5+ years ago</td> <td style="text-align: center;">5</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> </tr> </table>	Within past year	1	Within past 2 years	2	Within past 3 years	3	Within past 5 years	4	5+ years ago	5	Don't know/Not sure	7	Refused	9	<p>19.2. How long has it been since you had your last PSA test?</p> <table style="width: 100%;"> <tr> <td>Within past year</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Within past 2 years</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Within past 3 years</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Within past 5 years</td> <td style="text-align: center;">4</td> </tr> <tr> <td>5+ years ago</td> <td style="text-align: center;">5</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> </tr> </table>	Within past year	1	Within past 2 years	2	Within past 3 years	3	Within past 5 years	4	5+ years ago	5	Don't know/Not sure	7	Refused	9		
Within past year	1																														
Within past 2 years	2																														
Within past 3 years	3																														
Within past 5 years	4																														
5+ years ago	5																														
Don't know/Not sure	7																														
Refused	9																														
Within past year	1																														
Within past 2 years	2																														
Within past 3 years	3																														
Within past 5 years	4																														
5+ years ago	5																														
Don't know/Not sure	7																														
Refused	9																														
<p>18.3. A clinical breast exam is when a doctor, nurse, or other health professional feels the breasts for lumps. Have you ever had a clinical breast exam?</p> <table style="width: 100%;"> <tr> <td>Yes</td> <td style="text-align: center;">1</td> </tr> <tr> <td>No</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Don't know/Not sure</td> <td style="text-align: center;">7</td> </tr> <tr> <td>Refused</td> <td style="text-align: center;">9</td> </tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9																							
Yes	1																														
No	2																														
Don't know/Not sure	7																														
Refused	9																														

2006 ARIZONA QUESTIONNAIRE

<p>19.3. A digital rectal exam is an exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam?</p> <table style="width: 100%; border: none;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>20.4. How long has it been since you had your last sigmoidoscopy or colonoscopy?</p> <table style="width: 100%; border: none;"> <tr><td>Within past year</td><td style="text-align: right;">1</td></tr> <tr><td>Within past 2 years</td><td style="text-align: right;">2</td></tr> <tr><td>Within past 5 years</td><td style="text-align: right;">3</td></tr> <tr><td>Within past 10 years</td><td style="text-align: right;">4</td></tr> <tr><td>10+ years ago</td><td style="text-align: right;">5</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Within past year	1	Within past 2 years	2	Within past 5 years	3	Within past 10 years	4	10+ years ago	5	Don't know/Not sure	7	Refused	9						
Yes	1																												
No	2																												
Don't know/Not sure	7																												
Refused	9																												
Within past year	1																												
Within past 2 years	2																												
Within past 5 years	3																												
Within past 10 years	4																												
10+ years ago	5																												
Don't know/Not sure	7																												
Refused	9																												
<p>19.4. How long has it been since your last digital rectal exam?</p> <table style="width: 100%; border: none;"> <tr><td>Within past year</td><td style="text-align: right;">1</td></tr> <tr><td>Within past 2 years</td><td style="text-align: right;">2</td></tr> <tr><td>Within past 3 years</td><td style="text-align: right;">3</td></tr> <tr><td>Within past 5 years</td><td style="text-align: right;">4</td></tr> <tr><td>5+ years ago</td><td style="text-align: right;">5</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Within past year	1	Within past 2 years	2	Within past 3 years	3	Within past 5 years	4	5+ years ago	5	Don't know/Not sure	7	Refused	9	<p>Section 21: HIV/AIDS</p> <p>21.1. Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.</p> <table style="width: 100%; border: none;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9						
Within past year	1																												
Within past 2 years	2																												
Within past 3 years	3																												
Within past 5 years	4																												
5+ years ago	5																												
Don't know/Not sure	7																												
Refused	9																												
Yes	1																												
No	2																												
Don't know/Not sure	7																												
Refused	9																												
<p>19.5. Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?</p> <table style="width: 100%; border: none;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>21.2. Not including blood donations, in what month and year was your last HIV test?</p> <p>Code month and year <u> </u> / <u> </u> <u> </u> <u> </u> <u> </u> <u> </u></p> <p>Don't know/Not sure 7 7 7 7 7 7</p> <p>Refused 9 9 9 9 9 9</p>																				
Yes	1																												
No	2																												
Don't know/Not sure	7																												
Refused	9																												
<p>Section 20: Colorectal Cancer Screening</p> <p>20.1. A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?</p> <table style="width: 100%; border: none;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>21.3. Where did you have your last HIV test—at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at home, or somewhere else?</p> <table style="width: 100%; border: none;"> <tr><td>Private doctor or HMO</td><td style="text-align: right;">01</td></tr> <tr><td>Counseling and testing site</td><td style="text-align: right;">02</td></tr> <tr><td>Hospital</td><td style="text-align: right;">03</td></tr> <tr><td>Clinic</td><td style="text-align: right;">04</td></tr> <tr><td>Jail or prison</td><td style="text-align: right;">05</td></tr> <tr><td>Drug treatment facility</td><td style="text-align: right;">06</td></tr> <tr><td>Home</td><td style="text-align: right;">07</td></tr> <tr><td>Somewhere else</td><td style="text-align: right;">08</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">77</td></tr> <tr><td>Refused</td><td style="text-align: right;">99</td></tr> </table>	Private doctor or HMO	01	Counseling and testing site	02	Hospital	03	Clinic	04	Jail or prison	05	Drug treatment facility	06	Home	07	Somewhere else	08	Don't know/Not sure	77	Refused	99
Yes	1																												
No	2																												
Don't know/Not sure	7																												
Refused	9																												
Private doctor or HMO	01																												
Counseling and testing site	02																												
Hospital	03																												
Clinic	04																												
Jail or prison	05																												
Drug treatment facility	06																												
Home	07																												
Somewhere else	08																												
Don't know/Not sure	77																												
Refused	99																												
<p>20.2. How long has it been since you had your last blood stool test using a home kit?</p> <table style="width: 100%; border: none;"> <tr><td>Within past year</td><td style="text-align: right;">1</td></tr> <tr><td>Within past 2 years</td><td style="text-align: right;">2</td></tr> <tr><td>Within past 5 years</td><td style="text-align: right;">4</td></tr> <tr><td>5+ years ago</td><td style="text-align: right;">5</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Within past year	1	Within past 2 years	2	Within past 5 years	4	5+ years ago	5	Don't know/Not sure	7	Refused	9	<p>21.4. Was it a rapid test where you could get your results within a couple of hours?</p> <table style="width: 100%; border: none;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9								
Within past year	1																												
Within past 2 years	2																												
Within past 5 years	4																												
5+ years ago	5																												
Don't know/Not sure	7																												
Refused	9																												
Yes	1																												
No	2																												
Don't know/Not sure	7																												
Refused	9																												
<p>20.3. Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?</p> <table style="width: 100%; border: none;"> <tr><td>Yes</td><td style="text-align: right;">1</td></tr> <tr><td>No</td><td style="text-align: right;">2</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Yes	1	No	2	Don't know/Not sure	7	Refused	9	<p>Section 22: Emotional Support & Life Satisfaction</p> <p>22.1. How often do you get the social and emotional support you need?</p> <table style="width: 100%; border: none;"> <tr><td>Always</td><td style="text-align: right;">1</td></tr> <tr><td>Usually</td><td style="text-align: right;">2</td></tr> <tr><td>Sometimes</td><td style="text-align: right;">3</td></tr> <tr><td>Rarely</td><td style="text-align: right;">4</td></tr> <tr><td>Never</td><td style="text-align: right;">5</td></tr> <tr><td>Don't know/Not sure</td><td style="text-align: right;">7</td></tr> <tr><td>Refused</td><td style="text-align: right;">9</td></tr> </table>	Always	1	Usually	2	Sometimes	3	Rarely	4	Never	5	Don't know/Not sure	7	Refused	9						
Yes	1																												
No	2																												
Don't know/Not sure	7																												
Refused	9																												
Always	1																												
Usually	2																												
Sometimes	3																												
Rarely	4																												
Never	5																												
Don't know/Not sure	7																												
Refused	9																												

2006 ARIZONA QUESTIONNAIRE

<p>22.2. In general, how satisfied are you with your life?</p> <p>Very satisfied 1</p> <p>Satisfied 2</p> <p>Dissatisfied 3</p> <p>Very dissatisfied 4</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>MOD1_6. How are you related to the child?</p> <p>Parent 1</p> <p>Grandparent 2</p> <p>Foster parent or guardian 3</p> <p>Sibling 4</p> <p>Other relative 5</p> <p>Not related in any way 6</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>Module 1: Random Child Selection</p> <p>MOD1.1. What is the birth month and year of the "Xth" child?</p> <p>Code month and year <u> </u> <u> </u> / <u> </u> <u> </u> <u> </u> <u> </u></p> <p>Don't know/Not sure <u> </u> <u> </u> <u> </u> <u> </u> <u> </u> <u> </u></p> <p>Refused 9 9 9 9 9 9</p>	<p>Module 3: Childhood Asthma Prevalence</p> <p>MOD3_1. Has a doctor, nurse or other health professional EVER said that the child has asthma?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>MOD1.2. Is the child a boy or a girl?</p> <p>Boy 1</p> <p>Girl 2</p> <p>Refused 9</p>	<p>MOD3_2. Does the child still have asthma?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>MOD1_3. Is the child Hispanic or Latino?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>Module 5: Visual Impairment and Access to Eye Care</p> <p>MOD5_1. How much difficulty, if any, do you have in recognizing a friend across the street? Would you say</p> <p>No difficulty 1</p> <p>A little difficulty 2</p> <p>Moderate difficulty 3</p> <p>Extreme difficulty 4</p> <p>Unable to do because of eyesight 5</p> <p>Unable to do for other reasons 6</p> <p>Don't know/Not sure 7</p> <p>Not applicable (Blind) 8</p> <p>Refused 9</p>
<p>MOD1_4. Which <u>one or more</u> of the following would you say is the race of the child?</p> <p>White 1</p> <p>Black/African American 2</p> <p>Asian 3</p> <p>Native Hawaiian/Other Pacific Islander 4</p> <p>American Indian, Alaska Native 5</p> <p>Other 6</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>MOD5_2. How much difficulty, if any, do you have reading print in newspaper, magazine, recipe, menu, or numbers on the telephone? Would you say</p> <p>No difficulty 1</p> <p>A little difficulty 2</p> <p>Moderate difficulty 3</p> <p>Extreme difficulty 4</p> <p>Unable to do because of eyesight 5</p> <p>Unable to do for other reasons 6</p> <p>Don't know/Not sure 7</p> <p>Not applicable (Blind) 8</p> <p>Refused 9</p>
<p>MOD1_5. Which <u>one</u> of these groups would you say best represents the child's race?</p> <p>White 1</p> <p>Black/African American 2</p> <p>Asian 3</p> <p>Native Hawaiian/Other Pacific Islander 4</p> <p>American Indian, Alaska Native 5</p> <p>Other 6</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>MOD5_3. When was the last time you had your eyes examined by any doctor or eye care provider?</p> <p>Within past month 1</p> <p>Within past year 2</p> <p>Within past 2 years 4</p> <p>2+ years ago 5</p> <p>Don't know/Not sure 7</p> <p>Not applicable (Blind) 8</p> <p>Refused 9</p>

2006 ARIZONA QUESTIONNAIRE

<p>MOD5_4 What is the main reason you have not visited an eye care professional in the past 12 months</p> <p>Cost/insurance 1</p> <p>Do not have/know an eye doctor 2</p> <p>Cannot get to the office/clinic 3</p> <p>Could not get an appointment 4</p> <p>No reason to go (no problem) 5</p> <p>Have not thought of it 6</p> <p>Other 7</p> <p>Don't know/Not sure 77</p> <p>Not applicable (Blind) 8</p> <p>Refused 99</p>	<p>MOD5_9. Have you EVER been told by an eye doctor or other health care professional that you had age-related macular degeneration?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Not applicable (Blind) 8</p> <p>Refused 9</p>
<p>MOD5_5. When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.</p> <p>Within past month 1</p> <p>Within past year 2</p> <p>Within past 2 years 4</p> <p>2+ years ago 5</p> <p>Don't know/Not sure 7</p> <p>Not applicable (Blind) 8</p> <p>Refused 9</p>	<p>MOD5_10. Have you EVER had an eye injury that occurred at your workplace while you were doing your work?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Not applicable (Blind) 8</p> <p>Refused 9</p>
<p>MOD5_6. Do you have any kind of health insurance coverage for eye care?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Not applicable (Blind) 8</p> <p>Refused 9</p>	<p>Module 8: Family Planning</p> <p>MOD8_1. Are you or your [If female, insert "husband/partner," if male, insert "wife/partner"] doing anything now to keep [If female, insert "you", if male, insert "her"] from getting pregnant?</p> <p>Yes 1</p> <p>No 2</p> <p>No partner/not sexually active 3</p> <p>Same sex partner 4</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>MOD5_7 Have you been told by an eye doctor or other health care professional that you NOW have cataracts?</p> <p>Yes 1</p> <p>Yes, but had them removed 2</p> <p>No 3</p> <p>Don't know/Not sure 7</p> <p>Not applicable (Blind) 8</p> <p>Refused 9</p>	
<p>MOD5_8. Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Not applicable (Blind) 8</p> <p>Refused 9</p>	

2006 ARIZONA QUESTIONNAIRE

<p>MOD8_2 What are you or your [If female, insert "husband/partner," if male, insert wife/partner"] doing now to keep [If female, insert "you", if male, insert "her"] from getting pregnant?</p> <p>Tubes tied 1</p> <p>Hysterectomy 2</p> <p>Vasectomy 3</p> <p>Pill, all kinds 4</p> <p>Condoms 5</p> <p>Contraceptive implants 6</p> <p>Shots 7</p> <p>Contraceptive Ring 8</p> <p>Contraceptive Patch 9</p> <p>Diaphragm, cervical ring, or cap 10</p> <p>IUD 11</p> <p>Emergency contraception 12</p> <p>Withdrawal 13</p> <p>Not having sex at certain times 14</p> <p>Other method 15</p> <p>Don't know/Not sure 77</p> <p>Refused 99</p>	<p>Module 10: Secondhand Smoke Policy</p> <p>MOD10_1. Which statement best describes the rules about smoking inside your home?</p> <p>Smoking not allowed anywhere inside home 1</p> <p>Smoking allowed in some places or some times 2</p> <p>Smoking allowed anywhere inside home 3</p> <p>There are no rules about smoking inside home 4</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>MOD8_3 What is your main reason for not doing anything to keep [If female, insert "you", if male, insert "her"] from getting pregnant?</p> <p>Didn't think you were going to have sex/no regular partner 1</p> <p>You want a pregnancy 2</p> <p>Don't want to use birth control 3</p> <p>Don't like birth control/fear side effects 4</p> <p>Can't pay for birth control 5</p> <p>Lapse in use of a method 6</p> <p>Don't think you or your partner can get pregnant 7</p> <p>You or your partner had tubes tied 8</p> <p>You or your partner had a vasectomy 9</p> <p>You or your partner had a hysterectomy 10</p> <p>You or your partner are too old 11</p> <p>You or your partner are currently breast-feeding 12</p> <p>You or your partner just had a baby/postpartum 13</p> <p>Other reason 14</p> <p>Don't care if you get pregnant 15</p> <p>Partner is pregnant now 16</p> <p>Don't know/Not sure 77</p> <p>Refused 99</p>	<p>MOD10_2. While working at your job, are you indoors most of the time?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>MOD8_4. How do you feel about having a child now or sometime in the future? Would you say:</p> <p>You don't want to have one 1</p> <p>You do want to have one 2</p> <p>You're not sure if you do or don't 3</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>MOD10_3. Which of the following best describes your place of work's official smoking policy for indoor public or common areas, such as lobbies, rest rooms, and lunchrooms?</p> <p>Not allowed in any public areas 1</p> <p>Allowed in some public areas 2</p> <p>Allowed in all public areas 3</p> <p>No official policy 4</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>MOD8_5. How soon would you want to have a child? Would you say:</p> <p>Less than 12 months from now 1</p> <p>Between 12 months to < two years from now 2</p> <p>Between two years to < 5 years from now 3</p> <p>5 or more years from now 4</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>MOD10_4. Which of the following best describes your place of work's official smoking policy for work areas?</p> <p>Not allowed in any work areas 1</p> <p>Allowed in some work areas 2</p> <p>Allowed in all work areas 3</p> <p>No official policy 4</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>

2006 ARIZONA QUESTIONNAIRE

<p>Module 11: Indoor Air Quality MOD11_1. Is your home heated with a furnace or boiler that burns oil, gas, coal, or other fuel?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>AZ2_2. Are you currently taking any medicine to control your seizure disorder or epilepsy?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>MOD11_2. Does your home have any of the following appliances powered by natural gas: a stove, an oven, a water heater, or a clothes dryer?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>AZ2_3. How many seizures of any type have you had in the last three months?</p> <p>None 1 One 2 More than one 3 No longer have epilepsy or seizure disorder 4 Don't know/Not sure 7 Refused 9</p>
<p>MOD11_3. During the past 12 months, on how many days have you used a wood or coal stove, fireplace, or kerosene heater inside your home?</p> <p>Number of days Do not have 5 5 5 None 8 8 8 Don't know/Not sure 7 7 7 Refused 9 9 9</p>	<p>AZ2_4. In the past year, have you seen a neurologist or epilepsy specialist for your epilepsy or seizure disorder?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>MOD11_4. A carbon monoxide or CO detector checks the level of carbon monoxide in your home. It is not a smoke detector. Do you have a CO detector in your home?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>AZ2_5. During the past month, to what extent has epilepsy or its treatment interfered with your normal activities like working, school, or socializing with family or friends? Would you say...</p> <p>Not at all 1 Slightly 2 Moderately 3 Quite a bit 4 Extremely 5 Don't know/Not sure 7 Refused 9</p>
<p>MOD11_5. Do you currently have mold in your home on an area greater than the size of a dollar bill?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>State Added: Fruits & Vegetables AZ3_1. How often do you drink fruit juices such as orange, grapefruit, or tomato?</p> <p>Per day 1 ___ Per week 2 ___ Per month 3 ___ Per year 4 ___ Never 5 5 5 Don't know/Not sure 7 7 7 Refused 9 9 9</p>
<p>State Added: Oral Health AZ1_1. Which of the following best describes the water that you drink at home most often?</p> <p>Unfiltered tap water 1 Filtered tap water 2 Bottled or vended water 3 Water from another source 4 Don't know/Not sure 7 Refused 9</p>	<p>AZ3_2. Not counting juice, how often do you eat fruit?</p> <p>Per day 1 ___ Per week 2 ___ Per month 3 ___ Per year 4 ___ Never 5 5 5 Don't know/Not sure 7 7 7 Refused 9 9 9</p>
<p>State Added: Epilepsy AZ2_1. Have you ever been told by a doctor that you have a seizure disorder or epilepsy?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>AZ3_3. How often do you eat green salad?</p> <p>Per day 1 ___ Per week 2 ___ Per month 3 ___ Per year 4 ___ Never 5 5 5 Don't know/Not sure 7 7 7 Refused 9 9 9</p>

2006 ARIZONA QUESTIONNAIRE

<p>AZ3_4. How often do you eat potatoes not including French fries, fried potatoes, or potato chips?</p> <p>Per day 1 ___</p> <p>Per week 2 ___</p> <p>Per month 3 ___</p> <p>Per year 4 ___</p> <p>Never 5 5 5</p> <p>Don't know/Not sure 7 7 7</p> <p>Refused 9 9 9</p>	<p>AZ4_5. Now, thinking about the vigorous activities you do in a usual week, do you do vigorous activities for at least 10 minutes at a time, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>AZ3_5. How often do you eat carrots?</p> <p>Per day 1 ___</p> <p>Per week 2 ___</p> <p>Per month 3 ___</p> <p>Per year 4 ___</p> <p>Never 5 5 5</p> <p>Don't know/Not sure 7 7 7</p> <p>Refused 9 9 9</p>	<p>AZ4_6. How many days per week do you do these vigorous activities for at least 10 minutes at a time?</p> <p>Days per week</p> <p>Do not do any moderate physical activity 8 8</p> <p>Don't know/Not sure 7 7</p> <p>Refused 9 9</p>
<p>AZ3_6. Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat?</p> <p>Per day 1 ___</p> <p>Per week 2 ___</p> <p>Per month 3 ___</p> <p>Per year 4 ___</p> <p>Never 5 5 5</p> <p>Don't know/Not sure 7 7 7</p> <p>Refused 9 9 9</p>	<p>AZ4_7. On days when you do vigorous activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?</p> <p>Hours and minutes per day</p> <p>Don't know/Not sure 7 7 7</p> <p>Refused 9 9 9</p>
<p>State Added: Physical Activity</p> <p>AZ4_1. When you are at work, which of the following best describes what you do? Would you say</p> <p>Mostly sitting or standing 1</p> <p>Mostly walking 2</p> <p>Mostly heavy labor/physically demanding work 3</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>State Added: Folic Acid</p> <p>AZ5_1. Do you currently take any multivitamins or supplements that contain folic acid?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>AZ4_2. Now, thinking about the moderate activities you do in a usual week, do you do moderate activities for at least 10 minutes at a time, such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>	<p>AZ5_2. How often do you take this multivitamin or supplement?</p> <p>Times per day 1 ___</p> <p>Times per week 2 ___</p> <p>Times per month 3 ___</p> <p>Don't know/Not sure 7 7 7</p> <p>Refused 9 9 9</p>
<p>AZ4_3. How many days per week do you do these moderate activities for at least 10 minutes at a time?</p> <p>Days per week</p> <p>Do not do any moderate physical activity 8 8</p> <p>Don't know/Not sure 7 7</p> <p>Refused 9 9</p>	<p>AZ5_3. Some health experts recommend that women take 400 micrograms of the B-vitamin folic acid every day. They recommend this for which one of the following reasons?</p> <p>To make strong bones 1</p> <p>To prevent birth defects 2</p> <p>To prevent high blood pressure 3</p> <p>Some other reason 4</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>
<p>AZ4_4. On days when you do moderate activities for at least 10 minutes at a time, how much total time per day do you spend doing these activities?</p> <p>Hours and minutes per day</p> <p>Don't know/Not sure 7 7 7</p> <p>Refused 9 9 9</p>	<p>State Added: COPD</p> <p>AZ6_1. Have you EVER been told by a doctor or other health professional that you had emphysema?</p> <p>Yes 1</p> <p>No 2</p> <p>Don't know/Not sure 7</p> <p>Refused 9</p>

2006 ARIZONA QUESTIONNAIRE

<p>AZ6_2. Have you EVER been told by a doctor or other health professional that you had chronic bronchitis?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>MOD17_6. Does your household have a working battery operated radio and working batteries for your use if the electricity is out?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>State Added: General Preparedness</p> <p>MOD17_1. How well prepared do you feel your household is to safely withstand a large-scale disaster or emergency? Would you say</p> <p>Well prepared 1 Somewhat prepared 2 Not prepared at all 3 Don't know/Not sure 7 Refused 9</p>	<p>MOD17_7. Does your household have a working flashlight and working batteries for your use if the electricity is out?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>MOD17_2. Does your household have a disaster evacuation plan, a written plan for how you will leave your home, in case of a large-scale disaster or emergency that requires evacuation?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>MOD17_8. If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>
<p>MOD17_3. Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon of water per person per day.</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>MOD17_9. What would be the main reason why you might not evacuate if asked to do so?</p> <p>Lack of transportation 1 Lack of trust in public officials 2 Concern about leaving property behind 3 Concern about personal safety 4 Concern about family safety 5 Concern about leaving pets 6 Other 7 Don't know/Not sure 77 Refused 99</p>
<p>MOD17_4. Does your household have a 3-day supply of non-perishable food for everyone who lives there? By non-perishable we mean food that does not require refrigeration or cooking.</p> <p>Yes 1 No 2 Don't know/Not sure 7 Refused 9</p>	<p>MOD17_10. In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?</p> <p>Regular home telephones 1 Cell phones 2 Email 3 Pager 4 2-way radios 5 Other 6 Don't know/Not sure 7 Refused 9</p>
<p>MOD17_5. Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?</p> <p>Yes 1 No 2 No one in household requires prescribed medicine 3 Don't know/Not sure 7 Refused 9</p>	<p>MOD17_11. What would be your main method of getting information from authorities in a large-scale disaster or emergency?</p> <p>Television 1 Radio 2 Internet 3 Print media 4 Neighbors 5 Other 6 Don't know/Not sure 7 Refused 9</p>

2006 ARIZONA QUESTIONNAIRE

State Added: Emergency Preparedness

AZ7_1. How strongly do you agree with the following statement: "I feel the state of Arizona has provided appropriate information to me and my family so that we can identify emergency situations, and we know what we need to do in the event they occur. Would you say you..."

Strongly agree	1
Agree	2
Disagree	3
Strongly disagree	4
Don't know/Not sure	7
Refused	9

2006 BRFSS WEIGHTING FORMULA

$$\text{FINALWT} = \text{STRWT} * 1 \text{ OVER NPH} * \text{NAD} * \text{POSTSTRAT}$$

FINALWT is the final weight assigned to each respondent.

STRWT accounts for differences in the basic probability of selection among strata (subsets of area code/prefix combinations). It is the inverse of the sampling fraction of each stratum. There is almost never a complete correspondence between strata, which are defined by subsets of area code/prefix combinations, and regions, which are defined by the boundaries of government entities.

1/NPH is the inverse of the number of residential telephone numbers in the respondent's household.

NAD is the number of adults in the respondent's household.

POSTSTRAT is the number of people in an age-by-gender or age-by-race-by-gender category in the population of a region or a state divided by the sum of the products of the preceding weights for the respondents in that same age-by-gender or age-by-race-by-gender category. It adjusts for non-coverage and non-response and, before 1995, also adjusts for different probabilities of selection by region, where applicable.



**Arizona Department of Health Services
Bureau of Public Health Statistics**

**150 North 18th Avenue, Suite 550
Phoenix, Arizona 85007
(602) 542-7333**