

Arizona Abortion Report

2010

Prepared by:

The Bureau of Public Health Statistics
Arizona Department of Health Services
150 N 18th Ave, Suite 550
Phoenix, Arizona 85007

Table of Contents

	Page
Introduction	3
Highlights	4
Characteristics of Women Receiving Abortions	5
Number of Live Births, Abortions and Ratios of Induced Terminations of Pregnancy	8
Abortions by Week of Gestation	12
Abortions by County of Residence	15
Abortion Petitions filed in Court	22
Complications Due to Abortion	23

Introduction

Abortion has been reported in Arizona by the Arizona Health Status and Vital Statistics Report for many years. The information was collected in response to administrative rules written by the Arizona Department of Health Services as part of the Vital Records Administrative Code. Adherence to the reporting requirement was not enforced but regular reminders along with a standard reporting format were sent to clinics that provided abortion services. These forms were received by the Department and data entered to allow the preparation of a report. The data allowed for the estimation of pregnancies in addition to counts of births. This information can be accessed at <http://www.azdhs.gov/plan/report/ahs/index.htm> .

In 2010, SB1304 was passed by the legislature that statutorily required the reporting of abortions and treatment of complications associated with abortions. In addition, the office of the Courts were required to report the number of petitions received by the court for authorization to perform abortions on unemancipated minors as prescribed in Arizona Revised Statutes §36-2152. The collection of this information was begun July 29, 2010.

This report is a combination of the two reporting efforts. The 2010 data combines the information collected prior to August in the older format. The data since July 29,2010 is completely electronic with the clinics and hospitals reporting through a WEB base reporting system. The new reporting system was designed to meet the requirements of the new law and training was offered to all facilities that conduct abortions. Even though this data does not include individually identifiable information, those who enter the data, enter through an ID and password protected portal to submit the data.

Many of the tables in this report are the same as those in the 2010 Arizona Health Status and Vital Statistics Report. In order to maintain the same numbering scheme as that used in the Health Status Report, the title numbers on the tables in this report are not consecutive. These tables were prepared by Christopher Mrela and Clare Torres of the Vital Statistics Section.

Highlights

- In calendar year 2010 there were more abortions performed (11,438) in Arizona than any year since 2004. There was an 11% increase from 2009. It is possible that the new statutory requirement to report, starting in August of 2010 could account for the increase.
- In 2010, 13% of the abortions were performed on girls younger than 20 years of age. White non-Hispanics was the race of 46% of the patients and another 30% were Hispanic. In reviewing the education of the women who had an abortion, 38% were high school graduates or less, 28% had at least some college, and the remainder were unknown.
- Non-surgical abortions were conducted in 44% of the procedures.
- Fifty-four percent (54%) of the women had a least one previous live birth and 37% had received a previous abortion.
- There were 77 abortions on fetuses with 21 weeks or more gestation.
- Based on the county of occurrence, only Maricopa and Pima Counties reported conducting large numbers of surgical abortions. The other counties practiced non-surgical abortions almost exclusively.
- From July 29 – Dec 31, 2010 there were 23 petitions to the courts for orders authorizing abortions without parental consent. Of these 21 were granted.
- In 2010, there were 66 women treated at hospitals or clinics for complications from an abortion. Of these the largest proportion was associated with delayed or excessive hemorrhage.


Characteristics of Women Receiving Abortions

Table 1D-1 gives the numbers of abortions by the Characteristics of the women who have received them for the last 11 years from 2000 to 2010. The information includes demographics (race/ethnicity, age, and years of education), weeks of gestation, the facility where the procedure was done, previous pregnancy history and type of abortion.

Of most note from this tables is:

- In calendar year 2010 there were more abortions performed (11,438) in Arizona than any year since 2004. There was an 11% increase from 2009. It is possible that the new statutory requirement to report, starting in August of 2010 could account for the increase.
- In 2010, 13% of the abortions were performed on girls younger than 20 years of age. White non-Hispanics was the race of 46% of the patients and another 30% were Hispanic.
- Non-surgical abortions were conducted in 44% of the procedures.
- Fifty-four percent (54%) of the women had a least one previous live birth and 37% had received a previous abortion.

Figure 1



**TABLE 1D-1
CHARACTERISTICS OF WOMEN RECEIVING ABORTIONS, ARIZONA, 2000-2010**

Characteristics	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
ABORTIONS PERFORMED IN ARIZONA	10,064	8,302	10,677	10,316	12,690	10,723	10,836	10,721	10,660	10,271	11,438
RESIDENT ABORTIONS	9,631	8,226	10,397	10,154	12,301	10,446	10,506	10,486	10,396	10,045	11,059
RACE/ETHNICITY											
White non-Hispanic	4,786	3,917	4,909	4,887	5,276	4,431	5,106	5,202	4,737	4,759	5,241
Hispanic or Latino	2,995	2,737	3,566	3,441	4,485	3,112	3,160	3,719	3,124	3,303	3,422
Black or African American	531	450	556	495	723	585	581	675	744	736	476
American Indian	253	220	285	357	341	353	342	310	297	300	218
Asian or Pacific Islander	250	207	273	272	444	379	391	454	412	390	254
Unknown	816	695	808	702	1,032	1,586	926	126	1,082	557	1,448
AGE											
19 years and under	1,988	1,528	1,995	1,867	2,220	1,892	1,919	1,979	1,813	1,519	1,512
20-29 years	5,029	4,313	5,406	5,531	6,800	5,684	5,770	5,839	5,854	5,753	6,278
30 years and over	2,246	1,926	2,475	2,431	2,939	2,436	2,702	2,652	2,403	2,532	3,113
Not stated	217	459	521	325	342	434	115	16	326	241	156
YEARS OF EDUCATION											
Elementary/secondary (1-12)	3,257	2,604	3,029	2,444	3,321	1,435	6,226	9,293	6,964	5,244	4,316
College (1-4 or 5+)	2,537	1,777	2,156	1,889	2,726	1,330	1,415	1,193	2,565	3,372	3,199
Not stated	3,837	3,845	5,212	5,821	6,254	7,681	2,865	0	867	1,429	3,544
WEEKS OF GESTATION											
12 weeks or under	7,637	6,078	8,471	8,093	10,678	8,558	9,470	9,498	9,175	9,238	9,967
13 weeks or over	1,171	996	1,147	998	1,224	1,068	948	974	916	597	948
Not stated	823	1,152	779	1,063	399	820	88	14	305	210	144
FACILITY											
Clinic	8,429	7,334	9,485	9,158	12,281	10,442	10,560	10,486	10,391	9,362	9,689
Hospital	0	0	1	1	0	0	0	0	0	0	16
Other	1,202	892	911	995	20	4	0	0	5	683	*1,354

TABLE 1D-1 (continued)
CHARACTERISTICS OF WOMEN RECEIVING ABORTIONS, ARIZONA, 2000-2010

Characteristics	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
PREVIOUS LIVE BIRTHS											
None	4,109	3,490	4,508	4,446	5,215	4,593	4,798	4,517	4,441	4,377	4,867
One or more	5,522	4,736	5,889	5,708	7,086	5,853	5,708	5,969	5,955	5,668	6,178
PREVIOUS INDUCED TERMINATIONS OF PREGNANCY											
None	6,160	5,271	6,561	6,606	7,778	6,453	6,390	6,453	6,338	5,874	6,746
One or more	3,471	2,955	3,846	3,548	4,523	3,993	4,116	4,033	4,058	4,171	4,282
PREVIOUS SPONTANEOUS TERMINATIONS OF PREGNANCY											
None	8,474	7,218	9,494	8,780	10,454	8,916	8,864	8,807	8,756	8,424	9,300
One or more	1,157	1,008	903	1,374	1,847	1,530	1,642	1,679	1,640	1,621	1,643
NONSURGICAL ABORTIONS											
	NA	79	1,768	2,435	3,572	3,078	3,088	3,761	3,993	5,018	4,983
ABORTION RATIO¹	113.3	96.5	119.0	111.9	131.7	109.0	103.0	102.1	104.8	108.5	127.0
ABORTION RATE²	8.9	7.3	9.0	8.5	10.0	8.1	8.2	8.1	7.8	7.5	8.8

¹Number of abortions per 1,000 women giving birth.

²Number of abortions per 1,000 women of childbearing age (15 - 44 years old).

*Outpatient Surgical Center in 2010.

Number of Live Births, Abortions and Ratios of Induced Terminations of Pregnancy

Tables 1D-2 and 1D-5 contain ratios of abortions to live births. In comparing abortions to live births, the higher the ratio value the more frequently the decision is made to have an abortion instead of a live birth. Tables 1D-2 looks at the 11 year trend of abortions, births and the ratio of the two by race/ethnicity. Figure 2 demonstrates that the 2010 ratio was higher than any year since 2004. Figure 3 shows that White non-Hispanic and Black birth to abortion ratios are higher in 2010 where the American Indian and Asian ratios were the lowest.

Figure 2




Figure 3




TABLE 1D-2
NUMBER OF LIVE BIRTHS, ABORTIONS AND RATIOS¹ OF INDUCED TERMINATIONS OF PREGNANCY
BY RACE/ETHNICITY AND YEAR, ARIZONA, 2000-2010

Race/ethnicity	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
TOTAL, ALL GROUPS²											
Births	84,985	85,213	87,379	90,783	93,396	95,798	102,042	102,687	99,215	92,616	87,053
Abortions	9,631	8,226	10,397	10,154	12,301	10,446	10,506	10,486	10,396	10,045	11,059
Abortion ratio	113.3	96.5	119.0	111.9	131.7	109.0	103.0	102.1	104.8	108.5	127.0
WHITE NON-HISPANIC											
Births	39,850	38,934	38,819	38,842	39,271	39,657	43,013	42,216	41,925	39,781	38,777
Abortions	4,786	3,917	4,909	4,887	5,276	4,431	5,106	5,202	4,737	4,579	5,241
Abortion ratio	120.1	100.6	126.5	125.8	134.3	111.7	118.7	123.2	113.0	115.1	135.2
HISPANIC OR LATINO											
Births	33,893	35,103	36,089	39,101	40,822	42,156	44,862	45,731	42,639	38,362	34,333
Abortions	2,995	2,737	3,566	3,441	4,485	3,112	3,160	3,719	3,124	3,303	3,422
Abortion ratio	88.4	78.0	98.8	88.0	109.9	73.8	70.4	81.3	73.3	86.1	99.7
BLACK OR AFRICAN AMERICAN											
Births	2,760	2,736	2,753	3,022	3,216	3,450	3,864	4,165	4,301	4,378	4,328
Abortions	531	450	556	495	723	585	581	675	744	736	476
Abortion ratio	192.4	164.5	202.0	163.8	224.8	169.6	150.4	162.1	173.0	168.1	110.0
AMERICAN INDIAN OR ALASKA NATIVE											
Births	5,602	5,340	5,545	5,881	6,120	6,293	6,364	6,408	6,362	6,170	5,815
Abortions	253	220	285	357	341	353	342	310	297	300	218
Abortion ratio	45.2	41.2	51.4	60.7	55.7	56.1	53.7	48.4	46.7	48.6	37.5
ASIAN OR PACIFIC ISLANDER											
Births	2,041	2,104	2,281	2,524	2,614	2,805	3,136	3,412	3,425	3,396	3,293
Abortions	250	207	273	272	444	379	391	454	412	390	254
Abortion ratio	122.5	98.4	119.7	107.8	169.9	135.1	124.7	133.1	120.3	114.8	77.2

¹Number of resident abortions performed in Arizona per 1,000 resident live births in specified race/ethnic group.

²Total for all groups may include records with unknown or unspecified race/ethnic group.

TABLE 1D-5
NUMBER OF LIVE BIRTHS, ABORTIONS, AND RATIOS OF INDUCED TERMINATIONS OF PREGNANCY BY AGE GROUP
AND RACE/ETHNICITY, ARIZONA, 2010

		All ages*	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
White non Hispanic	Births	38,777	13	542	1,833	8,402	12,315	10,006	4,595	969	102
	Abortions	5,241	16	198	480	1,749	1,200	786	526	206	18
	Abortion ratio**	135.2	1230.8	365.3	261.9	208.2	97.4	78.6	114.5	212.6	176.5
Hispanic or Latino	Births	34,333	68	1,860	3,421	9,952	8,921	6,380	3,071	636	24
	Abortions	3,422	16	151	365	1,166	814	500	278	66	2
	Abortion ratio	99.7	235.3	81.2	106.7	117.2	91.2	78.4	90.5	103.8	83.3
Black or African American	Births	4,328	10	151	401	1,353	1,187	761	375	84	6
	Abortions	476	1	24	42	155	121	72	41	9	0
	Abortion ratio	110.0	100.0	158.9	104.7	114.6	101.9	94.6	109.3	107.1	NA
American Indian or Alaska Native	Births	5,815	14	331	643	1,998	1,429	876	427	91	6
	Abortions	218	2	13	21	69	54	37	14	4	0
	Abortion ratio	37.5	142.9	39.3	32.7	34.5	37.8	42.2	32.8	44.0	NA
Asian or Pacific Islander	Births	3,293	1	23	79	420	928	1,154	562	123	3
	Abortions	254	0	5	9	55	61	58	44	16	1
	Abortion ratio	77.1	NA	217.4	113.9	131.0	65.7	50.3	78.3	130.1	NA

* Includes records with unknown age.


**The number of abortions per 1,000 live births. The abortion ratio is calculated if at least 10 (ten) births are recorded in specified group.

Note: Records with unknown race/ethnicity are not shown above.

Abortions by Week of Gestation

Tables 1D-3 and 1D-4 provide information about the 2010 abortions by the week of Gestation of the fetus. It provides information by age and race/ethnicity of the women. There were 77 abortions on fetuses with 21 weeks gestation or more in 2010. Figure 4 demonstrates that the majority of all abortions are in the first 8 weeks of gestation.

Figure 4



**TABLE 1D-3
ABORTIONS BY WEEK OF GESTATION AND AGE GROUP, ARIZONA, 2010**

	Total	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
Total	11,059	44	435	1,033	3,660	2,618	1,695	1,044	351	23	156
6 weeks or less	3,894	12	101	292	1,298	972	611	393	142	14	59
7	2,399	8	81	242	773	581	388	211	61	4	50
8	1,528	4	62	156	505	358	228	139	53	1	22
9	844	4	47	91	289	182	120	74	32	1	4
10	539	6	31	53	174	125	74	62	13	0	1
11	468	4	31	47	160	100	77	35	12	1	1
12	295	0	23	27	98	76	35	23	11	0	2
13	244	0	13	34	78	50	35	26	6	0	2
14	176	0	11	20	60	41	26	12	5	1	0
15	151	0	6	18	56	35	18	13	3	1	1
16	103	2	6	17	35	15	16	9	2	0	1
17	59	1	4	8	18	8	13	6	1	0	0
18	55	1	3	6	17	8	10	6	4	0	0
19	54	0	7	2	17	12	10	4	1	0	1
20	29	2	2	5	6	7	4	3	0	0	0
21+	77	0	3	3	28	16	14	10	2	0	1
Unknown	144	0	4	12	48	32	16	18	3	0	11

**TABLE 1D-4
ABORTIONS BY WEEK OF GESTATION AND RACE/ETHNICITY, ARIZONA, 2010**

Week of gestation	Total	Race/ethnicity						
		White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander	Other race	Unknown race
Total	11,059	5,241	3,422	476	218	254	468	980
6 weeks or less	3,894	2,030	1,102	133	69	102	151	307
7	2,399	1,183	740	105	46	65	80	180
8	1,528	707	486	76	28	29	72	130
9	844	352	305	38	22	13	47	67
10	539	213	188	36	8	6	31	57
11	468	207	145	30	9	12	26	39
12	295	137	92	16	6	6	15	23
13	244	99	81	9	11	7	9	28
14	176	60	60	7	5	3	10	31
15	151	59	49	9	5	4	4	21
16	103	41	36	0	0	0	7	19
17	59	20	16	2	2	1	0	18
18	55	17	16	2	2	1	6	11
19	54	16	11	0	0	0	0	27
20	29	10	12	0	1	2	1	3
21+	77	25	26	8	3	0	1	14
Unknown	144	65	57	5	1	3	8	5

Abortions by County of Residence

Tables 5D-1 through 5D-5 give information by county of residence including the numbers of Abortions, the ratio of abortion to births, type of abortion by the county of occurrence, the age group of the woman, and the demographics of the woman (race/ethnicity, marital status, and education).

Of most note from these tables is:

- Residents of Pima, Cochise, and Santa Cruz counties show a reduction in the yearly number of abortions over the last 11 years.
- The rate of abortions per 1000 women giving birth is highest for residents of Coconino, Greenlee and Pima Counties (154.4, 209.5, and 151.5 respectively). Mohave, Apache and Graham were the counties with the lowest rate (10.9, 17.3, and 28.3 respectively).
- Based on the county of occurrence, only Maricopa and Pima Counties reported conducting large numbers of surgical abortions. The other counties practiced non-surgical abortions almost exclusively.
- The proportion of abortions in women whose age is less than 20 when compared with all abortions to county residents was higher for residents of Apache, Graham, Greenlee , Mohave, Santa Cruz and Yuma Counties.

Figure 5





Figure 6



**TABLE 5D-1
RESIDENT ABORTIONS BY COUNTY OF RESIDENCE, ARIZONA, 2000-2010**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
ARIZONA¹	9,631	8,226	10,397	10,154	12,301	10,446	10,506	10,486	10,396	10,045	11,059
Apache	11	12	15	17	43	46	47	43	15	19	19
Cochise	196	144	201	150	181	136	176	81	127	147	107
Coconino	226	190	239	233	291	266	299	275	281	266	274
Gila	23	29	27	15	29	10	27	36	27	27	28
Graham	21	17	20	18	21	9	15	12	15	23	15
Greenlee	6	8	7	4	4	6	4	7	7	8	22
Maricopa	6,082	4,697	6,371	7,027	8,178	6,541	6,496	7,188	7,166	6,732	7,774
Mohave	6	4	11	5	20	6	16	45	32	21	22
Navajo	46	45	73	54	70	51	47	51	59	40	69
Pima	2,394	2,422	2,764	2,080	2,965	3,018	2,636	1,908	2,054	2,124	1,844
Pinal	106	147	110	83	131	85	277	420	257	163	217
Santa Cruz	52	45	70	45	50	36	81	76	36	35	31
Yavapai	122	132	144	100	190	208	263	251	234	183	204
Yuma	76	84	112	133	119	28	81	76	74	156	151
La Paz	4	8	8	3	9	0	6	12	6	2	6
Unknown	0	0	0	0	0	0	0	0	6	0	276

**TABLE 5D-2
NUMBER OF WOMEN HAVING ABORTIONS PER 1,000 WOMEN GIVING BIRTH¹ BY COUNTY OF RESIDENCE,
ARIZONA, 2000-2010**

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
ARIZONA	113.3	96.5	119.0	111.9	131.7	109.0	103.0	102.1	104.8	108.5	127.0
Apache	8.5	11.2	13.5	13.6	32.2	35.9	39.5	37.4	12.4	15.3	17.3
Cochise	112.8	88.0	117.5	85.4	100.0	76.9	97.3	43.5	71.3	79.6	60.1
Coconino	121.6	101.4	128.0	121.4	143.6	128.5	145.0	129.0	141.6	140.4	154.4
Gila	34.0	44.7	117.5	21.7	43.4	15.4	40.5	51.9	38.7	38.4	41.8
Graham	45.8	38.4	128.0	41.5	46.6	19.9	27.8	20.6	23.3	35.7	28.3
Greenlee	55.6	84.2	38.8	46.0	39.2	60.6	36.4	50.7	53.4	61.5	209.5
Maricopa	111.7	84.4	112.5	119.1	135.1	105.1	98.2	109.0	114.4	116.7	143.4
Mohave	3.4	2.2	5.5	2.3	9.1	2.7	6.5	18.5	13.9	9.5	10.9
Navajo	27.3	28.6	44.7	31.5	39.1	26.8	25.0	25.3	30.3	21.1	39.7
Pima	191.3	199.5	221.8	162.5	227.6	232.6	189.2	138.3	152.1	165.4	151.5
Pinal	40.7	57.5	40.7	28.4	42.7	23.3	62.0	79.5	44.8	30.7	43.5
Santa Cruz	65.2	59.3	91.9	56.8	61.9	46.1	107.6	99.2	45.2	46.0	44.7
Yavapai	69.4	75.7	75.1	54.1	95.1	98.3	110.5	104.1	105.6	88.8	112.3
Yuma	25.3	28.0	36.5	41.7	35.9	8.5	24.2	23.4	22.0	48.2	46.8
La Paz	21.7	43.2	34.8	13.9	39.1	0.0	26.2	52.2	24.4	11.5	30.0

¹The number of resident abortions per 1,000 resident live births in specified county.

Table 5D-3

ABORTIONS BY COUNTY OF RESIDENCE AND COUNTY OF OCCURRENCE, ARIZONA, 2010

	TOTAL				County of occurrence																								
					Coconino				Maricopa				Pima				Yavapai				Yuma				Unknown				
	Total	Surgical	Non-surgical	Unknown	Total	Surgical	Non-surgical	Unknown	Total	Surgical	Non-surgical	Unknown	Total	Surgical	Non-surgical	Unknown	Total	Surgical	Non-surgical	Unknown	Total	Surgical	Non-surgical	Unknown	Total	Surgical	Non-surgical	Unknown	
ARIZONA	11,059	5,881	4,983	195	277	0	277	0	8,442	4,576	3,809	57	2,061	1,300	628	133	129	0	128	1	112	1	110	1	38	4	31	3	
Apache	19	12	7	0	3	0	3	0	15	11	4	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cochise	107	73	26	8	1	0	1	0	9	8	1	0	97	65	24	8	0	0	0	0	0	0	0	0	0	0	0	0	0
Coconino	274	35	238	1	206	0	206	0	41	35	6	0	1	0	1	0	3	0	3	0	0	0	0	0	23	0	22	1	
Gila	28	15	11	2	0	0	0	0	25	15	9	1	2	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	0
Graham	15	10	5	0	0	0	0	0	4	3	1	0	11	7	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Greenlee	22	5	17	0	0	0	0	0	22	5	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Maricopa	7,774	4,064	3,659	51	4	0	4	0	7,752	4,055	3,646	51	10	5	5	0	2	0	2	0	0	0	0	0	6	4	2	0	
Mohave	22	13	8	1	2	0	2	0	14	12	2	0	1	1	0	0	3	0	3	0	1	0	1	0	1	0	0	1	
Navajo	69	36	33	0	29	0	29	0	22	20	2	0	16	16	0	0	0	0	0	0	0	0	0	0	2	0	2	0	
Pima	1,844	1,158	591	95	1	0	1	0	46	37	8	1	1,795	1,121	580	94	0	0	0	0	0	0	0	0	2	0	2	0	
Pinal	217	154	61	2	0	0	0	0	197	140	55	2	19	14	5	0	0	0	0	0	0	0	0	0	1	0	1	0	
Santa Cruz	31	21	10	0	0	0	0	0	5	3	2	0	25	18	7	0	0	0	0	0	0	0	0	0	1	0	1	0	
Yavapai	204	48	155	1	29	0	29	0	54	47	6	1	1	1	0	0	118	0	118	0	1	0	1	0	1	0	1	0	
Yuma	151	40	109	2	0	0	0	0	37	35	2	0	4	4	0	0	1	0	0	1	109	1	107	1	0	0	0	0	
La Paz	6	6	0	0	0	0	0	0	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Unknown	276	191	53	32	2	0	2	0	193	144	48	1	78	47	1	30	1	0	1	0	1	0	1	0	1	0	0	1	

**TABLE 5D-4
ABORTIONS BY COUNTY OF RESIDENCE AND AGE GROUP, ARIZONA, 2010**

	Total	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
ARIZONA	11,059	44	435	1,033	3,660	2,618	1,695	1,044	351	23	156
Apache	19	1	2	2	5	5	2	1	0	0	1
Cochise	107	1	7	12	36	25	15	8	3	0	0
Coconino	274	2	13	33	113	56	28	19	8	1	1
Gila	28	0	2	0	10	6	4	4	2	0	0
Graham	15	0	0	4	4	5	0	1	1	0	0
Greenlee	22	0	1	4	5	5	5	2	0	0	0
Maricopa	7,774	29	298	704	2,521	1,862	1,230	752	254	14	110
Mohave	22	1	1	5	7	4	3	0	0	0	1
Navajo	69	1	0	13	18	15	11	6	4	0	1
Pima	1,844	5	75	178	657	429	264	155	49	7	25
Pinal	217	1	8	19	52	57	41	31	8	0	0
Santa Cruz	31	0	3	5	4	9	7	3	0	0	0
Yavapai	204	0	7	22	75	47	26	21	6	0	0
Yuma	151	0	12	19	62	23	10	12	3	0	10
La Paz	6	0	0	0	1	2	0	1	2	0	0
Unknown	276	3	6	13	90	68	49	28	11	1	7

**TABLE 5D-5
ABORTIONS BY COUNTY OF RESIDENCE, RACE/ETHNICITY, MARITAL STATUS AND EDUCATION, ARIZONA, 2010**

	Total	Race/ethnicity							Marital status		Education/highest grade completed		
		White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander	Other	Unknown	Married	Unmarried	Primary/Secondary (0-12)	College (1-4 or 5+)	Unknown
ARIZONA	11,059	5,241	3,422	476	218	254	468	980	1,783	9,111	4,316	3,199	3,544
Apache	19	10	4	0	2	0	0	3	1	17	8	4	7
Cochise	107	54	29	5	0	0	14	5	18	87	21	51	35
Coconino	274	167	35	1	55	4	8	4	30	243	65	93	116
Gila	28	14	11	0	1	1	0	1	8	20	11	12	5
Graham	15	4	3	1	1	1	3	2	3	12	2	10	3
Greenlee	22	15	6	0	0	0	1	0	3	17	5	7	10
Maricopa	7,774	3,843	2,298	378	112	206	229	708	1,268	6,391	3,465	1,997	2,312
Mohave	22	15	2	0	0	0	0	5	5	17	12	7	3
Navajo	69	39	16	1	9	2	1	1	8	59	20	16	33
Pima	1,844	648	715	73	23	38	193	154	275	1,541	373	795	676
Pinal	217	109	58	8	5	1	5	31	46	168	67	73	77
Santa Cruz	31	6	23	0	0	0	1	1	9	22	9	13	9
Yavapai	204	165	29	0	0	0	4	6	36	167	83	42	79
Yuma	151	36	93	0	4	0	3	15	31	118	70	11	70
La Paz	6	2	1	0	0	0	1	2	1	5	2	3	11,059
Unknown	276	114	99	9	6	1	5	42	41	227	103	65	19

Abortion Petitions filed in Court

The table below was provided by the Arizona Administrative Office of the Courts. It represents the petitions filed from July 29, 2010 to December 31, 2010 in Arizona courts for the purpose of obtaining orders authorizing abortions without parental consent for non-emancipated minors. There were 23 petitions received and 21 received a court order.

Table 1Court-1

Reporting Category	Number of Petitions
1. Number of petitions filed pursuant to section 36-2152, subsection B	23
2. Of the Petitions filed pursuant to section 36-2152, subsection B, the number in which the judge appointed a guardian ad litem or court-appointed counsel for the minor pursuant to section 36-2152, subsection D.	21
3. Of the Petitions filed pursuant to section 36-2152, subsection B, the number in which the judge issued an order authorizing an abortion without parental consent.	21
4. Of the Petitions filed pursuant to section 36-2152, subsection B, the number in which the judge issued an order denying the petition.	0
5. Of the petitions denied, the number appealed to the court of appeals.	0
6. The number of those appeals that resulted in the denials being affirmed.	0
7. The number of those appeals that resulted in the denial being reversed	0

Complications Due to Abortion

From July 29, 2010 to December 31, 2010 there were reported a total of 66 patients who were treated for complications resulting from an abortion. The largest proportion resided in Pima County with Maricopa County being second largest. The most common complication was associated with delayed or excessive hemorrhage. There were 23 women with complications in the 20-24 age group. This was the largest number for any of the age groups.

Table 1Comp-1

Number of Complications Reported by Month in 2010		
Month	Number of Complications	PERCENT
August	11	17%
September	29	44%
October	12	18%
November	7	11%
December	7	11%
Complications by County of Residence		
County of Residence	Number	PERCENT
COCHISE	1	2%
GILA	1	2%
MARICOPA	23	35%
MOHAVE	1	2%
PIMA	27	41%
PINAL	1	2%
YAVAPAI	5	8%
YUMA	2	3%
Unknown	5	8%

Table 1Comp-2

Types of Abortion Complications 2010		
Complication Type	COUNT	PERCENT
639.0 Complicated by genital tract and pelvic infection	6	9%
639.1 Complicated by delayed or excessive hemorrhage	20	30%
639.4 Complicated by metabolic disorder	1	2%
639.7 With other unspecified complications	4	6%
639.8 Without mention of complication	4	6%
Urinary tract infection following conditions classifiable to 630-638	4	6%
Other complication	26	39%
Unknown	1	2%

Table 1Comp-3

Complication Types by Age Group 2010					
Age	Complication Type	Number	Age	Complication Type	Number
< 20	639.1 Complicated by delayed or excessive hemorrhage	1	30-34	639.1 Complicated by delayed or excessive hemorrhage	2
	639.4 Complicated by metabolic disorder	1		639.7 With other unspecified complications	1
	639.7 With other unspecified complications	1		Other complication	4
	Other complication	2		639.0 Complicated by genital tract and pelvic infection	2
20-24	639.0 Complicated by genital tract and pelvic infection	2	35-39	639.1 Complicated by delayed or excessive hemorrhage	4
	639.1 Complicated by delayed or excessive hemorrhage	3		639.7 With other unspecified complications	1
	639.7 With other unspecified complications	1		Other complication	2
	639.8 Without mention of complication	4	40+	639.0 Complicated by genital tract and pelvic infection	2
	Other complication	11		Other complication	3
	Urinary tract infection following conditions classifiable to 630-638	2		Unknown	1
25-29	639.1 Complicated by delayed or excessive hemorrhage	10	40+	Urinary tract infection following conditions classifiable to 630-638	1
	Other complication	4			
	Urinary tract infection following conditions classifiable to 630-638	1			